

UNICOL[®]

Edition 55



**Mounting
Solutions**

Supporting You

Welcome to the 2018 Unicol Catalogue

Our comprehensive range of AV equipment mounts is available ex stock and offers unrivalled flexibility. Order either as standard assemblies or in component form to suit your own requirements. We also offer an efficient service in the manufacture of custom made items, from 'one-off' specials to large scale projects for corporate users. – Call us today or visit our website!



Unicol's solid design principles, driven by a passion to supply safe, cost effective, adaptable and dependable mounting solutions has been at the heart of our 50 years serving the AV industry.



Our 45,000 sq ft Oxford factory dedicated to the production of AV mounting solutions brings together design, development, testing, manufacture, despatch, sales & support, all under one roof.

How To Order

Call our sales / technical team direct, email or order on line.

We are ready to help regarding the best choice of items to order or to advise on any project being considered.

Tel: **01865 767676**

Email: **sales@unicol.com**

Web: **www.unicol.com**

Most standard products available on an ex stock basis.
Please state screen or projector make / model & colour choice.

Symbols used & other information



Typical single screen guide: Light or heavy monitors will influence this.



Maximum carrying capacity for which each product is designed.



Colours ex stock.
Sinterflex black (standard)
Diamond silver (optional)

*Please state colour choice when ordering
(Non-standard colours to special order)*

Dimensions shown are metric
Prices shown are Ex Works, Ex VAT

Unicol products have been designed to meet BSI installation specification standard BS8590. All goods are sold subject to the Companies terms & conditions of sale, a copy of which is available upon request or can be downloaded from our website www.unicol.com. VAT will be charged at the prevailing rate at time of invoice. Mechanical items have a 10 year design & manufacturing warranty. Electrical parts are covered by a 12 month return to base warranty. Unicol products are the subject of continuous development and we reserve the right to improve designs or change specifications without prior notice.

Products and prices listed in this catalogue are correct at time of going to press (Issue 1 – January 2018). © Peter Ligertwood 2018.

Unicol Engineering, Green Road, Oxford, OX3 8EU, England

Contents – Product Finder Pages



**VS1000
Stands, Trolleys
& Components**

4 & 5



**Wall Arms Panarm
& Standard Range**

24 & 25



**Axia
Stands & Trolleys**

6 & 7



Outdoor Housings

26 & 27



**Rhobus
Stands & Trolleys**

8 & 9



**Indoor Kiosks
& Totems**

28 & 29



**AV Furniture
Huddle Tables
Education Lecterns**

10 & 11



**Adapta-Wall
Video Wall Mount
Range**

30 & 31



**AV Teaching Aids
Cabinets & Large
Screen Lecterns**

12 & 13



**Screen Rail
V-Wall Video Wall Stand
AV Roller Trak**

32 & 33



**Avecta Stands
Parabella & Tevella**

14 & 15



**Floor to Wall & Ceiling
Multi-Screen
Gantry Systems**

34 & 35



**Large Axia Titan
Stands & Trolleys
Motorised Stands**

16 & 17



**Protective Covers
PC Housings
LED Universal Mounting**

36 & 37



**Dedicated Wall Mounts
Rotating Mounts
Universal Wall Mounts**

18 & 19



**Gyrolock
Projector
Mounts**

38 & 39



**Screen Mount
Trade Packs
Slim Profile Mounts**

20 & 21



**PSU Projector Units
Guardbox
Security Cages**

40 & 41



**Installation
Components**

22 & 23



**Single Column Stands
& Trolleys
Parts & Accessories**

42 & 43

VS1000 Stands, Trolleys & Components



"The Work Horse of the AV industry"

With a wide choice of interchangeable parts, easy assembly and sheer robustness VS1000 trolleys are the favoured choice of trade show, education, broadcast and AV users everywhere.


Available as static, wheeled base or back to back versions, with a wide choice of height options. Accessories include metal or glass shelves, locking cabinets and other options.




Height to centre of screen 1500mm



Standard VS1000 trolley with classic 'K' base



Heavy duty braked wheel options - see Page 43.



Standard 'K' base trolleys

With VESA Screen Mount

Order Code	£ Ex Vat
VSB-1500x2-VMSV	262.35
100 x 200 & 200 x 200 VESA - up to 32" / 35kg max	
VSB-1500x2-VMSV2	273.05
300 x 300 & 400 x 400 VESA - up to 40" / 40kg max	

With Universal Screen Mount

Order Code	£ Ex Vat
VSB-1500x2-PS2-PZX	333.70
For screens up to 70" - up to 60kg max	
(State screen make & model)	



Stand for single display on plinth base (shelf optional)



Scimitar base with optional locking cabinet

VSL-1500x2-PS2-VP1-PZX £415.80

VSS-1500x2-PS2-VLC-PZX £510.25

Build any configuration from



Mount Adapters

Converts Pozimount mounts (or Xactmatch mounts) to fit twin columns. Standard Allen screw fixing. Fully height adjustable.

Order Code	£ Ex Vat
PS2 Standard single screen	59.75
PS8 Back to back screens	85.00



Pozimount Universal Flat Screen Mount

For screens 42" to 70" plus VESA fixings 200 x 200 to 400 x 400.

Order Code	£ Ex Vat
PZX3 non-tilting	98.40

Full Pozimount range on Page 19



Scimitar™ Bases

Elegant curved design. Trolley base has 10cm non marking rubber tyre wheels.

Stand version has 1.5cm plastic feet.

Order Code	mm	£ Ex Vat
VSS	870w x 600d	122.75
VSR	with BRAKED wheels	182.15
VSX	Stand version (without wheels)	103.20


VSR base has higher spec BRAKED wheels - supports up to 105 Kg



Standard Plinth Base

Stylish plinth base has resilient non-marking feet. Has clearance for cables routed beneath.

Order Code	mm	£ Ex Vat
VSL	760w x 580d	128.65



Original 'K' Base

Still preferred by many for its robust design. Has 10cm non-marking rubber tyre wheels.

Order Code	mm	£ Ex Vat
VSB	870w x 600d	108.05
VBR	with BRAKED wheels	167.45

VBR base has higher spec BRAKED wheels - supports up to 105 Kg



Back-to-Back Base

With centralised column sockets for Back-to-Back screen use. Resilient non marking feet & clearance for cables routed beneath.



Order Code	mm	£ Ex Vat
VSLBB	700w x 700d	255.00

Choose from the standard units listed or select & assemble any of the parts to suit your needs

VS1000 trolleys with Scimitar bases

The curved design of the Scimitar base units offers an attractive alternative to 'K' base versions.

Whichever style you choose all these trolley assemblies are available in both VESA or Universal screen mount versions.



Standard Scimitar base trolleys

With VESA Screen Mount

Order Code	£ Ex Vat
VSS-1500x2-VMSV	277.05
100 x 200 & 200 x 200 VESA - up to 32" / 35kg max	
VSS-1500x2-VMSV2	287.75
300 x 300 & 400 x 400 VESA - up to 40" / 40kg max	

With Universal Screen Mount

Order Code	£ Ex Vat
VSS-1500x2-PS2-PZX	348.40
For screens up to 70" – up to 60kg max	
(State screen make & model)	

the components listed below



Column fitting VESA Mount

Fits direct to columns, covers many popular VESA screen mount sizes.

Order Code	VESA fixing mm	£ Ex Vat
VMSV	75 x 75, 100 x 100, 100 x 200 & 200 x 200	86.80
VMSV2	300 x 300, 400 x 200 & 400 x 400	97.50



Shelves

In metal or toughened glass.

Order Code	metal / mm	£ Ex Vat
VP1	500w x 400d	61.50
VP2	550w x 450d	69.50
VP3	300w x 300d	54.20
Order Code	glass / mm	£ Ex Vat
VGS	500w x 400d	78.80



Columns

Chrome plate finish (pair)

Order Code	Length mm	£ Ex Vat
1500X2	1500	67.50
2000X2	2000	90.00

Brushed Stainless Steel (each)

Order Code	Length mm	£ Ex Vat
1500SS	1500	79.30
2000SS	2000	105.70


(Other column lengths listed on Page 22)



Locking Cabinet

For DVD players, PCs etc. Fully height adjustable. Rear panel has access for cables.

Order Code	Internal Dimensions mm	£ Ex Vat
VLC	550w x 150h x 400d	161.85



Distance from twin sockets to base rear edge – 25mm

Compact Bolt Down Base

Offers minimal base footprint for fixed screen stands. M10 floor bolts (not supplied) fully recess into base. Trim caps neatly complete installation.

Order Code	mm	£ Ex Vat
VSF	400w x 300d	93.20



Order Code	£ Ex Vat
ESU UK as illustrated	34.50
ESE Europlug	34.90

4-Way Power Sockets

These clip to the base of the VS1000, TC1000 and the Single Column Trolley range (Page 42). With 4m cable and 13A plug. European version also listed.



- * Graceful, stylish design
- * Neat cable management
- * Screen mount included
- * 4-way power socket
- * Safety glass shelves
- * Video Conference versions
- * Portrait screen options
- * Corporate colour options



Height
to centre
of screen
1500mm

Standard Axia
Hi-level stand



Standard Axia
Lo-level stand

Height
to centre
of screen
1200mm



Hi-level
Stand with
AXLC Locking
Cabinet



Hi-level
Plinth
Cabinet

Height
to centre
of screen
1650mm



Hi-Level Stands

With our PZX universal screen mount. Stylish plinth base has resilient non-marking feet. 4-way power socket neatly locates behind screen.

Select toughened glass or metal shelves as required.

Standard Hi-Level Stand

Order Code £ Ex Vat
AX15P for screens up to 70" **523.20**

Lo-Level Stands

The quality option for corporate lounges or hospitality seating areas.

With our PZX universal screen mount. Plinth base has resilient non-marking feet. 4-way power socket neatly locates behind screen.


Standard Lo-Level Stand

Order Code £ Ex Vat
AX12P for screens up to 70" **468.70**

Plinth Cabinet Stand

Popular for showroom or exhibition use. Lockable base for PCs, DVDs etc has resilient non-marking feet.

Order Code £ Ex Vat
AX16P Cabinet Base version **708.20**
Cabinet internal dims 480(w) x 400(d) x 160(h)mm



Shelves

Toughened glass, fully edge polished or metal versions available. Lugs fit through mast slots & screw securely into position.

Order Code	glass / mm	£ Ex Vat
AXGS	500w x 400d	78.80
AXWS	780w x 390d	89.20
Order Code	metal / mm	£ Ex Vat
AXSS	500w x 400d	69.50

Axia Locking Cabinet

For DVD players, PCs etc.


Lockable drop down door.

Rear panel has access for mains and other cables.




Order Code Internal Dimensions mm £ Ex Vat
AXLC Size 550w x 150h x 400d **173.60**






Height
to centre
of screen
1600mm




Standard Axia
Twin screen
trolley version
Sinterflex Black



Height
to centre
of screen
1200mm




Lo-level
trolley in
optional
silver




Standard Axia
Hi-level trolley
in optional
Diamond Silver

Height
to centre
of screen
1600mm



Heavy duty
braked wheel
options – see
page 43.



Axia Twin Screen and Video Conference Stands & Trolleys

These internally strengthened units for twin screen use cover a wide range of screen sizes. Easy to set up, using our PZX universal screen mounts. Toughened glass shelf is included.

Order Code Stand Versions £ Ex Vat
AXC15P51 screens 38" - 57" **823.85**

Order Code Trolley Versions £ Ex Vat
AXC15T51 screens 38" - 57" **978.65**

State make & model of screens when ordering
Above screen video conference mounts and larger
screen versions also available.

– Call us for any advice or assistance required

Lo-Level Trolleys

Includes PZX universal screen mount, 7.5cm twin wheel castors.
4-way power socket neatly locates behind screen.

Standard Lo-Level Trolley

Order Code £ Ex Vat
AX12T for screens up to 70" **502.60**

Hi-Level Trolleys

With PZX universal screen mount and base with 7.5cm twin wheel castors. 4-way power socket neatly locates behind screen. Select toughened glass or metal shelves as required.

Standard Hi-Level Trolley

Order Code £ Ex Vat
AX15T for screens up to 70" **557.50**

Video Conference Mount

For most makes/models of cameras. Fits either above or below screen.

Telescopic adjustment enables camera platform to be positioned at optimum height.

Dedicated mounts for specific makes/models of cameras also available – Call us for details.

Order Code mm £ Ex Vat
VCM shelf size 340w x 260d **87.90**



VCM

Height
Adjustable
400 – 585mm



Axia Colour Options

With their graceful flowing curves Axia stands & trolleys already look good in their standard finishes.

Adding a corporate or individually chosen colour can dramatically enhance the effect, harmonise with interior schemes or even the screen itself.

– Call us for further details



RHOBUS®

- * Premium boardroom quality
- * Piano black and other finishes
- * Wide choice of screen options
- * Discreet cable management
- * Power-lift operated options
- * Lockable housing for codec etc
- * Supplied with castors & static feet
- * Single box solution



Rhubus RH1HDSH84
Trolley with 84" screen




With its clean lines and superior finish options the new Rhobus range of stands and trolleys answers all the needs of the corporate user – from boardroom to prestige exhibitor.

Choose from the simple but elegant single screen version through to multi-screen units to support the very latest and best in video conferencing. Ample capacity is provided within the central mast for cabling, codecs and other systems, all accessible through a locking door. Built in power socket comes as standard.

Camera mounts available in two versions; vertical blade style mount allow screens to be closed almost together see ① below. Style ② gives separate space for the camera with background panel (optional) to provide a neat finish.



Rhubus RH100
Stand with 46inch
screen, VCM and
glass shelf



Rhubus RH100 can be
supplied as a floor to wall unit

An abundance of practical features

Mast housing dims for cabling / codecs – 440(w) x 470(h) x 80(d)



Swap from twin
wheel castors
to static feet as
required



Camera mount
options allow choice
of camera & screen
configurations



Simple to configure for single,
twin or triple screens – edge
to edge micro adjustment as
standard for multi-screens



4-way power socket,
generous cable
management &
equipment space



Drop down locking
door allows easy
access & provides
neat appearance


Rhobus Stands & Trolleys



Rhobus RH200 Trolley in RAL 7035 light grey with twin screens, blade camera mount & centre infill panel

Order Code	Version	£ Ex Vat
RH100	Single Screen (33" - 70")	1148.30
RH200	Twin Screen (33" - 70")	1420.70
RH300P	Triple Portrait (33" - 70")	1539.10
RH300L	Triple Landscape (33" - 57")	1539.10
RH1SH55	MS Surface Hub (55")	1407.90
RH1HDSH84	MS Surface Hub (84")	1484.10
RH100HD	Heavy Duty (71" - 110")	1284.90
RFWSHHD	Floor to Wall (71" - 110")	1051.10
RHPL100HD	HD PowaLift (71" - 110")	1884.20
RH400HD	2 x 2 Screen (33" - 57")	1852.00

Height to centre of screen 1400mm



Rhobus Accessories

Order Code	mm	£ Ex Vat
RHGS1	Glass Shelf - 500(w) x 400(d)	78.80
RHGS2	Glass Shelf - 780(w) x 390(d)	89.20
RHCB1	Blade style Camera Mount	85.50
RHCC	Blade mount conversion shelf	35.20
RHP1	Optional centre infill panel	36.80
RHH1P	Optional manoeuvring handles	158.50
VCM	Standard Camera Mount	87.90



RHP1
centre
infill
Panel

* We offer a wide range of camera mount options. Our RHCC conversion shelf is also available in versions dedicated to specific cameras. Above screen camera mounts also available - Call us for details.



Fully adjustable screen arms RHPZX1VW, RHPZX3VW & RHPZX5VW are used on twin and triple screen units



Rhobus RHPL100HD Trolley with 'Touch of a button' PowaLift technology to raise and lower screens smoothly through 700mm.



Smooth
Powered
Operation



RHOBUS® PowaLift

- * Safe, smooth operation
- * Well proven technology
- * Quality, long life components
- * For screens 71 to 110 inch
- * Controllable by Remote fob, cord switch or direct from your laptop - all supplied with unit

Operated by wireless remote or manual switch, screens can be commanded to rise or descend smoothly through 700mm, stopping safely at any point.

These units serve many requirements, particularly in the field of education enabling young children or wheel chair users to interact with touch screens. 'Touch of a button' height control also makes it easy to move from one location to another through doorways.

Screen mount, hand held remote with manual switch and 4-way power socket supplied as standard.

Order Code	£ Ex Vat
RHPL100HD HD PowaLift (71" - 110")	1884.20



There are two Rhobus table versions, Huddle and Stand-to-Meet. The Huddle can be powered up and down to adjust table height. Both have ample capacity & connectivity for cabling, codec and integration with other systems, all accessible through a cable well and locking door. Built in 4-way power socket comes as standard.


Rhobus Huddle

Order Code
RHO1
RHO2

Single Screen version
Twin Screen version

£ Ex Vat
4508.18
4878.00

Video conference camera mounts are available for all the leading manufacturers of VC equipment. Table tops can be customised in different shapes with cut-outs for all the leading brands of connectivity devices. They can also be branded with different colours and logos. Seating can be supplied as an optional extra.



RHOBUS® Stand-to-Meet

- * Full unified connectivity
- * Underside rack options
- * Built in hearing induction loop
- * Motorised height adjustable top
- * Branding, logos & special finishes
- * Accommodates wide choice of devices
- * Lockable equipment housing
- * Fast turnaround delivery 10 - 15 days

*Prices quoted are ex-works
as all furniture is despatched by
dedicated courier
or collected*

Rhobus Stand-to-Meet

Order Code	£ Ex Vat
RS01 Twin screen stand to meet unit	3978.30
RSU01 Underside custom controller /switcher unit	728.10
RSU02 Large front mast for cable cubby with retractors	125.50

AVplates
getting you connected

As a distributor of AV Plates we can enhance any models of Unicol AV Furniture - Please call for details.





Canterbury Lectern

Combines functionality with style

- * Premium lecture room quality
- * Fast turnaround delivery 7 - 14 days
- * Customised control housings as standard
- * Secure front & rear installation access
- * Lockable front door with key alike
- * 4 jacking feet & hidden castors
- * High quality monitor arm included
- * To BS8590 AV Code of Practice guidelines
- * Matt black and other finishes available
- * 19inch, 16U rack supplied as standard
- * Wood finish table tops, 36mm deep

Versatile lectern provides secure storage for media electronics with 19" 16U rack mounting as standard. Stylish oval cabinet has concealed castors with jacking feet for extra stability on uneven surfaces. The range of durable desk tops are available in a choice of sizes and incorporate a control panel housing for standard & custom apertures, together with power outlets.

High quality monitor arm is fully adjustable and there is generous desk top room for keyboard and visualiser if required. Desk tops are available in 1000, 1250 & 1500mm widths, all are 750mm deep with a choice of wood effect finishes. With ability to customise to a wide range of requirements, including colours and branding, this premium self contained lectern is complimentary to any modern lecture theatre.

Table Top and Cabinet Choices:

*Prices quoted are ex-works
as all furniture is despatched by
dedicated courier
or collected*


Table Tops



Oak



Beech



Grey



Black



White

Cabinets



Black



White



Silver

How to Order

Choose from the three models listed below and select any of the table top & cabinet finishes listed. Please then provide preference for monitor arm left or right and control panel housing requirements.

Order Code

£ Ex Vat

UFCL10 **Canterbury Lectern** **£2030.50**

Top - 1000x750x36mm - with Monitor Arm & Control Housing

UFCL12 **Canterbury Lectern Plus** **£2105.70**

Top - 1250x750x36mm - with Monitor Arm & Control Housing

UFCL15 **Canterbury Lectern Pro Plus** **£2210.10**

Top - 1500x750x36mm - with Monitor Arm & Control Housing

Presenter

Wall Mounted Lectern

Ideal for small lecture theatres where space is limited, the folding 18mm wood finish top is designed to be functional yet compact, with built in pen tray and space available for laptop and note taking.

A lockable cabinet (with key alike) is provided for a PC with access to PC ports and power through the side of the unit. A 3U rack strip is also built in. A standard UK double gang aperture is provided in the sloping top face along with a custom size aperture. (Please supply controller make & model & size of aperture).

How to Order

Choose cabinet finishes listed. Please then provide preference for control panel housing requirements.

*Prices quoted are ex-works
as all furniture is despatched by
dedicated courier
or collected*



*Presenter
lectern with
folding top
shown in
white*

Table Top and Cabinet Choices:

Table Top



Cabinets



white



black

Order Code

mm

£ Ex Vat

UFPL08

800(w) x 796(h) x 605(d)

935.69

AV Furniture - Teaching Aid Desks & Trolleys



The Principal Teaching Aid Desk

Provides lecturers with a central desk facility to control AV lecture content, screen or projector video sources, audio and lighting levels and more. Cabinets have 19" removable 6U racks and the desk, with control housing and fully adjustable screen mount, powers up and down by remote or manual switch for standing or seated operation.

- * 19" removable 6U racks allows pre-installation option
- * Full cable management allows for bulky connectors
- * Motorised Desk Top in a range of widths & finishes
- * Screen mount has left/right or multi-screen options
- * Control Housing has standard & custom apertures
- * Quick release doors for ease of installation
- * Logo designs including illuminated versions
- * Generous desk top space for visualiser if required
- * Castor mobile for access through standard doorways
- * Fast turnaround 7 - 14 days delivery on basic units


Shown with desk top raised, control panel with phone, monitor, microphone, visualiser, keyboard and an illuminated logo




Smooth Powered Operation

Table Top and Cabinet Choices:


Cabinets



Black



White



Silver

Table Tops

(36mm thick)



Oak



Beech



Grey



Black



White

Prices quoted are ex-works as all furniture is despatched by dedicated courier or collected

How to Order

Select any of the table top & cabinet finishes listed. Please then provide preference for monitor arm left or right and control panel housing requirements.

Order Code	mm	£ Ex Vat
UFPD15	1550(w) x 778(h) x 700(d)	6103.33
UFPD18	1850(w) x 778(h) x 700(d)	6325.00
UFPD24	2400(w) x 778(h) x 700(d)	6737.50

NEST-STAR[®] Nesting Trolleys


AV Teaching Aid on Wheels

A complete large format audio visual teaching assistant on wheels that can be deployed quickly and neatly stowed when not in use.


This robust trolley is designed for large format displays and securely houses your favourite PCs and controllers, whilst allowing fast deployment of cabling. The standard trolley comes with a plain mast. However, we understand that choice of equipment is important and will customise the rear or front of the mast section with a 300 x 300 x 100mm cable/keypad pocket and standard double gang wall plate & cable assembly at an additional cost. (Please call us for a quote). Handles are provided for ease of movement as standard.

These trolleys can quickly turn an empty space into an effective student e-learning environment as and when required. Whilst Sinterflex Black is the standard colour, other bright & bold finishes are available.

- * Robust modular construction
- * Easy to assemble and install
- * Quick and easy deployment
- * Customisation available
- * Secure storage for players / PCs
- * Standard black with colour options
- * Fast turnaround delivery 5 - 7 days



Footprint shown from underneath



NST1 80kg MAX
NST2 150kg MAX
Typically 33-90" screens

Height to centre of screen 1500mm

Shown in various colours with holes cut for specific customer requirements.

* Please Note: Standard trolley comes in Sinterflex Black with plain mast. The rear / front of the mast can be customised with a cable/keypad pocket and double gang wall plate & cable assembly.

Order Code

NST1 For up to 70" screens (Trolley only - no electronics)

Price Ex VAT

1310.50

NST2 For up to 90" screens (Trolley only - no electronics)

1377.30

When ordering please state make & model of screen, custom option requirement and colour choice. There will be an additional charge of 18% for non-standard colours.

Media Screen Units, Cabinets & Tilting Lecterns

19" Rack Cabinet & Screen Units

This versatile range provides secure storage for media electronics. 19" rack mounting as standard, shelves optional. Select mast & screen mount units from the listings below.



Typically 33-57" screens

40kg MAX



AVR5
Standard cabinet
500w x 700h x 500d



Twin 19" Rack Cabinet & Screen Units



AVRT5 Standard twin cabinet
1015w x 700h x 500d

Order Code		£ Ex Vat
AVR5	Standard rack mount depth 442mm	449.20
AVR7	Extended rack mount depth 642mm	468.50
AVR9	Oval style cabinet (dims as standard)	496.50
M1X1	Mast assembly inc single screen mount	274.55

Order Code		£ Ex Vat
AVRT5	Standard rack mount depth 442mm	946.30
AVRT7	Extended rack mount depth 642mm	984.90
M2X1	Mast assembly inc twin screen mount	617.20

* Special Non-standard Versions of these cabinets, screen mounts and accessories are also manufactured – Call us for details.

Universal Shelves

Fit all cabinet versions and locate into rack mount slots. Useful above / below rack mounted equipment or in any way required.

Order Code		£ Ex Vat
VR500	Shelf – 430mm(d)	51.50
VR700	Shelf – 630mm(d)	52.75



Large Screen Lecterns

There are two models offered:

Shown left, a rigid and stable platform supporting a fixed angle screen mount.

Shown right, a trolley that can be powered up and down with a variable angled screen mount manually moved through 90 degrees from horizontal to vertical. Optional screen cassette with laminate frame available in standard and other finishes.



Height to centre of screen
1000mm

80kg MAX

Typically 33-70" screens

Prices quoted are ex-works as this unit is despatched by dedicated courier or collected

TABLEAU

Mast incorporates two compartments, both 344(w) x 95(d) – 1 x 280(h) & 1 x 398 (h), to house small PCs or other electronics together with cabling. Base unit has resilient non marking feet and clearance for cables routed beneath.

Order Code		£ Ex Vat
TL1-PZX1	for screens 33" - 70"	577.50

State screen make & model when ordering



0 to 90° Tilt

120kg MAX

Typically 46-70" screens

Smooth Powered Operation

Standard cassette frame shown can be ordered in white or black - other finishes available.

Shown with screen mounted in cassette with laminate frame in white

TL3
Tableau+

TABLEAU+

Operated by manual switch, screens can be commanded to rise or descend smoothly through 500mm, stopping safely when required. Screen angle can be manually moved through 90 degrees and locked at any point. Standard model TL2 comes with mount only. TL3 model comes with screen cassette and laminate frame in black or white. Other finishes available.

Order Code		£ Ex Vat
TL2	for screens 46" - 70"	985.30

State screen make & model when ordering

Order Code		£ Ex Vat
TL3	for screens 46" - 70"	1245.30

State screen make & model when ordering along with colour option

Avecta Stands & Trolleys



From boardroom to show venue – a flexible and adaptable stand system with excellent cable management. Static or wheeled versions, single or dual screen options.

Hi-Level Stand & Trolley

Height to centre of screen adjustable from 1100mm to 1500mm complete with PZX universal screen mount, 4-way power socket and all metal shelf.

Order Code	£ Ex Vat
AVHP	621.05
AVHT	661.20



Height to centre of screen 1250 to 1520mm

Standard Avecta AVHT with AVP1 shelf



Wall Mounted

Pivots to adjust viewing angle.



Avecta AVHP with 2 x AVGS glass shelves


Lo-Level Stand

Height to centre of screen fully adjustable. Comes with PZX universal screen mount, 4-way power socket and all metal shelf.

Order Code	£ Ex Vat	Height to centre of screen
AVLP	505.50	600 to 950mm



Avecta AVLP




Heavy Duty Trolley

For large screens up to 110" – this trolley comes with an integral universal mount. Height to centre of screen adjustable up to 1500mm.

State screen make & model when ordering

Order Code	£ Ex Vat
TCAVT	642.90

TCAVT Height to centre of screen adjustable to 1500mm




Video conference & twin screen units

Different screen sizes can be accommodated using one of 3 central cross member types which carry our standard Pozimount universal mounts. State screen make & model when ordering

Comes with metal shelf. Order video conference camera mount, or glass shelf as required.

Order Code	Hi-level Trolley	£ Ex Vat
ACHT		1027.30
ACHP	Hi-level Stand	987.10



VCM Video Conference Mount also available – (See Page 7)

Avecta ACHT with AVP1 metal shelf and optional VCM video conference mount

Avecta Accessories



Metal Equipment Shelves

Height adjustable. Cable entry.

Order Code	mm	£ Ex Vat
AVP1	500w x 400d	46.05
AVP2	550w x 450d	54.20
AVP3	300w x 300d	34.40



Safety Glass Shelf

Toughened glass fully edge polished. Height adjustable. Cable entry.

Order Code	mm	£ Ex Vat
AVGS	500w x 400d	93.80



Locking Cabinet

Height adjustable. Door conceals into roof. Has usable top surface.

Order Code	inside dimensions mm	£ Ex Vat
AVLC	500w x 140h x 400d	177.38

Popular & Specialist Stands



Parabella®

The inspirational stand unit for exhibitions & conferences.

- * Curved slim design
- * For screens 40 - 80inch
- * Neat cable management
- * 1.8m viewing height
- * Standard & Large available

Standard Parabella

Comes with PZW1 universal mount & converter.

Order Code **PA2** for screens 33" - 70" £ Ex Vat **577.60**

Heavy Duty Parabella

Comes with PZX9 universal mount, larger base & converter.

Order Code **PA9** for screens 33" - 80" £ Ex Vat **1044.90**

Parabella Accessories

Glass Shelf



Toughened glass fully edge polished.

Order Code **PARAGS2** size 500w x 400d £ Ex Vat **82.90**



Base & Converter – screens up to 80"

Order Code **PARAB2** large size 1210w x 700d £ Ex Vat **370.00**
CTPA3 mount converter **110.10**

Power Sockets

In special housing to fit Parabella stand with 4.5m cord.

Order Code **PARAES4B** UK 4-way socket £ Ex Vat **46.80**



TEVELLA™

series

Tevella TV Stand

- * Cables routed through base & column
- * Bolt down version also available
- * Stand height to centre of screen 100cm
- * Trolley height to centre of screen 140cm

Order Code **TVV1** Upright - 15-32" screens £ Ex Vat **150.80**
TVL1 Lectern Version - 15-32" screens **210.80**
TVT1 Trolley Version - 15-40" screens **224.45**

Order Code **LBP/1000/EPS** Bolt Down Version 15-40" screens £ Ex Vat **194.40**



Axia Titan Heavy Duty Stands & Trolleys

Axia[®] Titan

Designed for large format or multi-screen applications, these trolleys incorporate heavier mast sections and increased base footprint to accommodate large screen sizes and heavier loads. Axia Titan trolleys come in 3 versions:

- * **Fixed Height**
- * **Manual Easy Lift**
- * **PowaLift with Remote**

Safety Note: Safety must always be the first priority when handling large / heavy screens, which should be installed by qualified personnel using appropriate lifting equipment. Manoeuvre and position trolleys only on flat and even surfaces.

Manual Easy Lift

Smooth 'ratchet action' for easy lifting. Practical, reliable and immune from show venue power outages!



Manual Easy Lift Trolley For Screens up to 98"

Order Code **AXW20** 1.5m to 2.5m centre of screen £ Ex Vat **2892.50**

PowaLift Electronic

Axia Titan PowaLift Versions. – Smooth powered vertical travel for screens up to 110"

These trolleys incorporate a powerful linear drive system within the heavy duty mast. Supplied with hand held remote and manual switch option as standard.

Order Code **AXL15T2J** for screens up to 110" £ Ex Vat **1802.00**

CE approved & DDA compliant

Typically 70-110" screens

200kg MAX



Fixed Height
2m Trolley
Version

Typically 70-110" screens

200kg MAX

Fixed Height

For Screens up to 110"

Order Code £ Ex Vat
AX15T2J 1.5m to centre of screen **995.50**
AX20T2J 2m to centre of screen **1449.50**

For multiple 2 x 2 (4) Screens Up to 55" & 35kg max per screen

Order Code £ Ex Vat
AXM20T31 2m to centre of screen **1944.25**

State make & model of screen



Prices quoted are ex-works as the Easy Lift is despatched by dedicated courier.

Manual
Easy Lift

Typically 70-98" screens

120kg MAX



35kg MAX per screen

Smooth
Powered
Operation

Shown on plinth base supporting 4 x 55" screens

Motorised Stands, Trolleys & Table Stands



Electronic control & PowaLift technology combine in these versatile units.

- * Safe, smooth operation
- * Well proven technology
- * Quality, long life components
- * For screens 33 to 70 inch
- * Controllable by Remote fob, cord switch or direct from your laptop – all supplied with unit

Operated by wireless remote or manual switch, screens can be commanded to rise or descend smoothly through 700mm, stopping safely at any point.

These units serve many requirements, particularly in the field of education, enabling young children or wheel chair users to interact with touch screens. 'Touch of a button' height control also makes it easy to move from one location to another through doorways.

Screen mount, hand held remote with manual switch and 4-way power socket supplied as standard.



AVMT71

Trolley Version

Order Code **AVMT71** 33" to 70" £ Ex Vat **1171.20**

State make & model of screen
(For euro-plug versions add **E** at the end of each order code)



Rear of unit shown with 4-way power socket, antenna, power-in, USB & cord switch socket



Laptop platform

Order Code **AVML2** £ Ex Vat **173.50**

Order Code **AVMW71** Standard 33" to 70" £ Ex Vat **922.00**



Order Code **AVMW91** Heavy Duty 71" to 98" £ Ex Vat **1036.50**



State make & model of screen



There is a range of PC housings to fit these units – Call for details

Table Stands for screens 40 – 70 inches

A wide range for home cinema or corporate use.



Standard PFT1 stand with universal mount



Our table stands are available in two versions: Screens from 40 to 57 inch fit neatly on our standard PFT1 stand which has a universal mount to cover most VESA sizes.

Screens up to 70 inch are covered by our dedicated model range designed and manufactured for each make & model listed.

All versions have resilient non marking feet.

Order Code **PFT1** Universal 40" to 70" £ Ex Vat **169.60**

Order Code **PFL3** Dedicated 58" to 70" £ Ex Vat **222.10**

State screen make & model when ordering



Illustration shows 70 inch screen version from our dedicated model range



Dedicated Screen Mounts



Approved mounts specifically designed for each make and model of screen listed

Xactmatch mounts take all the guesswork out of ordering and installing screen mounts whatever the make or model and whether stand, trolley, wall or ceiling fixed. Our range covers all popular makes of screens and are available in landscape or portrait versions.

- * **Factory designed & tested for each screen model**
- * **Cable entry & cooling vent positions allowed for**
- * **Landscape and portrait versions for all models**
- * **Correct screen fixings included**



PLX1

Slim line Flat Mounts (Landscape)

Order Code

£ Ex Vat

PLX1 Screens up to 70" landscape - 80kg **129.20**


PLX3 Screens 71" to 110" landscape - 150kg **205.60**

Slimline Flat Mounts (Portrait)

Order Code


£ Ex Vat

PPX1 Screens up to 70" portrait - 80kg **129.20**



Typical Mounts shown
– sizes vary according to screen

State screen make & model when ordering



PLW1

Tilting Mounts (Landscape)

Order Code

£ Ex Vat

PLW1 Screens up to 70" - 80kg **148.40**

PLW3 Screens 71" to 110" - 150kg **230.50**

Tilting Mounts (Portrait)

Order Code

£ Ex Vat

PPW1 Screens up to 70" - 80kg **148.40**

PPW3 Screens 71" to 90" - 150kg **230.50**



Typical Mounts shown
– sizes vary according to screen

State screen make & model when ordering

Xactmatch Rota Mounts

Smoothly rotate screens from landscape to portrait and anywhere in between.

Rota Mount RTM1 is designed to fit most Unicol stand & trolley models or floor to ceiling systems and can also be direct wall fixed if required. In-built safety stops allow precise indexing to both landscape and portrait positions.

Use Rota Mount in conjunction with our range of special Exactmatch slim line flat mounts, stating make & model of screen when ordering.

Order Code

£ Ex Vat

RTM1 Screens up to 70" – Includes PLX mount **248.20**



Comes with screen mount
Please state screen make & model


Safety Note: Ensure safe cable management when using Rota Mount units. Cables should be sheathed or otherwise protected and have sufficient freedom of movement.



Higher capacity Rota Mounts for screens up to 103" (see illustration) also available – Call us for details.

pozimount®

Universal range of flat screen mounts



- * Industry standard quality product
- * Fully adjustable – accommodates wide range of screen fixings including VESA
- * Use direct fixed to wall, also fits all stands, wall arms or ceiling mounts in our range
- * Universal screen fixing kit supplied
- * Versions in landscape and portrait
- * In built screen levelling
- * Security options
- * Flat to wall & tilt version available

Flat to Wall Version – 30" to 40"

Depth from wall 45mm

Order Code **PZX0** VESA 200 x 200 to 400 x 200 £ Ex Vat **98.40**
Overall width / height of mount - **465mm x 332mm**

Flat to Wall Version – 33" to 70"

Depth from wall 45mm

Order Code **PZX3** VESA 200 x 200 to 400 x 400 £ Ex Vat **98.40**
Overall width / height of mount - **540mm x 440mm**

PZX1 VESA 200 x 200 to 600 x 400 £ Ex Vat **98.40**
Overall width / height of mount - **765mm x 540mm**

(For VESA 800 x 400 order **PZX5** – £135.90)
(Overall width / height of mount - **870mm x 640mm**)

Flat to Wall Version – 71" to 110"

Depth from wall 50mm

Order Code **PZX9** VESA 1000 x 600 £ Ex Vat **165.20**
Overall width / height of mount - **1070mm x 700mm**
(PPZX9 Portrait Version also available - same price)

Tilting Version – 30" to 40"

Depth from wall 55mm

Order Code **PZW0** VESA 200 x 200 to 400 x 200 £ Ex Vat **118.40**
Overall width / height of mount - **465mm x 332mm**

Tilting Version – 33" to 57"

Depth from wall 55mm

Order Code **PZW3** VESA 200 x 200 to 400 x 400 £ Ex Vat **118.40**
Overall width / height of mount - **540mm x 440mm**

PZW1 VESA 200 x 200 to 600 x 400 £ Ex Vat **118.40**
Overall width / height of mount - **765mm x 540mm**

Tilting Version – 58" to 70"

Depth from wall 65mm

Order Code **PZW8** VESA 200 x 200 to 600 x 400 £ Ex Vat **150.80**
Overall width / height of mount - **700mm x 536mm**



MOUNT SELECTOR

Choose the Pozimount most suited to the fixings (VESA sizes) used on your screen. Each mount is supplied with Universal fixing pack covering screw sizes M4, M5, M6 & M8.

Pozimount – Portrait

For screens – typically from 40" to 70"
VESA 400 x 400 to 400 x 600

Flat to Wall Version

Order Code **PPZX2** depth from wall 45mm £ Ex Vat **98.40**
Overall width / height of mount - **465mm x 700mm**

(VESA 200 x 200 to 400 x 400 use PZX3)

Tilt Version (intended for column suspension mounting - add column adapter PS7, column & ceiling plate).



Stainless Steel Options

We offer stainless Pozimounts to combat harsh environments when using waterproof / IP rated screens.

Pozimount 400SS

Order Code **SS_PZX3** £ Ex Vat **321.00**

Pozimount 600SS

Order Code **SS_PZX1** £ Ex Vat **346.00**



- * We also offer all stainless steel installation components when using these mounts for ceiling suspension – Call us for details

Universal Screen Mount – Trade Packs

Trade Packs for screen suspension

These 'package priced' kits offer ease and convenience for specifiers and installers, combining the necessary ceiling plate, column & Universal tilting mount for a typical installation.

Three column lengths are listed to suit different ceiling heights. Trade Packs consist of Ceiling plate, Column & Mount(s).



Single Screen Trade Packs for VESA 300 x 300 to 600 x 400

Order Code		£ Ex Vat
KP110CB	with 1m suspension column	205.00
KP120CB	with 2m suspension column	227.50
KP130CB	with 3m suspension column	250.00

* (please see note below – smaller size mount options)



Back to Back Twin Screen Trade Packs for VESA 300 x 300 to 600 x 400

Order Code		£ Ex Vat
KP110DB	with 1m suspension column	355.00
KP120DB	with 2m suspension column	377.50
KP130DB	with 3m suspension column	400.00

* (please see note below – smaller size mount options)



For 32" Back-to-Back screens with VESA 200 x 200 fixings use CP1, Column length & DCV1 (Page 21)

Wall Arm Trade Packs for VESA 200 x 200 to 600 x 400

Order Code		£ Ex Vat
KPWB	Direct coupled	229.90
KP105WB	with 50cm suspension column	242.60
KP110WB	with 1m suspension column	253.85

* (please see note below – smaller size mount options)



* **Note:** The above Trade Packs use PZW1 style mounts. Smaller PZW0 & PZW3 style mounts (P19) for VESA 200 x 200 to 400 x 200 are also available at same price – Call for details.

Slim Profile Mounts

Versus Thin Mount Range

As screens become thinner and lighter it is only natural to have a mounting system that shows off the virtues of Direct and Edge Lit LED technology.

This new range of screen mounts is available in wall, stand or ceiling versions, tilting & non-tilting. The ceiling version is supplied with an adapter to fit a standard column. The trolley version fits directly to a standard PS2 twin column adapter.

The tilting version is 40mm deep from back plate to rear of screen and fits most popular VESA fixing centres 200, 300, 400 & 600 x 400.

Ceiling Mount Version

Order Code **VZWC1** 0 to 10 degrees tilt **£93.70**
Add ceiling plate, column & PS2 as required

Wall Mount Only

Order Code **VZWW1** 0 to 10 degrees tilt **£69.40**

VS1000 Trolley Version

Order Code **VZWW1** 0 to 10 degrees tilt **£96.80**



7.5
millimetres
thin




excalibur™

Excalibur Ultra Slim Universal Wall Mounts

- * Only 7.5 millimetres thin!
- * For screens up to 57" (max 35Kg)
- * Fits all of the following VESA sizes: 200x200 / 300x300 / 400x400 / 600x400

Order Code **UTM** with 680mm wall plate **£55.00**
UTM1 with 500mm wall plate **£55.00**

(Caution: Do check that your screen has cabling connections which allow the use of a slim style wall mount and do not protrude excessively from the rear).



Small Screen Mount Range



Slim-line Wall Mount

- * for displays up to 21"

Order Code **LVC** VESA up to 100 x 100 **£17.80**



Clip-On Slim-line Wall Mount

Easy to use, fits most screens and has concealed security screw.

- * for displays up to 32"
- * VESA 75 x 75, 100 x 100, 200 x 100

Order Code **SVC1** VESA up to 200 x 100 **£45.10**
SVC2 VESA only 200 x 200 **£55.10**



Swivel & Tilt Mount

- * for displays up to 21"
- * VESA 75 x 75 and 100 x 100

Order Code **LVA** Tilt Only **£35.40**
LVB Swivel & Tilt **£41.25**



Lectern style screen mount

For use with touch screens or in show room displays. Tilt angle fully adjustable.

- * for displays up to 32"
- * VESA 75 x 75, 100 x 100, 200 x 200

Order Code **SEV1** VESA up to 200 x 200 **£86.80**



Tilting Wall Mount

- * for displays up to 32"

Order Code **STV1** VESA up to 200 x 200 **£59.30**
SMV1V with Swivel & Tilt **£79.10**



Suspension units with swivel & tilt

Use with any Unicol ceiling or wall suspension equipment.

Order Code **SCV1** VESA up to 200 x 200 **£84.30**
DCV1 Back to Back version **£136.50**

Installation Components



has cable entry



Standard Ceiling Plate

Use with any column length for suspension of projectors & single screens up to 57".

Order Code Plate holes mm £ Ex Vat
CP1 120 x 120 **28.70**



has cable entry



Anti-Vibration Ceiling Plate

Internal damping system provides floating action to reduce vibration from above.

* plate holes 120 x 185mm

Order Code Plate holes mm £ Ex Vat
CPAV1 120 x 185 **155.56**



has cable entry



Large Ceiling Plate

For long column or heavy installations typically up to 70" or twin 57" screens.

Order Code Plate holes mm £ Ex Vat
CP2 240 x 240 **42.90**



has cable entry



Tube Clamp

For suspending screens from lighting gantries, show stands or other structures. Screens up to 57".

Order Code £ Ex Vat
TM05 for 50mm tubes **34.85**



CP3

CP4



Stub Column Ceiling Plate

Useful in low headroom situations. Allows direct connection of Unicol PSU projector mounts etc.

Order Code Plate holes mm £ Ex Vat
CP3 120 x 120 **27.40**
CP4 240 x 240 **41.60**



with safety hook

has cable entry




Truss Clamps

For suspending screens and projectors from standard Truss.

- for truss 40 - 55mm dia

Order Code £ Ex Vat
CT1 up to 57" screens **47.40**
CT2 with safety hook **48.60**



Gantry Ceiling Plate

Primarily for spider gantry units (See Page 35). Has internal safety mechanism that allows limited movement of suspension column to protect ceiling fixings.

Order Code Plate holes mm £ Ex Vat
CP5 300 x 300 & 500 x 500 **110.50**




Illustration shows 300mm version

has cable entry



Pipe Clamps

Available in a wide range of sizes. Please state pipe diameter when ordering.

Typical mount for 75 - 300mm pipe shown.

Order Code £ Ex Vat
TM530 **68.20**



has cable entry



Tilting Ceiling Plate

For sloping or 'out of level' installations. Projectors & single screens up to 57".

Order Code Plate holes mm £ Ex Vat
CP6 120 x 120 **49.00**




Typical unit shown for pillar diameter of 600 - 625mm

Pillar Clamps

We manufacture these clamps in a wide range of sizes for circular pillars.

Order Code £ Ex Vat
VCC1 Single Arm **214.75**
VCC2 Double Arm **235.00**

(Triple-arm versions available - Call for details)



Column Coupler

To enable columns with 'through bolt' holes to be joined together for vertical suspension. Coupler conceals neatly within column.

Order Code £ Ex Vat
CC **19.45**

Note: For ceiling suspension use only



Trim Disc

Gives a neat finish where columns pass through suspended ceilings.

Order Code £ Ex Vat
TD1 **4.85**

Blanking Disc

Will blank any unwanted holes in ceiling tiles from 6mm to 60mm.

Order Code £ Ex Vat
TDB1 **6.20**



We also offer non standard lengths **£0.35** per cm

	Chrome finish			Stainless Steel		
mm	Order Code	£ Ex Vat		Order Code	£ Ex Vat	
500	500	11.25		SS 500	26.45	
1000	1000	22.50		SS 1000	52.85	
1500	1500	33.75		SS 1500	79.30	
2000	2000	45.00		SS 2000	105.70	
2500	2500	56.25		SS 2500	132.15	
3000	3000	67.50		SS 3000	158.55	

Safety 'through bolt' holes must be used for suspension applications



Safety Locking Ring

Necessary at the lower end of any ceiling suspension installation using column mounted components, where safety 'through bolts' are absent.

Order Code £ Ex Vat
LR **6.70**

Installation Components

has cable entry



Single Column Tilting Adapter

Use with Pozimount and Xactmatch mounts when ceiling suspended.

- * Variable tilt to 15°
- * 360° swivel
- * Back to Back version available

Order Code **PS7** £ Ex Vat **83.50**



has cable entry



Girder Clamps

For girders 75 to 250mm & 350mm wide. Adjustable from level to extreme angles of tilt.

Order Code	Span mm	£ Ex Vat
GC25	250	78.45
GC35	350	82.55

Wider span versions available.



PS3U1

Single Column Adapters

Use in conjunction with Pozimount and Xactmatch mounts to position screens vertically on columns. Can also be used for fixing single columns to walls.

Order Code **PS3U1** As illustrated, for screens 33"-70" £ Ex Vat **69.30**
PS5TB Back-to-Back version **115.60**



has cable entry



Twin Ceiling Plates

For suspension of screens over 50" & floor to ceiling column installations using Floor Plates FP8 (see below). CP9 360° swivel version also listed.

Order Code	Version	Plate holes mm	£ Ex Vat
CP8	Standard	220 x 180	65.70
CP9	Swivel	240 x 240	122.30



has cable entry



PS1

Single Suspension Adapters

Single column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension.

* 360° swivel
 Order Code **PS1** Single column - up to 70" £ Ex Vat **64.30**



PS3V1

PS8

Twin Column Adapters

Use in conjunction with Pozimount and Xactmatch mounts to position screens vertically on columns. Can also be used for fixing twin columns to walls.

Order Code	£ Ex Vat
PS3V1 Twin column - 33" to 70"	72.95
PS8 Back-to-Back version	85.00



has cable entry




360° swivel

PS5

Back-to-Back Single Suspension Adapter

Single column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension.

Order Code **PS5** up to 70" £ Ex Vat **112.60**



PS12

Twin Column Suspension Adapter

Twin column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension.

Order Code	£ Ex Vat
PS12 Twin column - up to 70"	74.30
PS123030 Twin column - up to 110"	96.50



has cable entry




PS6U1

Floor to ceiling Column Coupler

For mounting screens on two part columns.

Order Code **PS6U1** for screens - 33" to 70" £ Ex Vat **98.90**



PS4

Twin Column Back-to-Back Suspension Adapter

We advise the use of Twin Column suspension for large / heavy back to back installations or screens which may be subject to stress or wind loads.

Order Code	£ Ex Vat
PS4 Twin column - up to 70"	125.60
PS43030 Twin column - up to 110"	181.40



Compact Bolt Down Bases

Offer minimal base footprint for fixed screen stands. M10 floor bolts (not supplied) fully recess into base. Trim caps complete the installation.

Order Code	mm	£ Ex Vat
ESF	Single - 290w x 240d	85.60
VSF	Twin - 400w x 300d	93.20



PS6V1

Twin Column Floor to Ceiling Couplers

For mounting screens on two part columns.

Order Code	£ Ex Vat
PS6V1 VS Range - 33" to 70"	108.90

FP1



Has fixing holes through bushes

FP8



has cable entry

Floor to Ceiling Base Plates

In single or twin column versions. Columns locate securely over bushes to give neat appearance.

Order Code	£ Ex Vat
FP1 Use with CP1 (see page 22)	26.50
FP8 Use with CP8 (see above)	58.70

Custom Made Accessories

We offer a service in making all kinds of special or non-standard accessories - Call us when planning your next installation.



Example Extended Socket



Example Purlin Clamp




UNICOL PANARM™

Range of Swivel Arms

All steel, lasting quality, user adjustable joint tensioning, full swivel & tilt plus screen levelling

SSV Dual Arm Shown



EU Registered Design

Compact Single & Dual Arms for screens up to 32inch

The extra versatility of our dual arm units provide increased viewing flexibility – good also in alcoves or corner situations. Unit folds 7.7cm to wall and reaches 46cm fully extended. Mount plate fits all small screen VESA sizes, has tilt to 10 degrees plus screen levelling fine adjustment.

Order Code

SRV Single Arm – Fits VESA 75 x 75, 100 x 100, 200 x 100

SSV Dual Arm – Fits VESA 75 x 75, 100 x 100, 200 x 100


£ Ex Vat

87.10


125.30

Typically
15-32"
screens

20kg
MAX



These heavy duty (35Kg rated) swivel arms are fitted with our Pozimount universal screen mounts. Each arm version (single or dual) is listed with mounts suitable for either standard or small screen / portrait use.



EU Registered Design

HD Single Arm for screens up to 57inch

Arm fully extends to 43cm (11.5cm when folded flat) has full swivel & tilt plus screen levelling feature.

Order Code

PLS1X1 Fits VESA 200 x 200 to 600 x 400

(With Pozimount PZX1 for most standard applications)

£ Ex Vat


206.80

PLS1X3 Fits VESA 200 x 200 to 400 x 400

(With Pozimount PZX3 for small (32") screens or portrait mounting)


206.80

(For full Pozimount details see page 19)



Typically
33-57"
screens

35kg
MAX



EU Registered Design

HD Dual Arm for screens up to 57inch

Offers enhanced degree of adjustment for more extreme viewing angles – Arm fully extends to 73cm (15.5cm when folded flat) has full swivel & tilt plus screen levelling feature.

Order Code

PLA1X1 Fits VESA 200 x 200 to 600 x 400

(With Pozimount PZX1 for most standard applications)

£ Ex Vat


242.10

PLA1X3 Fits VESA 200 x 200 to 400 x 400

(With Pozimount PZX3 for small (32") screens or portrait mounting)

242.10

(For full Pozimount details see page 19)



Typically
33-57"
screens

30kg
MAX

HD "Parallel Action" Dual Arm for screens up to 110inch

Robust construction for screens up to 130kg. Able to swivel left or right as well as track in and out in a parallel manner where its use in alcoves (but not exclusively) works particularly well.

Unit fully extends to 535mm. 126mm when closed. Comes complete with fine adjustment features for accurate screen positioning and has a cord release latch for locking when closed. Adjustable stops are included on the screen arms to prevent screens being pushed in at the sides – particularly useful when using touch screens.

Order Code


PLA4 Fits VESA 400 x 400 - 900 x 600

(Comes with fully adjustable arms)

£ Ex Vat

985.25

Please provide us with the make and model of your screen.



Typically
71-110"
screens

130kg
MAX

UNICOL Wall Arm System

Wall suspension for screens, projectors, Guardboxes etc.


These standard wall arm units are designed for use with any of our screen or projector mounts, Guardboxes etc.

We manufacture two versions; WB1 allows direct connection of mount (using PS1 suspension adapter) and WB2 as a suspension column version. Wall arms can be fitted with any Unicol screen or projector mount listed in this catalogue.


See pages 18 & 19 for screen mounts and page 23 for PS1 adapter.




Order Code
WB0 Peg **£58.20**
WB02 Socket **£62.10**



Order Code
WB1 Peg **£76.10**



Order Code
WB2 Socket **£77.55**





Other arm lengths are available – Call us for details.

HD "Parallel Action" Dual Arm for screens up to 70inch

Robust construction for screens up to 60kg. Able to swivel left or right as well as track in and out in a parallel manner where its use in alcoves (but not exclusively) works particularly well.

Unit fully extends to 520mm. 150mm when closed. Adjustable tilt built in.

Order Code
PLA2X1 Fits VESA 300 x 300 to 600 x 400 **£288.10**
(Comes with Pozimount PZX1)



Outdoor Housings



Outdoor Housings for up to 86" screens



Unicol pioneered the development of outdoor housings and has unrivalled experience in this specialised field. Our well proven range of housings go from small screen monitors used in harsh environments right up to the latest 80inch large format screens.

All are constructed in 1050 grade aluminium and utilise high quality temperature control components within. Screen viewing panels in impact resistant polycarbonate are incorporated as standard, toughened or laminated glass is also available as an option.



The UNICOL Difference

Why our outdoor housings look so good and work so well is because each and every one is tailor made to perfectly fit the screen specified. Our dedicated software and manufacturing capabilities enable us to do this and offer a prompt & reliable delivery, – usually within 7 to 10 days.

– *a perfect result in rapid time!*

Your Choice of Square or Round Corner Housings

Order Code		£ Ex Vat
ODH0	Square Corners – 30" to 32"	1290.50
ODH1	Square Corners – 33" to 57"	1384.30
ODH2	Square Corners – 58" to 70"	1457.00
ODH3	Square Corners – 80"	2446.00
ODH4	Square Corners – 86" Stretched	3200.50

Anti-reflective screen – add **£67.20**



Prices quoted are ex-works
as all housings are despatched
by dedicated courier
or collected

Order Code		£ Ex Vat
ODR0	Round Corners – 30" to 32"	1458.50
ODR1	Round Corners – 33" to 57"	1552.30
ODR2	Round Corners – 58" to 70"	1625.00
ODR3	Round Corners – 80"	2614.00

Anti-reflective screen – add **£67.20**

* Slimline screens have enabled us to manufacture these housings in our new slimline style. These will always be supplied where the screen depth allows. – Please call us for confirmation if needed.



ODHs for Special Applications

Unicol has been entrusted with many Outdoor Housing projects for special applications.

Shown here are ODHs manufactured for the LG 86" Ultra Stretch signage displays. These were required to be suspended back to back and tilted for optimum viewing angle.


Our portfolio of ODH specials include housings for twin side by side screens, touch screens, housings for production line monitors and extra heavy duty versions for psychiatric hospital applications.

– Call us for technical advice on any special project needs



For the Technical: housings all feature the following:

- * Tailor made for perfect screen fit every time
- * Wide range available – 32" to 86" screens
- * IP53 rated with vandal resistant screen
- * Corrosion free for long life in all weathers
- * Light weight aluminium construction
- * Wall, ceiling or back-to-back mountable
- * Thermostatic internal Heating & cooling
- * User replaceable cartridge air filtration



Indoor Kiosks & Totems for Retail Digital Signage

Column style enclosures for large format screens in free standing, floor-fixed and floor to ceiling versions. Custom options available including transparent screens with display cabinet and multi-screens. Coloured and Branded versions also available. Ideal for indoor digital signage.

Our Special Projects Design department has been engaged in the ongoing development of these units and can produce conceptual and production versions for many varied applications. Standard versions shown below and listed on opposite page. For custom projects please contact us to discuss specification and options.

STANDARD Column Style

**Free-standing
& Bolt Down**



**46" - 75" Screens
2m high**

**Floor to
Ceiling**



**Single or
Double
Sided**

CUSTOM Column Style



**Colour &
Branding Options**




- * Single or back-to-back displays
- * Easy to assemble and install
- * Wide choice of screen options
- * Laminated glass option
- * Polycarbonate screen cover option
- * Analytic Camera mount option
- * POS Shelf options available
- * Space for players and PCs
- * Branding options available
- * Colours in Sinterflex black or white
- * Other colour finishes available
- * Rapid turnaround on orders





– Call us for details


*Prices quoted are ex-works
as all housings are despatched
by dedicated courier
or collected*




Freestanding Kiosk	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
	40 - 49	KTC4FS	962.52	KTC4FSB	1,137.52
	50 - 59	KTC5FS	1,085.72	KTC5FSB	1,260.72
	60 - 69	KTC6FS	1,165.85	KTC6FSB	1,340.85
	70 - 79	KTC7FS	1,478.56	KTC7FSB	1,653.56

Bolt Down Kiosk	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
	40 - 49	KTC4BD	865.78	KTC4BDB	1,040.78
	50 - 59	KTC5BD	987.65	KTC5BDB	1,260.72
	60 - 69	KTC6BD	1,067.55	KTC6BDB	1,242.55
	70 - 79	KTC7BD	1,397.56	KTC7BDB	1,572.56

Floor to Ceiling	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
	40 - 49	KTC4FC	1045.66	KTC4FCB	1,220.66
	50 - 59	KTC5FC	1,185.26	KTC5FCB	1,360.26
	60 - 69	KTC6FC	1,204.55	KTC6FCB	1,379.55
	70 - 79	KTC7FC	1,515.32	KTC7FCB	1,690.32

Freestanding Totem	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
	40 - 49	KTC4FST	1,454.63	KTC4FSTB	1,629.63
	50 - 59	KTC5FST	1,519.50	KTC5FSTB	1,694.50
	60 - 69	KTC6FST	1,576.85	KTC6FSTB	1,751.85
	70 - 79	KTC7FST	1,825.60	KTC7FSTB	2,000.60

Bolt Down Totem	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
	40 - 49	KTC4BDT	1,413.65	KTC4BDTB	1,588.65
	50 - 59	KTC5BDT	1,465.36	KTC5BDTB	1,640.36
	60 - 69	KTC6BDT	1,512.35	KTC6BDTB	1,687.35
	70 - 79	KTC7BDT	1,789.65	KTC7BDTB	1,964.65

* For custom versions please call for details. (Larger screen versions are possible).

ADAPTA-WALL®

Patent Pending Registered Design

The installer friendly Pop Out mount loaded with innovative features.

- * With standard 'Push to close - Push to open' action. Also available with remote latching system where closure with absolutely no screen contact in the case of ultra thin or delicate displays is required.
- * For widest range of screen fixings; VESA 200 x 200 to 800 x 400mm.
- * Full screen adjustment in all planes.
- * For screens up to 45Kg.
- * Accurate horizontal / vertical centre line marks on all back plates for easy set up. (Set up templates also available).
- * For direct wall fixing or use with our video wall structure components for ceiling, floor to ceiling or floor to wall applications.
- * Optional 'pull cord' security feature prevents unauthorised 'Pop out' operation in public areas or any situation required.




350mm
Open

Compact Version

Order Code £ Ex Vat
VWPO 338.50

The compact size of this version is for screens up to 40" & covers VESA sizes 200 to 300mm. Comes complete with fine adjustment features for accurate screen positioning.

Fits VESA 200 x 200mm (and any screen fixings in between)
300 x 300mm




350mm
Open

Standard Version

Order Code £ Ex Vat
VWP1 347.80

Ideal for most video wall applications and covering a wide range of VESA sizes. As with all Adapta-Wall mounts comes complete with fine adjustment features for accurate screen positioning.

Fits VESA 300 x 300mm (and any screen fixings in between)
400 x 400mm
600 x 400mm



350mm
Open

For screens with VESA 800 x 400mm fixing points a stretched version, VWP3 is available


Portrait Version

Order Code £ Ex Vat
VWP2 354.60

The compact (500mm) width of this version allows use of screens in portrait mode whilst accommodating a wide range of VESA sizes.

Fits VESA 400 x 600mm

Please Note: For 300 x 300mm & 400 x 400mm use VWA1 arms (see Page 32)



* All versions can be direct wall fixed or used in conjunction with our Adapta-Wall structure system fittings

Pop Out Mount Video Wall Structures


Adapta-Wall structure system is designed for use with our Pop Out mounts where direct wall fixing is not appropriate. Ceiling / floor to ceiling / floor to wall structures can be constructed easily, using multiples of the parts listed below together with standard Unicol columns.

We offer a rapid free design service (with full drawings & technical information supplied). Call us for any installation being considered.

Ceiling Suspended

Uses four column parts to provide a rigid suspended structure and increased spread for ceiling fixings. Structures consist of;


Quad Ceiling Plates VWPA10
Tie Braces VWPA1
Safety Locking Rings LR
Columns (see Page 22)
Adapta-wall Pop Out mounts
Mount U-Clamps VWPA5



Floor to Ceiling

Uses twin column parts to provide anchorage at floor and ceiling levels. Structures consist of;


Floor Plates VWPA4
Twin Ceiling Plates VWPA2
Columns (see Page 22)
Adapta-wall Pop Out mounts
Mount U-Clamps VWPA5



Floor to Wall

Uses twin column parts to provide anchorage at floor and wall positions. Structures consist of;

Floor Plates VWPA4
Wall Plates VWPA9
Columns (see Page 22)
Adapta-wall Pop Out mounts
Mount U-Clamps VWPA5



3x3x46" Ceiling Suspended video wall, Cheshire University



8x3x55" Curved video wall for Emirates Airline, Thames cable car, London

Four Column Structure Parts



Ceiling & Floor Plates

Order Code		£ Ex Vat
VWPA10	Quad Ceiling Plate	145.50
VWPA11	Quad Floor Plate	140.50

Tie Brace Units (pair)

Use with 4 column structures. These neat units connect vertical and horizontal columns to form a rigid structure.

Order Code		£ Ex Vat
VWPA1	Tie brace units (pair)	98.20

Locking Rings

Column safety end stops, -necessary for all ceiling suspension installations.

Order Code		£ Ex Vat
LR	Locking Ring	6.70



Twin Column Structure Parts



Ceiling Plate

Order Code		£ Ex Vat
VWPA2	Twin Ceiling Plate	86.80



Wall Plate

Order Code		£ Ex Vat
VWPA9	Wall Plate	97.50



Floor Plate

Order Code		£ Ex Vat
VWPA4	Twin Floor Plate	92.30



Mount U-Clamps (set of four)

To fit Adapta-wall mounts to columns. (Universal for all Adapta-wall structures).


Order Code		£ Ex Vat
VWPA5	U-Clamps	82.50

ScreenRail Universal Multi-Display System

ScreenRail™

- * Trolley or stand
- * Ceiling Suspend
- * Wall mount

3 x MD2U70 shown with VWA1 Arms, Adapters PS1, Columns, Ceiling Plates CP1 & SVWJ Joiner Plates (Use PS7's to tilt complete rail).



ScreenRail Universal Multi-Display System

A highly adaptable rail system for mounting flat screens in-line, in any number. –Ideal for Digital Menus & Telepresence, etc. Can be used with stands and ceiling suspension systems.

ScreenRail system comprises a choice of 3 standard rail modules and a range of screen arms to cover all applications. The screen arms are listed in standard non-tilting & tilting versions & for displays in portrait or landscape. We recommend micro adjustable arms for precision alignment of screen faces. Back to Back versions also available.


How to order

Select any combination of rail modules and screen arms for your installation. (Total rail length should be just shorter than the total length of the display to allow the screen arms ample latitude when fitted to the VESA locations).

Rail Modules

In 3 standard lengths, all with identical section profile for full interchangeability. Provision for bolting together as required. May be direct wall fixed, with or without tilt extension brackets (SR10 / SR20) or ceiling suspended.

Order Code	mm	£ Ex Vat
MD2U35	350(w) x 45(d)	69.80
MD2U70	700(w) x 45(d)	84.90
MD2U140	1400(w) x 45(d)	105.20




Other lengths available to order: 450(w), 800(w), 1200(w), 1700(w), 1800(w), 2100(w) – Call for details

Standard Arms

As used on our Pozimount universal mounts. Supplied with M4, M5, M6 & M8 fixing screws. Arms incorporate 5mm screen levelling feature and are 45mm deep.


Order Code	length	£ Ex Vat
PZF0	330mm	41.50
PZF3	440mm	41.50
PZF5	640mm	55.25
PPZF5	840mm	55.25



Tool-less Adjustable Arms

Feature 15mm in-out adjustment and 15mm of levelling fine adjustment. Side to side adjustment included.


Order Code	£ Ex Vat
VWA1 Landscape	139.65
VWA2 Portrait	139.65



Fixed Tilt Stand-off Brackets

Use these optional brackets to provide tilted display whenever required. 10 or 20 degree tilt versions listed.

Order Code	£ Ex Vat
SR10 10° tilt (pair)	36.20
SR20 20° tilt (pair)	38.40



Free Standing Video Walls & Roller Trak



Free-standing video wall system

Ideal for situations when quick, easy and accurate assembly is required such as hire and retail, where regular change is inevitable.

This robust modular structure is made of individual mast units that are joined with cross members enabling a 4-high display unit to have infinite width, (3-high display units are also available). Cable management runs are catered for and there is adequate space for players or PCs.

Each display fixes to the VWP1 standard 'Push to close - Push to open' video wall mount capable of VESA 200 x 200 to 800 x 400, for displays up to 45kg. (See Page 30) The mount allows for tool-less adjustment in all planes by means of knurled wheels for in-out and up-down movement. Lateral action is achieved by sliding the display smoothly on wheels located in the mount arms.

- * **Robust modular construction**
- * **Easy to assemble and install**
- * **Wide choice of screen options**
- * **Space for players and PCs**
- * **Discreet cable management**
- * **'Push to open' - 'Push to close' mounts**
- * **Tool-less screen adjustment**

– Call us for details





Image shows
3 x 3 wall with
55inch displays.
Illustration shows
4 x 4 wall with
46inch displays.



Retail Window Solutions

Ideal for retail and other applications to enable screens to be tracked in / out or from side to side, thus opening exciting possibilities for window displays, dynamic presentations, servicing needs or just access for screen / store front cleaning.

AV Roller Trak system consists of track lengths of standardised design which carry smooth running ball bearing trolley units. Standard Unicol column lengths & screen mounts complete the installation.

- * **Smooth, easy operation**
- * **Single or multiple screens**
- * **Wide choice of track lengths**
- * **Swivel or Rotamount options**




Typical
roller track
window display.

Single screen version shows
roller track used to move screens
along the length of a window as part
of a changing window display.

Multi-screen version used to track screens in and out for
cleaning or servicing when installed close to a window.

AV Roller Trak™



– Call us for full system details and options.



Typical corporate hidden floor to ceiling installation

Floor to Ceiling and Floor to Wall Systems

These are available in standard (single column) and heavy duty (twin close column & 'goal post') versions, giving the option of single sided, back to back or multiple screen presentation. Floor to wall options are built up in the same way from the standard installation accessories listed on Pages 22 & 23 of this catalogue to give an almost infinite range of options.

– Our technical support team are pleased to advise on the best choice for any installation project being considered.

There are three standard methods of installing screens both floor to ceiling and floor to wall, typical components shown below:

Single column style for normal applications. –Single screens up to 70" or multiple small screens.



Single sided

CP1
28.70 £ Ex Vat

PZX3
98.40 £ Ex Vat

PS3U1
69.30 £ Ex Vat

Column 3000C
67.50 £ Ex Vat

FP1
26.50 £ Ex Vat

For floor to wall applications use shorter column & replace CP1 & PS3U1 with **CTS**
48.60 £ Ex Vat

CP1
28.70 £ Ex Vat

PZX3 x 2
196.80 £ Ex Vat

PS5TB
115.60 £ Ex Vat

Column 3000C
67.50 £ Ex Vat

FP1
26.50 £ Ex Vat

Back to Back

Twin column style for heavy / multiple screens and tall headroom installs.



Single sided

CP8
65.70 £ Ex Vat

PZX1
98.40 £ Ex Vat

PS3V1
72.95 £ Ex Vat

3000C x 2
135.00 £ Ex Vat

FP8
58.70 £ Ex Vat

For floor to wall applications use shorter columns & replace CP1 & PS3V1 with **CTT110**
63.10 £ Ex Vat

CP8
65.70 £ Ex Vat

PZX1 x 2
196.80 £ Ex Vat

PS8
85.00 £ Ex Vat

3000C x 2
135.00 £ Ex Vat


FP8
58.70 £ Ex Vat

Back to Back

Goal post style using a span mounting unit for large displays or touch screens. Can be used for floor to ceiling or floor to wall applications.

CP1 x 2
57.40 £ Ex Vat

3000C x 2
135.00 £ Ex Vat



FCS4
342.10 £ Ex Vat

FP1 x 2
53.00 £ Ex Vat

Order Code	Span Units Only	£ Ex Vat
FCS1	up to 70" & 60kg screens	212.40
FCS4	71" to 110" & 130kg screens	342.10

For floor to wall applications use shorter columns & replace CP1's with:

CTS x 2 97.20 £ Ex Vat

For Back to Back version add PZX1 (FCS1) or PZX9 (FCS4).

PC pocket for FCS4 also available.

(The range of installation components for columns, ceiling & floor plates is shown on Pages 22 & 23)

Spider Gantries

These ceiling mounted units are available for a wide range of screen sizes incorporating our Pozimount universal tilting screen mounts. The spider style and single column gantry versions have swivel capability and all have cable entry ports for neat installation.

By their very nature all spider style and in-line gantries incorporate parts which are factory made to suit specific requirements but all versions are available on a short turn round basis.

Call our technical support team for advice on any project or installation being considered.

Spider – triple screen unit



* We also manufacture gantries for projectors
–Call us for details

Spider – five screen 'pentagon' unit



CP5 Ceiling Mount

Typically 33-57" screens



Spider five screen gantry - illustration shows typical gantry main frame. Add heavy duty column / CP5 ceiling mount (special to these gantries) & screen mounts (pages 18/19).

Order Code		£ Ex Vat
SG3	3 screen spider gantry - max weight per screen 50Kg	462.90
SG4	4 screen spider gantry - max weight per screen 50Kg	617.20
SG5	5 screen spider gantry - max weight per screen 40Kg	770.00
CP5	Large gantry ceiling mount for use with above (Page22)	110.50



In-line Gantries

Side View



Single sided In-line gantry



Side View



Back-to-back In-line gantry



Typically 33-57" screens

Order Code	Bar Length (mm)	£ Ex Vat	Order Code	£ Ex Vat
DIG5	100-500	75.60	MSS1 Bolt on socket	17.00
DIG10	500-1000	75.60	MSP1 Bolt on peg	14.00
DIG15	1000-1500	75.60		
DIG20	1500-2000	75.60		

In-line gantries require MSS1 sockets or MSP1 pegs (above), Single sided require PS1s, Back-to-Back PS5s (Page23). All require Screen Mounts (Pages 18/19).

Product codes & prices listed are intended as a guide as most gantry installations are 'project driven' with the make/model & number of screens as well as the location already chosen. Call our technical team who have wide experience in advising the necessary mount component 'package' to best meet the needs of your installation.

Protective Covers & PC Housings



Screen Protective Covers

5mm thick, clear, anti-shatter screen with a metal bezel provides a durable front cover for screens.

Two landscape versions are available, one that clips to the screen (square corners only), the other attaches to the wall (square & rounded corners available). For portrait versions use order code PCP instead of PCL below. Anti-reflective screens also available.

We can supply bespoke versions in branded colours including logos.
– Call for details.

Landscape clip-on (square corners)

(Screen mount required with these units)

Order Code	Square corners only	£ Ex Vat
PCL0	Clip-on - 15" to 32"	255.00
PCL1	Clip-on - 33" to 57"	288.40
PCL2	Clip-on - 58" to 70"	346.10

Landscape wall mounted (square or rounded corners)

(Screen mount included with these units)

Order Code	Square corners	£ Ex Vat
PCL5	Wall mounted - 15" to 32"	540.80
PCL7	Wall mounted - 33" to 57"	574.40
PCL8	Wall mounted - 58" to 70"	632.10

Order Code	Rounded corners	£ Ex Vat
PCL10	Wall mounted - 15" to 32"	865.20
PCL11	Wall mounted - 33" to 57"	898.40
PCL12	Wall mounted - 58" to 70"	956.10

Anti-reflective screen – additional price **£67.20**




Typical landscape clip-on version with square corners



Portrait wall mounted Cover PCP7 with standard square corners. (bespoke screen branding retained) – Heathrow Airport T5

Portrait wall mounted Cover PCP11 with rounded corners
London City Airport



Tesco Stores

Rear Covers

We design and manufacture custom made rear covers for a wide range of screen sizes. These enhance any installation and provide a neat appearance enabling cables & connections to be hidden when screens are installed in open areas.

Full screen versions or partial covers to enclose only the cables & connections are available.

Order Code	£ Ex Vat
BCW1 Full covers - screens 33" to 57"	348.30
BCW2 Full covers - screens 58" to 70"	438.40

Call us for details quoting make & model of screens being installed



Birmingham Bullring



Universal Mount Version


Housing inner dimensions 320(w) x 100(d) x 330(h) mm

Screen Mount / PC housing combinations

We manufacture screen mounts incorporating housings for small form factor PCs. These units greatly reduce installation time. Units are listed below incorporating our Pozimount universal mounts in tilting & non-tilting versions.

Custom made, security locking versions & power socket options also available.

Order Code	£ Ex Vat
PCZW Universal PC Housing Tilting	288.00
PCZX Universal PC Housing non-Tilting	233.80



Typical custom made units shown.

State make & model of screen & PC to be housed

LED Universal Mounting Systems




– The **UNICOL** patented universal LED mounting system

- * Free standing, fixed & rolling installation versions
Floor to ceiling & floor to wall installation versions
Ceiling suspension or curved screens also possible
- * Custom designed versions possible to meet specific architectural or special project needs
- * Simple on-site assembly and easy LED chassis location
- * Structures for most LED tile system makes / models
- * Installer and maintenance friendly
- * Expert advice for any project being considered




Patent No. – GB1616898.1



How to Order

Call our technical team with details of size of video wall to be installed together with make & model of LED tile system. We will advise on number of mast units, tile mount brackets and mast extensions (if required) to build your complete LED tile wall system.



Mast Versions

Order Code		£ Ex Vat
LDFF	Floor Fixed Mast Unit	421.40
LDFFS	Free standing Mast Unit	447.70
LDRT	Roller-Trak Mast Unit	520.50

Extensions

Order Code		£ Ex Vat
LDE75	750mm Extension	122.30
LDE100	1000mm Extension	128.80
LDE150	1500mm Extension	135.80

Extension Coupler & Universal Tile Mount

Order Code		£ Ex Vat
LDEC	Extension Coupler	26.45
LDUM	Universal Tile Mount	44.30
LDA1	Floor to ceiling/wall adapter	64.30




Gyrolock Projector Mounts – Adapter Plate Range

Gyrolock® ~ With Trilok® Docking System

The Trilok docking system uses a standardised 'bayonet style' fitting to carry projector mounting plates made specifically to fit each make & model of projector (a universal version also listed). The docking system allows easy projector set up, removal for routine maintenance and for future model change.

15
Years of
award
winning
design

Over 200,000 sold!




- * **Installer friendly – Standard GK1 version fits anyway up, ceiling, wall or base fixable**
- * **Projector locks into Trilok® docking system, using either our dedicated Gyrolock Adapter Plates (GAP) or universal adapter (GAPU)**
- * **Full tilt & turn adjustment for easy screen set up**
- * **Telescopic – for use through suspended ceilings or in any high, low or normal headroom situation**
- * **Safety rated for projectors up to 20Kg ceiling mounted, 12Kg wall mounted (GK1 only) & 12Kg if using a universal GAP plate (GAPU)**



Select any of these versions to suit your headroom needs.

All use the Trilok docking system and are supplied with either a dedicated projector mount (GAP) or optional universal adapter plate (GAPU) if compatible.



Close Ceiling Version

Order Code max weight £ Ex Vat
GKC-GAP 20kg **135.80**

(Projector adapter plate version – state projector make & model).

Order Code max weight £ Ex Vat
GKC-GAPU 12kg **135.80**
(Universal projector mount version)




Standard Version

Order Code max weight £ Ex Vat
GK1-GAP 20kg **149.60**

(Projector adapter plate version – state projector make & model).

Order Code max weight £ Ex Vat
GK1-GAPU 12kg **149.60**
(Universal projector mount version)



Long Extension Version

Order Code max weight £ Ex Vat
GK2-GAP 20kg **167.80**

(Projector adapter plate version – state projector make & model).

Order Code max weight £ Ex Vat
GK2-GAPU 12kg **167.80**
(Universal projector mount version)

GK4
column
suspension
version



Column Suspension Version

Gyrolock 'head' complete with adapter plate (or universal mount). –Needs column and ceiling plate (see Page 22) to complete your installation.

Order Code max weight £ Ex Vat
GK4-GAP 20kg **129.20**

(Projector adapter plate version – state projector make & model).


Order Code max weight £ Ex Vat
GK4-GAPU 12kg **129.20**
(Universal projector mount version)

Gyrolock Projector Mounts – Universal Mount Range

Gyrolock® ~ With Universal Mounts

These products are the subject of UK and USA design rights.
UK Registered Design 3011575.
UK Trade Mark 2244062.
US Patent 10/049390.

These universal mounts offer a wide range of adjustment not only to cover widely differing projector screw fixing centres but also allow clearance for contour variations often found in projector design. A universal screw pack to cover most projectors is included.



Typical GKU1 version



230 - 300 mm

Gyrolock Standard Universal

Order Code	Height	£ Ex Vat
GKU1	230 to 300mm	89.80
GKU2	230 to 700mm	108.10

Camera Screw Version

GK0	230 to 700mm	66.90
------------	--------------	--------------



GKUX Compact



Gyrolock Compact

Easy installation
Fixed height

Order Code	£ Ex Vat
GKUX	69.10



Gyrolock Long

Adjustable from 700 to 1200mm (suspension only)

Order Code	£ Ex Vat
GKU3	114.90



Typical KPR column version universal kit



Column Version Universal Kits

Order Code	Column mm	£ Ex Vat
KPR15CB	500	105.00
KPR110CB	1000	120.00
KPR120CB	2000	140.00
KPR130CB	3000	160.00



GK0 camera screw version



Typical GKU1 version



GKUT1 truss clamp version



230 - 300 mm

Truss Clamp Version

Universal mount with standard truss clamp fitting.
For all trusses 45 – 55mm dia.

Order Code	Extension mm	£ Ex Vat
GKUT1	230 - 300	109.80
GKUT3	700 - 1200	134.80

Gyrolock Parts & Accessories



Wide range available

Adapter Plates

Enables changeover whenever replacing projector. State make & model when ordering.

Order Code	£ Ex Vat	Weight
GAP	44.30	20kg MAX



EU Registered Design 00221072-0001

Universal Adapter Plate

Designed to fit most projectors.

Order Code	£ Ex Vat	Weight
GAPU	44.30	12kg MAX



Column Suspension Version

Universal mount for direct column connection. See Page 20 for columns & ceiling plates.

Order Code	£ Ex Vat	Weight
GKU4	69.50	12kg MAX



Gyrolock Trim Disc

Shaped to fit Gyrolock mast. Gives a neat finish to installations through suspended ceilings.

Order Code	£ Ex Vat
GKTD	4.90

* For standard column trim discs see page 18.

Projector Suspension Units

UNICOL PSU

Unicol Projector Suspension Units

Our PSU (Projector Suspension Unit) range covers all makes of projectors. Each mount is specifically designed for the individual projector models listed, supporting the projector either inverted or in a cradle according to manufacturer's recommendations.

Copyright Hilary Lloyd, Photo courtesy of Sadie Coles HQ, London

Direct Fixing



PSU shown

The preferred method of projector mounting. All our PSU mounts are designed to align accurately with the projector mounting holes and take account of cooling or lamp access needs.

All PSU mounts are now available as micro adjustable versions having 2 axis, level & tilt. (See centre panel).

Order Code		£ Ex Vat
PSU	Standard direct fixing version	138.00
PSC	Cradle direct fixing version	172.00
VSU	Vertical down aspect version	165.00
PPSU	Portrait version	271.20
PSM	Micro-adjustable version	206.80

Trim Disc

Gives a neat finish where columns pass through suspended ceilings.

Order Code	£ Ex Vat
TD1	4.85



Cradle Units



PSC shown

An alternative method of projector mounting, either to meet a projector's optical needs or to give protection to projectors when used in 'location to location' or hire circumstances.

Micro Adjustment®

This 2 axis micro adjustment factory fitted option is available for most PSU units and provides a range of precision adjustment in level and tilt.



Registered Design



PSU Specials



We have a wealth of expertise in the design and manufacture of all kinds of projector suspension units to meet client's special requirements. These include mounts for downward or upward projection, multi-projector units, 3D rigs and one-off projects.

– Call us when planning your next installation

Our range now extends to over 600 PSU projector suspension units!




Photos courtesy of Snelling Business Systems

Guardbox Projector Security Cages

GUARDBOX® Anti-theft Enclosures

Constructed from heavy gauge steel and incorporating many innovative features. Five sizes are available covering a wide range of projectors. Each Guardbox incorporates our unique twin bar system, designed to fit into a number of slots for different projector lens positions. Each bar has another bar fitted inside making it virtually impossible to hacksaw through.



Colour  Silver/Black/Orange


Taglock Kit

As a further aid to security for the Guardbox range, our 'Taglock' Kits are available to provide secondary locking.


Order Code **TLK** Comes with padlock **£ Ex Vat 25.10**




Order Code **PGX** £ Ex Vat **279.80**





Order Code **PGS** £ Ex Vat **282.60**




Order Code **PGM** £ Ex Vat **341.70**



Order Code **PGL** £ Ex Vat **343.50**



Order Code **PGG** mm £ Ex Vat **352.60**
PGW 560(w) x 620(d) x 250(h) **350.20**
 600(w) x 550(d) x 250(h)



Single Column Stands & Trolleys

Since 1963 - The original Unicol system of stands & trolleys



Height
1225mm

Projector Trolley

S/45/PA
127.35 £ Ex Vat

Height
700mm

General Purpose Trolley

M/24/PB
109.55 £ Ex Vat

Height
1200mm


Lectern

MG/45/PE
128.95 £ Ex Vat

Height
adjustable
640 - 800mm

Telescopic Trolley

S/2533/PC
171.11 £ Ex Vat



Telescopic Trolley

S/3350/TGA
216.10 £ Ex Vat

Height
adjustable
900 - 1270mm



Platforms

In a range of useful sizes.



Order Code	Size mm	£ Ex Vat
PA	300 x 450	42.50
PB	450 x 450	49.20
PC	450 x 550	55.65



Lectern Platform

Fixed reading angle of 15 degrees.



Order Code	Size mm	£ Ex Vat
PE	450 x 450	56.05



Tilting Platforms

Fully adjustable from level to 10 degrees.



Order Code	Size mm	£ Ex Vat
TGA	300 x 450	84.35
TGB	450 x 450	91.45
TGC	450 x 550	97.80

Standard Columns

Order Code	Length	£ Ex Vat
16	410mm	9.35
24	610mm	12.75
30	760mm	17.45
36	900mm	31.50
45	1140mm	26.10

Also available with longer inner columns

Telescopic Columns

Order Code	Trolley height range	£ Ex Vat
2533	640 to 840mm	56.70
3350	840 to 1280mm	73.00

Accessory Shelves

Fully height adjustable.



Order Code	Size mm	£ Ex Vat
AP	300 x 300	41.60
AD	400 x 400	52.60

Bases



Order Code	Size mm	£ Ex Vat
M	Trolley 400 x 400	47.60
MG	Stand 400 x 400	46.80

Bases with Jacking Feet



Order Code	Size mm	£ Ex Vat
S	450 x 550	58.75
L	550 x 650	61.35

Other Trolleys

Equipment Trolley

Utility trolley with a great many uses to carry medical, laboratory or test equipment. Other platform sizes listed.



Has heavy base with 10cm rubber tyre castors.

Platform 45x45cm
Trolley Height 75cm

Order Code
T1B/24/PB
£ Ex Vat
178.05

Base unit available as separate purchase.

Order Code	£ Ex Vat
T1B	72.15

Original TC1000 Trolleys

The standard trolley in service with many schools & colleges. Has universal screen mount & equipment shelf. Conversion kit also available for existing trolleys.



Order Code	£ Ex Vat
TC1000	347.20




Conversion kit complete

Gives existing TC1000 trolleys a new lease of life. Conversion kit replaces old style TV mount for modern flat screen use.

Order Code	£ Ex Vat
TCK	139.20

Camera Stands

Superior to tripods for a great many applications. Solid base with braked wheels gives excellent stability.



35 - 200cm vertical movement

Studio camera stand

Telescopic camera stand

Order Code
CS1000
£ Ex Vat
459.35

Order Code
CS2000
£ Ex Vat
389.45

Parts & Accessories



10cm Castors
(Standard – set of 4)
Order Code £ Ex Vat
C104 34.60



10cm Heavy Duty Castors
(HD braked – set of 4)
Order Code £ Ex Vat
BC104 94.00



Socket Cap
Order Code £ Ex Vat
SC 3.50



Replacement Lock & Keys
Order Code £ Ex Vat
LK 25.10



7.5cm Castors
(2 plain / 2 braked – set of 4)
Order Code £ Ex Vat
C074 28.20



5cm Castors
(Orbit set of 4)
Order Code £ Ex Vat
C054 14.00



Hand Wheel
Order Code £ Ex Vat
HW38F 1.05



Spray Paint
Touch in paint in Sinterflex Black / White or Diamond Silver – 400ml cans.

Order Code £ Ex Vat
SPB Black 25.40
SPW White 35.60
SPS Silver 34.22



Drilling Jig
Installer's cutting and through-bolt drilling jig for columns.
Order Code £ Ex Vat
CDJ1 42.10



Allen Key
Fits Grub Screws & Through Bolts
Order Code £ Ex Vat
AK316 0.70




Safety Through-bolt
Order Code £ Ex Vat
TB38F 1.15



Grub Screw
Order Code £ Ex Vat
GS38F 0.25

Security Devices, Video conference Shelves, Unicol Columns



Screen Security Kit

Use this easily fitted Security Kit with any of our mounts.
The 2200mm tough steel cable system has special fittings which shield access to the screen fixing screws.

Order Code £ Ex Vat
PSK 89.97



Locking Ceiling Plate

Fits standard CP1 ceiling plate shielding the fixings to deter unauthorised removal.

Order Code £ Ex Vat
CPSC1 45.40



TV Remote Wall Holders

- * Locks remote to wall
- * Reflects beam to TV or projector



Ideal in any classroom or lecture theatre. These clever devices reflect the remote control IR beam direct to projector or screen thus avoiding the need for hard wiring, locking the remote ready for use.

Order Code £ Ex Vat
RGHW Standard for most remote Units 58.60
RGH1W Custom unit for large remotes 65.00

TETHERLOC® Gyrolock Anti-theft Kit

Tough steel cable system has special fittings which shield access to the projector fixing screws and link the mount and projector to protected ceiling fixing bolts.

Order Code £ Ex Vat
GT40 for GK1 (40cm cables) 78.80
GT80 for GK2 (80cm cables) 84.80
GT130 for GK3 (130cm cables) 91.50



Video Conference Camera Wall Shelves

Neat units in glass or metal for wall mounting.

Order Code £ Ex Vat
WBVC Metal - 350w x 250d 71.30
WBVG Glass - size: 500 x 400 86.40
WBVG1 Glass - size: 780 x 390 108.90




Versions also available for specific video conference cameras and codecs – Call us for details.

Unicol Columns

In standard chrome finish and stainless steel. Also available in colour finishes to special order & unpainted.

In addition to the range of sizes listed we also supply non-standard lengths to special order – Call us for details.

Please note that Safety 'through-bolt' holes must be specified if used for suspension applications.



Standard Chrome Finish			Stainless Steel	
(Order Code suffix 'C' – for ceiling suspension only)			(Order Code suffix 'SS')	
Order Code	Length	£ Ex Vat	£ Ex Vat	
410	410	9.35	21.65	
500	500	11.25	26.45	
610	610	12.75	32.25	
760	760	17.45	40.15	
900	900	31.50	47.55	
1000	1000	22.50	52.85	
1140	1140	26.10	60.25	
1500	1500	33.75	79.30	
2000	2000	45.00	105.70	
3000	3000	67.50	158.55	

List above indicates traditional imperial and metric lengths

UNICOL[®] SPECIAL PROJECTS - a small selection



Digital Menus



Airports



Museums



Retail



Projection



Education



Outdoor Housings



Control Rooms



Totems & Kiosks



Videowalls



Floor to Ceiling

UNICOL Green Road Oxford OX3 8EU 01865 767676 sales@unicol.com www.unicol.com

