

Edition 56



Mounting Solutions

Supporting You

Welcome to the 2019 UNICOL Catalogue

Our comprehensive range of AV equipment mounts is available ex stock and offers unrivalled flexibility. Order either as standard assemblies or in component form to suit your own requirements. We also offer an efficient service in the manufacture of custom made items, from 'one-off' specials to large scale projects for corporate users. – Call us today or visit our website!



As we continue through 2019 with great uncertainty over the shape of the UK's trading relationship with Europe, as well as potential new global markets, we feel it's more important than ever that we forge ahead with exciting and innovative new products. These additions complement our extensive range of 'industry standard' mounting solutions used by many AV and IT industry professionals. Our new 2019 brochure perfectly illustrates our ongoing commitment to that ethos with new products to satisfy the converging pathways of AV and IT.

If you could invest a little time getting to really know our new brochure it would be appreciated; I've yet to meet a customer who when guided through our brochure at some point doesn't say "I didn't realise that you made those" so that hidden gem may be just a page turn away. I would also like to take the opportunity to share a particularly positive story albeit a story which isn't new to UNICOL by any means.

You probably didn't know that over 98% of UNICOL's products and packaging are recyclable, how significant is that with our ever increasing awareness of how we use and re-use the valuable resources of our amazing planet? Equally impressive is the fact that this isn't a new phenomenon, it's always been that way, never been any different and for a business entering its 56th year the cumulative benefit can only be hugely significant.

The UNICOL paper sacks made from 800gsm natural (so no bleaching in the manufacturing process) kraft paper and sewn at one end are almost impossible to tear or rip but are still fully recyclable or at worst will naturally decompose. The cardboard packaging used is made up from nearly 80% previously used material and at the end of its life is once again 100% recyclable.

Moving on to the UNICOL products themselves: All major components are made of steel or aluminium, all 100% recyclable. The software cutting programme we use maximises the optimal number of profiles cut from each sheet, minimising waste. Therefore all offcut wastage, post manufacturing, is once again recycled.

We are proud to say that from start to finish UNICOL produces minimal waste, even incoming plastics and packaging are sorted and baled for collection by recycling companies, for us this isn't something new it's always been part of our DNA.



David Jopling Managing Director

UNICOL products have been designed to meet BSI installation specification standard BS8590. All goods are sold subject to the Companies terms & conditions of sale, a copy of which is available upon request or can be downloaded from our website www.unicol.com. VAT will be charged at the prevailing rate at time of invoice. Mechanical items have a 10 year design & manufacturing warranty. Electrical parts are covered by a 12 month return to base warranty. UNICOL products are the subject of continuous development and we reserve the right to improve designs or change specifications without prior notice. Products and prices listed in this catalogue are correct at time of going to press (Issue 56 - 2019). © Peter Ligertwood 2019.

UNICOL Engineering, Green Road, Oxford, OX3 8EU, England

Contents – Pro	oduct Finder Pages	
	What's New Special Projects 4 & 5	Screen Mount Trade Packs Slim Profile Mounts 24 & 25
	VS1000 Stands, Trolleys & Components 6 & 7	Wall Arms Panarm & Standard Range 26 & 27
	Axia Stands & Trolleys 8 & 9	Outdoor Housings & Covers 28 & 29
	Avecta Stands Parabella & Tevella 10 & 11	Indoor Kiosks & Totems 30 & 31
	Rhobus Stands & Trolleys Nesting Trolley 12 & 13	Adapta-Wall Video Wall Mounts Screen Rail 32 & 33
	Large Axia Titan Stands & Trolleys Motorised Stands 14 & 15	V-Wall Video Wall Stand AV Roller Trak Gantry Systems 34 & 35
	AV Furniture Huddle Tables Education Lecterns 16 & 17	Floor to Wall & Ceiling PC Housings LED Universal Mounting 36 & 37
	AV Teaching Lecterns Cabinets & Large Screen Lecterns 18 & 19	PSU Projector Units Guardbox Security Cages 38 & 39
	Dedicated Wall Mounts Cassette Mounts Universal Wall Mounts 20 & 21	Gyrolock Projector Mounts 40 & 41
	Installation Components 22 & 23	Single Column Stands & Trolleys Parts & Accessories 42 & 43



How To Order

Call our technical sales team direct, email or order on line.

We are more than pleased to help regarding best choice of items to order or advise on any project being considered.



Most standard products are available on an ex stock basis. Please state screen or projector make / model & colour choice.

www.unicol.com

Symbols & other information



Typical single screen guide: Light or heavy monitors will influence this.



Maximum carrying capacity for which each product is designed.



Colours ex stock. (*no cost where shown*) Sinterflex black (standard) Diamond silver / white (optional)

Please state colour choice when ordering (Non-standard colours to special order)

Dimensions shown are metric Prices shown are Ex Works, Ex VAT

UNICOL Special Projects Department Highlighting our in-house design & manufacturing capabilities, resolving many varied and often complex projects.

Corporate Offices – Full Service Cassette Mount

In many global organisations 'down time' of AV & IT services can be critical and fault fixing in a hurry can be expensive. An investment bank called us in to provide an easy swap out mount for their displays and more importantly peripherals such as players etc. UNICOL standard wall mounts allow screens to be easily dismounted from a wall so the challenge was to provide a rack that could be pre-loaded then positioned into a vertical drawer, which in turn could be lifted and locked behind the screen. The image shows a loaded cassette in the down position ready for a hot swap.

Oslo Central Station – 60m² 100 screen video wall


Because of brake dust contamination, IP65 rated GDS displays were used. The difficulty with this was the weight of these screens, which negated the use of standard pop-out style mounts. The video-wall layout was 20 x 5 but there was no wall to fix the mounts to, so a custom tower to house 5 displays was designed. To enable displays to be swapped out the middle row was fixed but the upper and lower tiers could be wound out for front loading access. A suspended metal frame was made onto which the 20 towers were fixed. Norwegian Rail ordered other 5 x 5 walls as part of their upgrade.

Teaching Aid Lectern – Surrey University

When Surrey University were looking to upgrade their AV furniture with collaborative tables and control desks, they wanted custom features and fast order turnaround. The result was a branded central desk facility to control AV lecture content, screen or projector video sources, audio and lighting levels and more. Cabinets have 19" removeable 6U racks and the desk, with control housing and fully adjustable screen mount, powers up and down by remote or manual switch for standing or seated operation. Such was the success of this roll-out it is now a standard product.

Westfield Stratford – Floor to Ceiling Totems

Indulge Beauty wanted to make a splash in their new flagship store and proposed two 1 x 3 video-walls, using 55" Samsung displays in each window. The displays had to be in a housing, adhering to their brand colours and with access to the screens. A fully enclosed kiosk would have looked too bulky so a slim housing was designed and UNICOL chrome columns were used as the supporting structure and trim for the housing. Chrome reflects so the impact on the eye is less than with solid colours. The Totem was fixed to the floor and ceiling with cabling running through the columns.











VS1000 Stands, Trolleys & Components





Axia Stands & Trolleys



With our PZX universal screen mount. Stylish plinth base has resilient nonmarking feet. 4-way power socket neatly locates behind screen.

Select toughened glass or metal shelves as required.

Standard Hi-Level Stand

Order Code		£ Ex Vat
AX15P	for screens up to 70"	523.20

The quality option for corporate lounges or hospitality seating areas.

With our PZX universal screen mount. Plinth base has resilient non-marking feet. 4-way power socket neatly locates behind screen.

Standard Lo-Level Stand

f Fx Vat

78.80

89.20

£ Ex Vat

69.50

 Order Code
 £ Ex Vat

 AX12P
 for screens up to 70"
 468.70



Order Code

AX16P

PCs etc. Lockable drop down door.

Rear panel has access for mains and other cables.

Order Code Internal Dimensions mm **AXLC** Size 550w x 150h x 400d

£ Ex Vat **173.60**

Plinth Cabinet Stand

Popular for showroom or exhibition

use. Lockable base for PCs, DVDs etc has resilient non-marking feet.

Cabinet Base version

Cabinet internal dims 480(w) x 400(d) x 160(h)mm



£ Ex Vat

708.20

AXGS AXWS

AXSS

www.unicol.com

Shelves

Order Code

AXGS

AXWS

Order Code

AXSS

Toughened glass, fully

edge polished or metal

Lugs fit through mast slots &

screw securely into position.

glass/mm

500w x 400d

780w x 390d

metal/mm

500w x 400d

versions available.

01865 767676

	THE AND IN PR	and many one for the	TO MANHA AVANA	P DORANGE.			1000	-	Para la se	-	and the second se
	_					-		-		- Station -	-
Genetic	(Concession)	The local diversion of	a benefit of the second			1	Address in	-	-	10.00	-
	Provident and	1000	Territoria.	- Continued			and the second	Core a	+		and the second second
	1 descent	Table 1	succession and	gill fully	· net	-	STREET.	-	Annal .	And division of	And and a second second
	1000	(Interpreted)	(Second	demonstration of	+ **	-	10000		and T	100	Annual State of State
·		++ (42)	· Antonio	man		-			and the second s	and the second second second	Contraction of the local division of the loc
See.	Area .	Free Local	Same a	the second second	-	-	10000				
		410	STR STREET.	- H	-	-				-	
	ful provide here	Control In Control of		1.1		-		-		-	
	And Design of the lot of	ALC: NO. OF TAXABLE PARTY OF TAXABLE PAR			ALC: NO.	-	ound live 1	make a class of	-	Antonia	-
_	1	1 1	9		•	-			11111		
-	And Party of		Apr. Berta	6		-	1000	-		- Hereney	-
	And sends in managements	Property States of the	Sales areas	Trees .	-	-			-	-	-
			- statement	-		-		Another 1	ALC: NAME		



Height to centre of screen 1600mm

35kg MAX per screen Standard Axia Twin screen trolley version Sinterflex Black



trolley in optional silver Standard Axia Hi-level trolley in optional Diamond Silver

> Height to centre of screen 1600mm



Heavy duty braked wheel options – see page 43.

Axia Twin Screen and Video Conference Stands & Trolleys

These internally strengthened units for twin screen use cover a wide range of screen sizes. Easy to set up, using our PZX universal screen mounts. Toughened glass shelf is included.

Order Code	Stand Versions	£ Ex Vat
AXC15P51	screens 38" - 57"	823.85
Order Code	Trolley Versions	£ Ex Vat
AXC15T51	screens 38″ - 57″	978.65

State make & model of screens when ordering Above screen video conference mounts and larger screen versions also available.

- Call us for any advice or assistance required

Video Conference Mount

For most makes/models of cameras. Fits either above or below screen.

Telescopic adjustment enables camera platform to be positioned at optimum height.

Dedicated mounts for specific makes/models of cameras also available – Call us for details.

Order Codemm£ Ex VatVCMshelf size 340w x 260d87.90

Lo-Level Trolleys

VCM

Includes PZX universal screen mount, 7.5cm twin wheel castors.

of screen

1200mm

•00

Typically 33-70"

4-way power socket neatly locates behind screen.

Standard Lo-Level Trolley

Adjustable

400 – 585mm

 Order Code
 £ Ex Vat

 AX12T
 for screens up to 70"
 502.60


Hi-Level Trolleys

With PZX universal screen mount and base with 7.5cm twin wheel castors. 4-way power socket neatly locates behind screen.

Select toughened glass or metal shelves as required.

Standard Hi-Level Trolley

Order Code £ Ex Vat **AX15T** for screens up to 70" **557.50**



Axia Colour Options

With their graceful flowing curves Axia stands & trolleys already look good in their standard finishes.

Adding a corporate or individually chosen colour can dramatically enhance the effect, harmonise with interior schemes or even the screen itself.


- Call us for further details



sales@unicol.com

www.unicol.com

Avecta Stands & Trolleys



Popular & Specialist Stands





Parabella

The recommended stand unit for exhibitions & conferences.

- * Curved slim design
- 🗱 For screens 40 80 inch
- ***** Neat cable management
- ***** 1.8m viewing height
- * Standard & Large available

Standard Parabella

Comes with PZW1 universal mount & converter.

 Order Code
 £ Ex Vat

 PA2
 for screens 33" - 70"
 577.60

Heavy Duty Parabella

Comes with PZX9 universal mount, larger base & converter. Order Code £ Ex Vat **PA9** for screens 33" - 80" **1043.90** Parabella is not suitable for touch screen use.

Parabella Accessories

Glass Shelf



Toughened glass fully edge polished.Order Codemm£ Ex VatPARAG2Ssize 500w x 400d82.90



 Base & Converter – screens up to 80"

 Order Code
 mm
 £ Ex Vat

 PARAB2
 large size 1210w x 700d
 370.00

 CTPA3
 mount converter
 110.10

Power Sockets

In special housing to fit Parabella stand with 4.5m cord.

Order Code		£ Ex Vat
PARAES4B	UK 4-way socket	46.80



orderina


TVT1



Tevella TV Stand

- * Cables routed through base & column
- ***** Bolt down version also available
- * Stand height to centre of screen 100cm
- * Trolley height to centre of screen 140cm

	▼Typically 15-40″ screens ►
00	10 10





sales@unicol.com

www.unicol.com

RHOBUS Video Conference & Presentation Range




Rhobus RH100 Trolley with 55″ screen

<u>RHOBUS</u>®

- * Premium boardroom quality
- * Sinterflex black or white as standard
- * Wide choice of screen options
- * Discreet cable management
- * PowaLift operated options
- * Lockable housing for codec etc
- * Supplied with castors & static feet
- * Single box solution





Choose from the elegant single screen version through to multi-screen units to support the very latest and best in corporate communications. Ample capacity is provided within the central mast for cabling, codecs and other systems, all accessible through a locking door. Built in power socket comes as standard.

Camera mounts available in two versions:

- * VCM standard mount (see Page 13) fits above or below screen
- * Vertical blade type (see below) allows camera to be positioned between screens.

An abundance of practical features



Easy swap from twin wheel castors to static feet to suit your needs



Camera mount options allow choice of camera & screen configurations



Simple to configure for single, twin or triple screens – mount design allows close edge to edge contact for multi-screens

Mast housing dims for cabling / codecs – 440(w) x 470(h) x 80(d)



Drop down locking door allows easy access & provides neat appearance



Rhobus RH100 stand with 60inch screen & VCM

Floor to wall versions also available with lockable front panel for installation access



www.unicol.com

RHOBUS Stands & **Trolleys**



Rhobus RH200 Trolley in non-standard RAL 7035 light grey with twin screens, blade camera mount & centre infill panel

£ Ex Vat

78.80

89.20

85.50

35.20

87.90

Rhobus Accessories

Glass Shelf – 500(w) x 400(d)

Glass Shelf - 780(w) x 390(d)

Blade style Camera Mount

Blade mount conversion shelf RHH1P Optional manoeuvring handles 158.50

Standard Camera Mount

RHGS2 wide touahened

glass shelf

Order Code

RHGS1

RHGS2

RHCB1

RHCC

VCM

VCM

Order Code	Version	£ Ex Vat
RH100	Single Screen (33″ - 70″)	1148.30
RHBD100	Bolt Down (33" - 70")	985.87
RH200	Twin Screen (33″ - 70″)	1420.70
RH300P	Triple Portrait (33" - 70")	1539.10
RH300L	Triple Landscape (33" - 57")	1539.10
RH100HD	Heavy Duty (71" - 110")	1284.90
RFWSHHD	Floor to Wall (71" - 110")	1051.10
RHPL100HD	HD PowaLift (71" - 110")	1884.20
RH400HD	2 x 2 Screen (33″ - 57″)	1852.00

Height to centre of screen 1400mm

Premium Piano black and other non-standard finishes available at an additional charge – Please call for details



* We offer a wide range of camera mount options. Our RHCC conversion shelf is also available in versions dedicated to specific cameras. Above screen camera mounts also available -Call us for details.

Fully adjustable screen arms RHPZX1VW, RHPZX3VW & RHPZX5VW are used on twin and triple screen units



RHCC

Blade mount

conversion shelf

AV Teaching Aid on Wheels

A complete large format audio visual teaching assistant on wheels that can be deployed quickly and neatly stowed when not in use.

This robust trolley is designed for large format displays and securely houses your favourite PCs and controllers, whilst allowing fast deployment of cabling. The standard trolley comes with a plain mast. However, we understand that choice of equipment is important and will customise the rear or front of the mast section with a 300 x 300 x 100mm cable/keyboard pocket and standard double gang wall plate & cable assembly at an additional cost. (Please call us for a quote). Handles are provided for ease of movement as standard.


These trolleys can quickly turn an empty space into an effective student e-learning environment as and when required. Whilst Sinterflex Black is the standard colour, other bright & bold finishes are available.

- * Robust modular construction
- Easy to assemble and install
- * Quick and easy deployment
- * Customisation available
- * Secure storage for players / PCs
- * Standard black with colour options


* Fast turnaround delivery 5 - 7 days

Order Code

NST1 For up to 70" screens (Trolley only - no electronics) **NST2** For up to 90" screens (Trolley only - no electronics)



Price Ex VAT 1310.50 1377.30



be an additional charge of 18% for non-standard colours.

sales@unicol.com

www.unicol.com

Axia Titan Heavy Duty Stands & Trolleys



Manual Easy Lift

Prices quoted are ex-works as the Easy Lift is despatched by

dedicated courier.

Bolt Down versions

available



Designed for large format or multi-screen applications, these trolleys incorporate heavier mast sections and increased base footprint to accommodate large screen sizes and heavier loads. Axia Titan trolleys come in 4 versions:

- * Fixed Height
- * Manual Easy Lift
- * Bolt Down versions
- * PowaLift with Remote

Safety Note: Safety must always be the first priority when handling large / heavy screens, which should be installed by qualified personnel using appropriate lifting equipment. Manoeuvre and position trolleys only on flat and even surfaces. Large screens may need removing when manoeuvring trolley under standard door heights.

Manual Easy Lift

Smooth 'ratchet action' for easy lifting. Practical, reliable and immune from show venue power outages!



Manual Easy Lift Trolley For Screens up to 98"

Order Code £ Ex Vat **AXW20** 1.5m to 2.5m centre of screen **2686.90**

PowaLift Electronic

Axia Titan PowaLift Versions. Smooth powered vertical travel for screens up to 110"

These trolleys incorporate a powerful linear drive system within the heavy duty mast. Supplied with hand held remote and manual switch option as standard.

Order Code £ Ex Vat **AXL15T2J** for screens up to 110" **1802.00**







Fixed Height

For Screens up to 110"

Order Code		£ Ex Vat
AX15T2J	1.5m to centre of screen	995.50
AX20T2J	2m to centre of screen	1449.50

For multiple 2 x 2 (4) Screens Up to 55" & 35kg max per screen

Order Code £ Ex Vat AXM20T31 2m to centre of screen 1845.00

State make & model of screen



01865 767676

Smooth

Dowered

Operation


Shown on plinth base supporting 4 x 55" screens

14

35kg MAX per screen

www.unicol.com

Motorised Stands, Trolleys





AVMT71

Trolley Version

Order Code £ Ex Vat AVMT71 33" to 70" 1171.20

State make & model of screen (For euro-plug versions add *E* at the end of each order code)



Electronic control & PowaLift technology combine in these versatile units.

- * Safe, smooth operation
 - * Well proven technology
 - * Quality, long life components
 - * For screens 33 to 70 inch
 - Controllable by remote fob, cord switch or direct from your laptop – all supplied with unit

Operated by wireless remote or manual switch, screens can be commanded to rise or descend smoothly through 700mm, stopping safely at any point.

These units serve many requirements, particularly in the field of education, enabling young children or wheel chair users to interact with touch screens. 'Touch of a button' height control also makes it easy to move from one location to another through doorways.

Screen mount, hand held remote with manual switch and 4-way power socket supplied as standard.



Laptop platform

Order Code f Fx Vat 173.50



Floor to Wall Version

Using the same proven mast technology as our trolley version these units allow fixed installation with the benefit of compactness and slim profile.


Order Code Standard £ Ex Vat AVMW71 922.00 33″ to 70″ Order Code Heavy Duty £ Ex Vat AVMW91 71" to 98" 1036.50

State make & model of screen



unit shown with 4-way power socket, antenna, power-in, USB & cord switch socket

Rear of



There is a range of PC housings to fit these units Call for details



Rhobus RHPL100HD Trolley with 'Touch of a button' PowaLift technology to raise and lower screens smoothly through 700mm.

For larger screens the Rhobus Powalift version has all the functionality of the original - above.

- * For screens 71 to 110 inch
- * Safe, smooth operation
- ***** Quality, long life components
- ***** Bolt down & Floor to Wall versions available
- * Controled by remote fob, cord switch or direct from your laptop – all supplied with unit

Order Code		£ Ex Vat
RHPL100HD	HD PowaLift (71" - 110")	1884.20



www.unicol.com



There are two Rhobus table versions, Huddle and Stand-to-Meet. The Huddle can be powered up and down to adjust table height. Both have ample capacity & connectivity for cabling, codec and integration with other systems, all accessible through a cable well and locking door. Built in 4-way power socket comes as standard.

Video conference camera mounts are available for all the leading manufacturers of VC equipment. Table tops can be customised in different shapes with cut-outs for all the leading brands of connectivity devices. They can also be branded with different colours and logos. Seating can be supplied as an optional extra.

- ***** Full unified connectivity
- ***** Underside rack options
- ***** Built in hearing induction loop
- * Motorised height adjustable top
- * Branding, logos & special finishes
- * Accommodates wide choice of devices
- ***** Lockable equipment housing
- * Fast turnaround delivery 15 days

Rhobus Stand-to-Meet

Oraer Coae		£ EX Vat
RS01	Twin screen stand to meet unit	3978.30
RSU01	Underside custom controller /switcher unit	728.10
RSU02	Large front mast for cable cubby with retractors	125.50

A //plates getting you connected

As a distributor of AV Plates we can enhance any models of Unicol AV Furniture - Please call for details.


Rhobus Huddle

Order Code	
RHO1	

	£ EX Vat
Single Screen version	4508.18
Twin Screen version	4878.00







www.unicol.com

Prices quoted are ex-works

Furniture is despatched via

may be collected

AV Furniture - Lecterns and Desks




Canterbury

Free Standing Lectern

- * Premium lecture room quality
- * Fast turnaround delivery 15 days
- Customised control housing options
- Secure front & rear installation access
- * Lockable, with key alike options
- * Concealed castors plus levelling feet
- High quality monitor arm included
- Sinterflex black & other colours available
- ★ 19inch, 16U rack supplied as standard
- * Quality wood finish 36mm work surface
- * All to BS8590 AV Code of Practice guidelines

Versatile lectern provides secure storage for media electronics with 19" 16U rack mounting as standard. Stylish oval cabinet has concealed castors with jacking feet for extra stability on uneven surfaces. The range of durable desk tops are available in a choice of sizes and incorporate a control panel housing for standard & custom apertures together with power outlets.

High quality monitor arm is fully adjustable, desk top has generous room for keyboard and visualiser (if required). All are available in 1000, 1250 & 1500mm widths, 750mm deep with a choice of wood effect finishes. In addition to the standard units offrered we are able to customise for a wide range of requirements plus colour options and branding. This premium self contained lectern is complimentary to any modern lecture theatre.



dedicated courier or

may be collected



Ideal for small lecture theatres or anywhere where space is limited. Folding work surface is ideal for laptop, notes etc. Unit is designed to be functional yet compact, with many control panel options.

Lockable cabinet (with key alike options) is provided for a PC with access to PC ports and power through the side of the unit. A 3U rack strip is also built in. Options include standard UK two gang aperture, plus any other control panel features required.

Presentor desk with folding top www.unicol.com

How to Order

Decide control panel preferences and PC or other items to be housed. Our technical team will be pleased to advise regarding options available. In addition to colour choice offered, alternative finishes can be quoted for.

Order Code UFPL08	^{mm} 800(w) x 796(h) x 605(d)	£ Ex Vat 935.69	Work Surface	Cabinets white	black
-----------------------------	---	---------------------------	--------------	----------------	-------

sales@unicol.com

AV Furniture - Teaching Aid Desks & Table Stands

The Principal[™]

Lecturer's Desk

Provides lecturer's with a central desk facility to control AV lecture content, screen or projector video sources, audio, lighting levels and more. Cabinets have 19" removable 6U racks. The desk, with control housing and screen mount, powers up and down for standing or seated operation using the manual switch or remote fob supplied. ***** 19" removable 12U racks allows pre-installation option ***** Full cable management allows for bulky connectors ***** Motorised Desk Top in a range of widths & finishes ***** Screen mount has left/right or multi-screen options ***** Control Housing has standard & custom apertures

* Quick release doors for ease of installation

How to Order

Order Code

UFPD15

UFPD18

UFPD24

* Generous desk top space for visualiser if required

* Optional custom logos plus illuminated versions

* Castor mobile for access through standard doorways

* Fast turnaround – 15 days delivery on basic units ex works

Choose from the three models listed below and select any of the desk top & cabinet finishes listed.

and control panel housing requirements.

Please include preference for monitor arm left or right

1550(w) x 778(h) x 700(d)

1850(w) x 778(h) x 700(d)

2400(w) x 778(h) x 700(d)

£ Ex Vat

6103.33

6325.00

6737.50





Desk Top and Cabinet Choices:

Cabinets Black Black Oak Black Oak Black Black

The Mentor[™] Lecturer's Desk

With the ability to change lighting, content, audio and video sources from one place, the Mentor allows users to take control in any lecture theatre from one desk facility.

How to Order

Select any of the desk top & cabinet finishes listed. Please include preference for monitor arm left or right and control panel housing requirements.

Order Code	mm	£ Ex Vat
UFMD13	1300(w) x 778(h) x 700(d)	4674.97

- Hinged desktop gives easy access to AV equipment beneath
- 19" removable 12U racks with additional 1U vertical rack featured in desk leg
- * Full cable management
- ★ Lockable, with key alike options
- ✤ Concealed castors plus levelling feet
- * Neat quick release door mechanism
- Desk top control housing options
- Range of desktop and cabinet finishes
- ***** Custom illuminated branding options

Table Stands for screens 40 – 70 inches

Our table stands are available in Universal & Dedicated mount versions: Standard VESA sizes are covered by our PFT1, 3 & 21 stands. Larger screens – 57" and above are covered by our dedicated model range designed and manufactured for each make & model listed.

All versions have resilient non marking feet.

Order Code		£ Ex Vat
PFT3	Universal 32" to 57" – 200 x 200 to 400 x 400 VESA	169.60
PFT1	Universal 40" to 57" – 200 x 200 to 600 x 400 VESA	169.60
PFT21	Universal 58" to 70" – 200 x 200 to 600 x 400 VESA	169.60
PFL3	Dedicated 58" & above – max weight 60kg	254.60



Illustration shows 70 inch screen version from our dedicated model range

Prices quoted are ex-works.

Desks shipped via dedicated courier or

may be collected





State screen make & model when ordering

18	
18	



01	0	65	27	67	
υι	σ	65	0/	0/(٥

Media Screen Units, Cabinets & Tilting Lecterns

19" Rack Cabinet & Screen Units

This versatile range provides secure storage for media electronics. 19" rack mounting as standard, shelves optional. Select mast & screen mount units from the listings below.



Prices quoted are ex-works as this unit is despatched by dedicated courier or collected





Dual heavy duty display, Triple cabinet Credenza. Columns, screen mounts & 3 x 12u racks included

Order Code	Twin Cabinet	£Ex Vat
AVRT5	Standard rack mount depth 442mm	946.30
AVRT7	Extended rack mount depth 642mm	984.90
M2X1 N	fast assembly inc twin screen mount	617.20
★ Special N	Triple Cabinet Credenza inc. columns, mounts & 3x12u racks on-standard Versions of these cabinets, ssories are also manufactured – Call	screen mounts



AVRT5 Standard twin cabinet 1015w x 700h x 500d

Universal Shelves

Fit all cabinet versions and locate into rack mount slots. Useful above / below rack mounted equipment or in any way required.

Order Code		£ Ex Vat
VR300	1 u Rack	42.96
VR500	Shelf – 430mm(d)	51.50
VR700	Shelf – 630mm(d)	52.75

THBLEHU Large Screen Lecterns THBLEHU

Prices quoted

are ex-works

as this unit is

despatched by

dedicated courier

or collected

£ Ex Vat

There are three models offered:

Shown left, TL1, a rigid and stable platform with fixed angle screen mount.

Shown right, TL2, a trolley that can be powered up and down with a variable angled screen mount, manually

operated through 90 degrees from horizontal to vertical. Full cable management is provided at the rear.

A further trolley, TL5, powers up and down and also has a manually operated variable angled screen mount but no cable management.

TABLEAU+



Operated by manual switch, screens can be commanded to rise or descend smoothly through 500mm, stopping safely when required. Screen angle can be manually moved through 90 degrees and locked at any point. Standard model TL2 comes with mount & full cable management. TL5 model comes without cable management.

Order Code £ Ex Vat				
TL2	for screens 46" - 70"	1486.20		
State screen make & model when ordering				

Order Code f Fx Vat TL5 for screens 40" - 46" 1230.50 State screen make & model when ordering along with colour option

TL1-PZX1 for screens 33" - 70" 577.50 State screen make & model when ordering

Mast incorporates two compartments,

to house small PCs or other electronics

resilient non marking feet and clearance

together with cabling. Base unit has

for cables routed beneath.

both 344(w) x 95(d) - 1 x 280(h) & 1 x 398 (h),

Heiaht

to centre

of screen

1000mm

TABLEAU

Order Code

sales@unicol.com

www.unicol.com

19

or collected

Dedicated Screen Mounts



Xactmatch mounts take all the guesswork out of ordering and installing screen mounts whatever the make or model and whether stand, trolley, wall or ceiling fixed. Our range covers all popular makes of screens and are available in landscape or portrait versions.

Approved mounts specifically designed for each make and model of screen listed

- * Factory designed & tested for each screen model
- ***** Cable entry & cooling vent positions allowed for
- * Landscape and portrait versions for all models
- ***** Correct screen fixings included



Slim line Flat Mounts (Land	dscape)
Order Code	£ Ex Vat
PLX1 Screens up to 70" landscape - 80kg	129.20
PLX3 Screens 71" to 110" landscape - 150kg	205.60
Slimline Flat Mounts (Port	trait)
Order Code	£ Ex Vat
PPX1 Screens up to 70" portrait - 80kg	129.20

State screen make & model when ordering



Tilting Mounts (Landscape)

rder Code		£ Ex Vat
PLW1	Screens up to 70" - 80kg	148.40
PLW3	Screens 71" to 110" - 150kg	230.50

Tilting Mounts (Portrait)

Order Code		£ Ex Vat
PPW1	Screens up to 70" - 80kg	148.40
PPW3	Screens 71" to 90" - 150kg	230.50

Xactmatch Rota Mounts

Smoothly rotate screens from landscape to portrait and anywhere in between.

Rota Mount RTM1 is designed to fit most Unicol stand & trolley models or floor to ceiling systems and can also be direct wall fixed if required. In-built safety stops allow precise indexing to both landscape and portrait positions.

Use Rota Mount in conjunction with our range of special Exactmatch slim line flat mounts, stating make & model of screen when ordering.

Order Code £ Ex Vat **RTM1** Screens up to 70" – Includes PLX mount **248.20**

Comes with screen mount Please state screen make & model

Safety Note: Ensure safe cable management when using these units. Cables should be sheathed or otherwise protected and have sufficient freedom of movement.

Higher capacity Rota Mounts for larger displays available – Call us for details.



Rotating through 90° this mount can also be adjusted from vertical to 5° tilt. Fits Avecta trolleys or stands.

 Order Code
 £ Ex Vat

 RTM10
 Flat & 5° tilt – up to 70″
 236.40

 Fits VESA sizes 200 x 200, 300 x 300 & 400 x 400

Universal VertiSlide Serviceable Cassette Mount

The VertiSlide Serviceable Cassette Mount is a wall fixed screen mount with a vertically sliding & detachable slotted rack for mounting AV equipment.



There are two models for different screen sizes. When installed the equipment is hidden behind the screen but in the event of a swap out the rack can be unlocked, slid down and detached if necessary to carry out the maintenance. VertiSlide is a universal unit designed for most screens so that the rack is postioned towards the bottom of the screen.

An under desk version is also available – see Page 37

State screen make & model when ordering

www.unicol.com



Easy close counterbalance mechanism

 Order Code

 VTS1U
 Screens - 65" to 110"
 max 110kg

 VTS2U
 Screens - 40" to 65"
 max 60kg



01865 767676

384.24

Universal Screen Mounts

pozimount



Flat to Wall Version – 30" to 40"

Depth from wall 45mm

Order Cod	e	£ Ex Vat
PZX0	VESA 200 x 200 to 400 x 200	98.40
Overall	width / height of mount - 465 mn	n x 332 mr

Flat to Wall Version – 33" to 70" Depth from wall 45mm

Order Code		£ Ex Vat
PZX3	VESA 200 x 200 to 400 x 400	98.40
Overall wi	dth / height of mount - 540 mm	n x 440 mm

 PZX1
 VESA 200 x200 to 600 x 400
 98.40

 Overall width / height of mount - 765 mm x 540 mm
 \$40 mm
 \$40 mm

(For VESA 800 x 400 order **PZX5** – **£98.40**) (Overall width / height of mount - **870**mm x **640**mm)

Flat to Wall Version – 71" to 110"

Depth from wall 50mm

Order Code £ Ex Vat **PZX9** VESA 1000 x 600 **165.20** Overall width / height of mount - **1070**mm x **700**mm (**PPZX9** Portrait Version also available - same price)

Tilting Version – 30" to 40"

Depth from wall 55mm

 Order Code
 £ Ex Vat

 PZW0
 VESA 200 x 200 to 400 x 200
 118.40

 Overall
 width / height of mount - 465 mm x 332 mm

Tilting Version – 33" to 57"

Depth from wall 55mm

 Order Code
 £ Ex Vat

 PZW3
 VESA 200 x 200 to 400 x 400
 118.40

 Overall width / height of mount - 540mm x 440mm
 x 440mm

PZW1 VESA 200 x200 to 600 x 400 **118.40** Overall width / height of mount - **765**mm x **540**mm

Tilting Version – 58" to 70" Depth from wall 65mm

 Order Code
 £ Ex Vat

 PZW8
 VESA 200 x200 to 600 x 400
 150.80

 Overall width / height of mount - 700mm x 536mm
 x 536mm

sales@unicol.com

Universal flat screen mount range

🛿 🗱 New double gang aperture and fixing slots.

- Industry standard quality product with In built screen levelling
- Fully adjustable accommodates wide range of VESA screen fixings. Security options also available.
- * Use direct fixed to wall, also fits all stands, wall arms or ceiling mounts in our range
- ***** Screen fixing kit supplied covering M4,M5,M6 & M8.
- * Flat & tilt versions, all with screen levelling available

MOUNT SELECTOR Choose the Pozimount most suited to the fixings (VESA sizes) used on your screen.

Pozimount – Portrait

For screens – typically from 40" to 70" VESA 400 x 400 to 400 x 600

Flat to Wall Version

Order Code £ Ex Vat
PPZX2 depth from wall 45mm
98.40
Overall width / height of mount - 465mm x

700mm

(VESA 200 x 200 to 400 x 400 use PZX3)

Tilt Version (intended for column suspension mounting - add column adapter PS7, column & ceiling plate).



We design and manufacture sound bar mounts for many makes and models. These units allow sound bars to be fixed to our Stands & Trolley ranges and ceiling suspension systems by fixing to columns or universal mounts.

All units are custom made for the particular make and model and are priced accordingly. Shown version attaches to a universal mount.

Please call us for details stating make & model of Sound Bar

Stainless Steel Options

We offer stainless Pozimounts to combat harsh environments when using waterproof / IP rated screens.

Pozimour	nt 400SS
Drder Code	£ Ex Vat
PZX3SS	321.00

nev

SS Pozimount 600SS Vat Order Code £ Ex Vat .00 PZXSS 346.00



 We also offer all stainless steel installation components when using these mounts for ceiling suspension
 - Call us for details

www.unicol.com

21











60kg

Installation Components

Standard colour black – also available in white

Has cable

entrv

Has

cable

entry



Ø

Has

cable

entry

300

500

60kg MAX

270kg MAX

45kg MAX

120kg MAX

Has

cable

entrv

90kg MAX

90kg MAX

Standard Ceiling Plate

Use with any column length for suspension of projectors & single screens up to 57".

Order Code Plate holes mm £ Ex Vat CP1 120 x 120 28.70

Gantry Ceiling Plate

Primarily for spider gantry units (See Page 35). Has internal safety mechanism that allows limited movement of suspension column to protect ceiling fixings.

£ Ex Vat Order Code Plate holes mm CP5 108.40 300 x 300 & 500 x 500

Tube Clamp

For suspending screens from lighting gantries, show stands or other structures. Screens up to 57".

Order Code £ Ex Vat TM05 for 50mm tubes 34.85

Column Coupler

To enable columns with 'through bolt' holes to be joined together for vertical suspension. Coupler conceals neatly within column. £ Ex Vat Order Code

СС 19.45 Note: For ceiling suspension use only



Single column mount adapter for Pozim when


Order Cod PS5


PS3U1

PS5

Single Column Adapters

Use in conjunction with Pozimount and Xactmatch mounts to position screens vertically on columns. Can also be used for fixing single columns to walls.





P	PS5T	Back-to-Ba	ack version	115.60
Chrome finish		e finish	Stainles	s Steel
mm	Order Code	£ Ex Vat	Order Code	£ Ex Vat
500	500	11.25	500SS	26.45
1000	1000	22.50	1000SS	52.85
1500	1500	33.75	1500SS	79.30
2000	2000	45.00	2000SS	105.70
2500	2500	56.25	2500SS	132.15
3000	3000	67.50	3000SS	158.55
Safetv	'through bolt	holes must be	e used for suspens	ion application



Trim Disc

60kg MAX

Gives a neat finish where columns pass through suspended ceilings. Order Code £ Ex Vat TD1 4.85

Large Ceiling Plate

For long column or heavy installations typically up to 70" or twin 57" screens.

Order Code Plate holes mm £ Ex Vat CP2 240 x 240 42.90

Anti-Vibration Ceiling Plate

Internal damping system provides floating action to reduce vibration from above.

plate holes 120 x 185mm

Order Code Plate holes mm £ Ex Vat CPAV1 120 x 185 155.56

Truss Clamps

For suspending screens and projectors from standard Truss.

– fits truss 40 - 55mm dia

Order Code		£ Ex Vat
CT1	up to 57" screens	47.40
CT2	with safety hook	48.60

Blanking Disc

Blanks holes in ceiling tiles from 6mm to 60mm. Order Code £ Ex Vat TDB1 6.20



Single Column Tilting Adapter

Use with Pozimount and Xactmatch mounts when ceiling suspended.

★ Variable tilt to 15°

С

***** 360° swivel * Back to Back version available Order Code f Fx Vat

PS7	83.50



Floor to ceiling Column Coupler

For mounting screens on two part columns.

Order Code		£ Ex Vat
PS6U1	for screens - 33" to 70"	98.90
PS6UT	Back-to-Back version	145.20

Compact Bolt Down Bases

Offer minimal base footprint for fixed screen stands. M10 floor bolts (not supplied) fully recess into base. Trim caps complete the installation.

Order C	ode mm	£ Ex Vat
ESF	Single – 290w x 240d	85.60
VSF	Twin – 400w x 300d	93.20
AVF	Twin – 150mm centres	93.20





ount and Xactmatch mounts			
used for ceiling suspension.			
le	£ Ex Vat		
up to 70″	112.60		



Installation Components

CP3 CP4	Stub Column Ceiling PlateUseful in low headroom situations. Allows direct connection of Unicol PSU projector mounts etc.Order CodePlate holes mm 	Has cable entryTilting Ceiling PlateFor sloping or 'out of level' installations. Projectors & single screens up to 57".Order CodePlate holes mm 120 x 120GRAEx Vat 49.00	
Has cable entry	Girder Clamps For girders 75 to 250mm & 350mm wide. Adjustable from level to extreme angles of tilt. Order Code Span mm £ Ex Vat GC25 250 78.45 GC35 350 82.55 Wider span versions available.	Twin Ceiling PlatesHas cable entryFor suspension of screens over 50" & floor to ceiling column installations using Floor Plates FP8 (see below). CP9 360° swivel version also listed. Order Code Version Plate holes mm £Ex Vat CP8 Standard 220 x 180Omega CP9 Swivel 240 x 240122.30	S
Illustration shows 300mm version Has	Pipe Clamps Available in a wide range of sizes. Please state pipe diameter when prdering. Typical mount for 75 - 300mm pipe shown. Order Code £ Ex Vat TM530 68.20	Pillar Clamps We manufacture these clammin a wide range of sizes for circular pillars. Order Code £ExVal VCC1 Single Arm 214.2 VCC2 Double Arm 235.0 (Triple-arm versions available - Call for determine)	, 75 00
Nece ceilin colu	ety Locking Ring essary at the lower end of any ng suspension installation using mn mounted components, where ty 'through bolts' are absent. ide £Ex Vat 6.70	Has cable entry	
Has cable entry O D D D MAX O PS4 O Susp We ad suspen back in be sub Order Code PS4	Column Back-to-Back ension Adapter vise the use of Twin Column nsion for large / heavy back to nstallations or screens which may oject to stress or wind loads. e ExVat Twin column - up to 70" 125.60 030 Twin column - up to 110" 181.40	Has cable entry PS12 Twin Column Suspension Adapter Twin column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension. Order Code PS12 Twin column - up to 70" 74.30 PS123030 Twin column - up to 110" 96.50	
Use ir Xactn vertic		Has cable entry PS6V1	t
FP1 In Has fixing holes bu through bushes bu FF	boor to Ceiling Base Plates single or twin column versions. olumns locate securely over ushes to give neat appearance. <i>Ler Code</i> £Ex Vat 21 Use with CP1 (see page 22) 26.50 28 Use with CP8 (see above) 58.70	Custom Made Accessories We offer a service in making all kinds of special or non-standard accessories – Call us when planning your next installation.	

Standard colour black - also available in white

sales@unicol.com

www.unicol.com

Universal Screen Mount – Trade Packs



These 'package priced' kits offer ease and convenience for specifiers and installers, combining the necessary ceiling plate, column & Universal tilting mount for a typical installation.

Three column lengths are listed to suit different ceiling heights. Trade Packs consist of Ceiling plate, Column & Mount(s).





Single Screen Trade Packs for VESA 300 x 300 to 600 x 400

Order Code KP110CB	with 1m suspension column	£ Ex Vat 205.00
KP120CB	with 2m suspension column	227.50
KP130CB	with 3m suspension column	250.00
🗰 (please se	e note below – smaller size mo	unt options)







Back to Back Twin Screen Trade Packs for VESA 300 x 300 to 600 x 400

Order Code KP110DB	with 1m suspension column	£ Ex Vat 355.00
KP120DB	with 2m suspension column	377.50
KP130DB	with 3m suspension column	400.00
★ (please see	e note below – smaller size mou	unt options)



For 32" Back-to-Back screens with VESA 200 x 200 fixings use CP1, Column length & DCV1



Wall Arm Trade Packs for VESA 200 x 200 to 600 x 400

Order Code KPWB	Direct coupled	£ Ex Vat 229.90
KP105WB	with 50cm suspension column	242.60
KP110WB	with 1m suspension column	253.85

* (please see note below – smaller size mount options)



★ Note: The above Trade Packs use PZW1 style mounts. Smaller PZW3 style mounts (P19) for VESA 200 x 200 to 400 x 400 are also available at same price – Call for details.

Slim Profile & Other Mounts




Excalibur	Ultra	Slim
Universal	Wall	Mounts

- * Only 7.5 millimetres thin!
- * For screens up to 57" (max 35Kg)

★ Fits all of the following VESA sizes: 200x200 / 300x300 / 400x400 / 600x400

Order Code		£ Ex Vat
UTM	with 680mm wall plate	55.00
UTM1	with 500mm wall plate	55.00

(Caution: Do check that your screen has cabling connections which allow the use of a slim style wall mount and do not protrude excessively from the rear).



Versus Mount Range

As screens become lighter it is only natural to have a mounting system that shows off the virtues of Direct and Edge Lit LED technology.

This range of screen mounts is available in wall, stand or ceiling versions, tilting & nontilting. The ceiling version is supplied with an adapter to fit a standard column. The trolley version fits directly to a standard PS2 twin column adapter.

The wall version has ample room for services and folds down into a small package for easy stocking. All versions fit the most popular VESA fixing centres.

Ceiling Mount Version

 Order Code
 £ Ex Vat

 VZWC1
 0 to 10 degrees tilt
 93.70

 200 x 200, 300 x 300, 400 x 400, 600 x 400
 Add ceiling plate, column & PS2 as required

Wall Mount Only

Order Code		£ Ex Vat
VZWW1	flat to wall	69.40
VZWW2 0 to 11 degrees til		89.40
200 x	200, 300 x 300, 400 x	400

VS1000 Trolley Version

 Order Code
 £ Ex Vat

 VZWV1
 0 to 10 degrees tilt
 96.80

 200 x 200, 300 x 300, 400 x 400, 600 x 400



Small Screen Mount Range



Slim-Line Wall Mount

★ For		
Order Code		£ Ex Vat
LVC	VESA up to 100 x 100	17.80



Lectern style screen mount


For use with touch screens or in show room displays. Tilt angle fully adjustable.

For displays up to 32"
 VESA 75 x 75, 100 x 100, 200 x 200

Order Code		£ Ex Vat
SEV1	VESA up to 200 x 200	86.80

Clip-On Slim-Line Wall Mount Easy to use, fits most screens and has

- concealed security screw. *** For displays up to 32**"
- * VESA 75 x 75, 100 x 100, 200 x 100 Order Code £Ex Vat **SVC1** VESA up to 200 x 100 **45.10**





Tilting Wall Mount

 * For displays up to 32"

 Order Code
 £ Ex Vat


 STV1
 VESA up to 200 x 200

 SMV1V
 with Swivel & Tilt



Swivel & Tilt Mount * For displays up to 21" * VESA 75 x 75 and 100 x 100

 The second se





Suspension units with swivel & tilt Use with any Unicol ceiling or wall suspension equipment

suspension equipment.					
Order Code		£ Ex Vat			
SCV1	VESA up to 200 x 200	84.30			
DCV1	Back to Back version	136.50			

sales@unicol.com

www.unicol.com

55.10

Wall Arms

JNICOL PANARM

Range of Swivel Arms

All steel, lasting quality, user adjustable joint tensioning, full swivel & tilt plus screen levelling




EU Registered Design

Compact Single & Dual Arms for screens up to 32 inch

The extra versatility of our dual arm units provide increased viewing flexibility good also in alcoves or corner situations. Unit folds 7.7cm to wall and reaches 46cm fully extended. Mount plate fits all small screen VESA sizes, has tilt to 10 degrees plus screen levelling fine adjustment.

Order Code		£ Ex Vat
SRV	Single Arm – Fits VESA 75 x 75, 100 x 100, 200 x 100	87.10
SSV	Dual Arm – Fits VESA 75 x 75, 100 x 100, 200 x 100	125.30

These heavy duty (35Kg rated) swivel arms are fitted with our Pozimount universal screen mounts. Each arm version (single or dual) is listed with mounts suitable for either standard or small screen / portrait use.



EU Registered Design



EU Registered Design

HD Single Arm for screens up to 57 inch

Arm fully extends to 43cm (11.5cm when folded flat) has full swivel & tilt plus screen levelling feature.

Order Code £ Ex Vat PLS1X1 206.80 Fits VESA 200 x 200 to 600 x 400 (With Pozimount PZX1 for most standard applications)

PLS1X3 Fits VESA 200 x 200 to 400 x 400 197.70 (With Pozimount PZX3 for small (32") screens or portrait mounting)

HD Dual Arm for screens up to 57 inch Offers enhanced degree of adjustment for more


(15.5cm when folded flat) has full swivel & tilt plus

£ Ex Vat

(For full Pozimount details see page 21)

0 Sypicall

(●



PLA1X1 242.10 Fits VESA 200 x 200 to 600 x 400 (With Pozimount PZX1 for most standard applications)

PLA1X3 Fits VESA 200 x 200 to 400 x 400 233.00 (With Pozimount PZX3 for small (32") screens or portrait mounting)

(For full Pozimount details see page 21)



HD "Parallel Action" Dual Arm for screens up to 110 inch

screen levelling feature.

Order Code


Robust construction for screens up to 130kg. Able to swivel left or right as well as track in and out in a parallel manner where its use in alcoves (but not exclusively) works particularly well.


Unit fully extends to 535mm. 126mm when closed. Comes complete with fine adjustment features for accurate screen positioning and has a cord release latch for locking when closed. Adjustable stops are included on the screen arms to prevent screens being pushed in at the sides - particularly useful when using touch screens.

Order Code PLA4

£ Ex Vat Fits VESA 400 x 400 - 900 x 600 985.25 (Comes with fully adjustable arms)

Please provide us with the make and model of your screen.





www.unicol.com

01865 767676

Wall Arms


UNICOL Wall Arm System


Wall suspension for screens, projectors, Guardboxes etc.

These standard wall arm units are designed for use with any of our screen or projector mounts, Guardboxes etc.

We manufacture two versions; WB1 allows direct connection of mount (using PS1 suspension adapter) and WB2 as a suspension column version. Wall arms can be fitted with any Unicol screen or projector mount listed in this catalogue.

See pages 20 & 21 for screen mounts and page 23 for PS1 adapter.





f Fx Vat

77.55


Other arm lengths are available - Call us for details.

55kg MAX

HD "Parallel Action" Dual Arm for screens up to 70 inch


Robust construction for screens up to 60kg. Able to swivel left or right as well as track in and out in a parallel manner where its use in alcoves (but not exclusively) works particularly well.

Unit fully extends to 520mm. 150mm when closed. Adjustable tilt built in.









Typically 33-70"

150mm deep with mount attached



Order Code

WB2 Socket

sales@unicol.com


www.unicol.com

114

343

343

Outdoor Housings in Landscape or Portrait





Outdoor Housings for up to 86" screens

UNICOL pioneered the development of outdoor housings and has unrivalled experience in this specialised field. Our well proven range of housings go from small screen monitors used in harsh environments right up to the latest 80inch large format screens. All are constructed in 1050 grade aluminium and utilise high quality temperature control components within. Screen viewing panels in impact resistant polycarbonate are incorporated as standard. Toughened or laminated glass is also available as an option.

For the Technical – housings all feature the following:

- In Landscape or Portrait
- ***** Tailor made for perfect screen fit every time
- * Wide range available 32" to 86" screens
- * IP53 rated with vandal resistant screen
- * Corrosion free for long life in all weathers
- * Light weight aluminium construction
- * Wall, ceiling or back-to-back mountable
- * Thermostatic internal heating & cooling
- ***** User replaceable cartridge air filtration





* Slimline screens have enabled us to manufacture these housings in our new slimline style. These will always be supplied where the screen depth allows. – Please call us for confirmation if needed.

www.unicol.com



Protective Covers for up to 70" screens

Screen Protective Covers

5mm thick, clear, anti-shatter screen with a metal bezel provides a durable front cover for screens.

Two landscape versions are available, one that clips to the screen (square corners only), the other attaches to the wall (square & rounded corners available). For portrait versions use order code PCP instead of PCL below. Anti-reflective screens also available.

We can supply bespoke versions in branded colours including logos. – Call for details.

Landscape clip-on (square corners)

(Screen mount required with these units)

Order Code	Square corners only	£ Ex Vat
PCL0	Clip-on - 15" to 32"	255.00
PCL1	Clip-on - 33" to 57"	288.40
PCL2	Clip-on - 58" to 70"	346.10

Landscape wall mounted (square or rounded corners)

(Screen mount included with these units)

Order Code	Square corners	£Ex Vat
PCL5	Wall mounted - 15" to 32"	540.80
PCL7	Wall mounted - 33" to 57"	574.40
PCL8	Wall mounted - 58" to 70"	632.10
Order Code	Rounded corners	£ Ex Vat
PCL10	Wall mounted - 15" to 32"	865.20
PCL11	Wall mounted - 33" to 57"	898.40
PCL12	Wall mounted - 58" to 70"	956.10

Anti-reflective screen – additional price £67.20







Rear Covers

We design and manufacture custom made rear covers for a wide range of screen sizes. These enhance any installation and provide a neat appearance enabling cables & connections to be hidden when screens are installed in open areas.

Full screen versions or partial covers to enclose only the cables & connections are available.

Call us for details quoting make & model of screens being installed

 Order Code
 £ Ex Vat

 BCW1
 Full covers - screens 33" to 57"
 348.30

 BCW2
 Full covers - screens 58" to 70"
 438.40





The UNICOL Difference

Why our outdoor housings and covers look so good and work so well is because each one is tailor made to perfectly fit the screen of your choice. Our dedicated Oxford manufacturing facility enables us to do this, with all Outdoor Housings made in durable corrosion proofed aluminium for long term good looks.


All offered with a reliable & prompt delivery service, usually within 5 to 7 days - a perfect result in rapid time!

sales@unicol.com

Obelisk Digital Signage System

Column style enclosures for large format screens in free standing, floor-fixed and floor to ceiling versions. Custom options available including transparent screens with display cabinet and multi-screens. Custom colours and branded versions also available.

Our Special Projects Design department has been engaged in the ongoing development of these units and can produce conceptual and production versions for many varied applications. Standard portrait versions shown below and listed on opposite page (Landscape versions also available). For custom projects please contact us to discuss specification and options.



30

www.unicol.com

Obelisk Indoor Kiosk & Totem Range



Freestanding Kiosk	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
	30 - 39	KTC3FS	881.20	KTC3FSB	1,056.15
1	40 - 49	KTC4FS	962.52	KTC4FSB	1,137.52
	50 - 59	KTC5FS	1,085.72	KTC5FSB	1,260.72
	60 - 69	KTC6FS	1,165.85	KTC6FSB	1,340.85
	70 - 79	KTC7FS	1,478.56	KTC7FSB	1,653.56

Bolt Down Kiosk	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
8000	30 - 39	KTC3BD	784.30	KTC3BDB	959.40
	40 - 49	KTC4BD	865.78	KTC4BDB	1,040.78
	50 - 59	KTC5BD	987.65	KTC5BDB	1,160.72
	60 - 69	KTC6BD	1,067.55	KTC6BDB	1,340.62
	70 - 79	KTC7BD	1,397.56	KTC7BDB	1,572.56

Floor to Ceiling	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
	30 - 39	KTC3FC	964.20	КТСЗҒСВ	1,139.15
	40 - 49	KTC4FC	1045.66	KTC4FCB	1,220.66
/	50 - 59	KTC5FC	1,185.26	KTC5FCB	1,360.26
/ •	60 - 69	KTC6FC	1,204.55	KTC6FCB	1,379.55
	70 - 79	KTC7FC	1 515 32	KTC7FCB	1 690 32

Freestanding Totem	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
	30 - 39	KTC3FST	1,373.15	KTC3FSTB	1,548.20
	40 - 49	KTC4FST	1,454.63	KTC4FSTB	1,629.63
and the second second	50 - 59	KTC5FST	1,519.50	KTC5FSTB	1,694.50
	60 - 69	KTC6FST	1,576.85	KTC6FSTB	1,751.85
	70 - 79	KTC7FST	1,825.60	KTC7FSTB	2,000.60

Bolt Down Totem	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
	30 - 39	KTC3BDT	1,332.15	KTC3BDTB	1,507.15
-0150	40 - 49	KTC4BDT	1,413.65	KTC4BDTB	1,588.65
	50 - 59	KTC5BDT	1,465.36	KTC5BDTB	1,640.36
	60 - 69	KTC6BDT	1,512.35	KTC6BDTB	1,687.35
	70 - 79	KTC7BDT	1,789.65	KTC7BDTB	1,964.65

***** For custom versions please call for details. (Larger screen versions are possible).

Pop Out Video Wall Mounts

ADAPTA-WA


The installer friendly Pop Out mount loaded with innovative features.

Patent Pending Registered Design

- ***** With standard 'Push to close Push to open' action. Also available with remote latching system where closure with absolutely no screen contact in the case of ultra thin or delicate displays is required.
- * For widest range of screen fixings; VESA 200 x 200 to 800 x 400mm.
- * Full screen adjustment in all planes.
- ***** For screens up to 45Kg.



- * Accurate horizontal / vertical centre line marks on all back plates for easy set up.
- * For direct wall fixing or use with our video wall structure components for ceiling, floor to ceiling or floor to wall applications.
- * Optional 'pull cord' security feature prevents unauthorised 'Pop out' operation in public areas or any situation required.





Open



Open

350mm

Open



Compact Version £ Ex Vat Order Code

VWP0 338.50

The compact size of this version is for screens up to 40" & covers VESA sizes 200 to 300mm Comes complete with fine adjustment features for accurate screen positioning.

(and anv

in between)

Fits VFSA 100 x 100mm screen fixinas 200 x 200mm 300 x 200mm

Standard Version

Order Code £ Ex Vat VWP1 347.80

Ideal for most video wall applications and covering a wide range of VESA sizes. As with all Adapta-Wall mounts comes complete with fine adjustment features for accurate screen positioning.

> Fits VESA (and anv 300 x 300mm screen fixings 400 x 400mm in between 600 x 400mm

For screens with VESA 800 x 400mm fixing points a stretched version, VWP3 is available

Portrait Version

Order Code £ Ex Vat VWP2 354.60

The compact (500mm) width of this version allows use of screens in portrait mode whilst accommodating a wide range of VESA sizes.

Fits VESA 400 x 600mm

Please Note: For 300 x 300mm & 400 x 400mm use VWA1 arms (see Page 33)

All versions can be wall fixed or used with our Adapta-Wall structure system fittings below. For ceiling suspension use (Quad) 4 column parts, (locking rings must be used – P22). For floor to ceiling / wall, use (Twin) 2 column parts.

Ceiling, Wall & Floor Plates			£ Ex Vat			Quad Tie Brace Unit	S (pair)
Order Code £ Ex Vat	VWPA2	Twin Ceiling Plate	86.80	Mount U-Clamps (set o	of 4)	Connects vertical & horizonta	al columns.
VWPA10 Quad Ceiling Plate 145.50	VWPA4	Twin Floor Plate	92.30	Order Code	£ Ex Vat	Order Code	£ Ex Vat
VWPA11 Quad Floor Plate 140.50	VWPA9	Wall Plate	97.50	VWPA5 Fits mounts to columns	82.50	VWPA1 Tie brace units (pair)	98.20

www.unicol.com

ScreenRail Universal Multi-Display System

A highly adaptable rail system for mounting screens in-line, in any number. Ideal for Digital Menus, Videowalls & Telepresence, etc. Can be wall mounted and ceiling suspended. ScreenRail system comprises a choice of standard rail modules and a range of screen arms to cover all applications. Back to Back versions also available.

When selecting parts consideration has to be given to screen width & VESA fixing size. The examples of menu boards and videowalls below use **VWA** adjustable arms. We have given these specific codes for ease of ordering but we urge you to check before ordering by providing us with the make & model of your screen. Ceiling suspension examples use 1.5m columns.

Menu Boards

Wall mounted & ceiling suspended.

These kits consist of all parts necessary for fixing screens in line on a wall or ceiling suspending on 1.5 columns.



1 x 3 (wa	1 x 3 (wall mounted)				
Order Code	Screen	£ Ex Vat			
MBW346	46″	604.15			
MBW350	50″	651.75			
MBW355	55″	660.50			

 1 x 3 (ceiling suspended)

 Order Code
 Screen
 £ Ex Vat

 MBC 346
 46"
 730.90

MBC346	46″	730.90
MBC350	50″	778.50
MBC355	55″	787.30

1 x 4	(wall	mounted)
-------	-------	----------

Order Code	Screen	£ Ex Vat
MBW446	46″	870.00
MBW450	50″	854.45
MBW455	55″	916.60

1 x 4 (ceiling suspended)

Order Code	Screen	£ Ex Vat
MBC446	46″	996.75
MBC450	50″	981.20
MBC455	55″	1043.35

Video Wall – Wall mounted

By fixing appropriate rail lengths on a wall a video wall can be assembled. Here are examples of 2x2, 3x3 and 4x4 video walls for leading brand 46", 50" and 55" displays. You should check before ordering by providing us

with the make & model of your screen.

2 x .	2 Video	o Wall	3 x	3 Vide	eo Wall	4 x	4 Vide	eo Wall
Order Code	Screen	£ Ex Vat	Order Code	Screen	£ Ex Vat	Order Code	Screen	£ Ex Vat
MV246	46″	812.20	MV346	46″	1812.45	MV446	46″	3480.00
MV250	50″	812.20	MV350	50″	2172.25	MV450	50″	3417.80
MV255	55″	953.60	MV355	55″	1981.65	MV455	55″	3666.40



Standard Universal Arms

Pozimount universal mount arms. Supplied with M4, M5, M6 & M8 fixing screws. Arms incorporate 5mm screen levelling feature and are 45mm deep.

length	VESA	£ Ex Vat	
330mm	200	41.50	
440mm	400	41.50	8.8
640mm	600	41.50	
840mm	800	55.25	11
PZF3	PZ	F5	PPZF5
	330mm 440mm 640mm 840mm	330mm 200 440mm 400 640mm 600 840mm 800	330mm 200 41.50 440mm 400 41.50 640mm 600 41.50 840mm 800 55.25

Tool-less Fully Adjustable Arms

Feature 15mm in-out adjustment and 15mm of levelling fine adjustment. Side to side adjustment included.


nev

-			
Order Code		VESA	£ Ex Vat
VWA1	Landscap	e 400	139.65
VWA2	Portrait	600	139.65
	USKG MAX	4	
VWA1	v	WA2	
ļ			L

Rail Modules

In 3 standard lengths, all with full interchangeability. Provision for bolting together as required. May be ceiling suspended or direct wall fixed, with or without tilt extension brackets (SR10 / SR20).

Order Code MD2U35	mm (w - h - d) 350 x 235 x 33	£ Ex Vat 69.80
MD2U70	700 x 235 x 33	84.90
MD2U140	1400 x 235 x 33	105.20
		_




Other lengths of rail are available to order: 450(w), 800(w), 1000(w), 1200(w), 1700(w), 1800(w), 2100(w) – Call for details

Fixed Tilt Stand-off Brackets

Use these optional brackets to provide tilted display whenever required. 10 or 20 degree tilt versions listed.

SR10	10° tilt (pair)	36.20
SR20	20° tilt (pair)	38.40







SR20 - 20 degree version

sales@unicol.com

www.unicol.com

Free Standing Video Walls & Roller Trak






Image shows 3 x 3 wall with 55inch displays. Illustration shows 4 x 4 wall with 46inch displays.



Free-standing video wall system

Ideal for situations when quick, easy and accurate assembly is required such as hire and retail, where regular change is inevitable.

This robust modular structure is made of individual mast units that are joined with cross members enabling a 4-high display unit to have infinite width, (3-high display units are also available). Cable management runs are catered for and there is adequate space for players or PCs.

Each display fixes to the VWP1 standard 'Push to close - Push to open' video wall mount capable of VESA 200 x 200 to 800 x 400, for displays up to 45kg, (See Page 30). The mount allows for tool-less adjustment in all planes by means of knurled wheels for in-out and up-down movement. Lateral action is achieved by sliding the display smoothly on wheels located in the mount arms.

- * Robust modular construction
- * Easy to assemble and install
- * Wide choice of screen options
- * Space for players and PCs
- * Discreet cable management
- * 'Push to open' 'Push to close' mounts
- * Tool-less screen adjustment
- Call us for details

Ideal for retail and other applications to enable screens to be tracked in / out & from side to side, thus opening exciting possibilities for window displays, dynamic presentations, servicing needs or just access for screen / store front cleaning.

Shop Window Solutions

AV Roller Trak system consists of track lengths of standardised design which carry smooth running ball bearing trolley units. Standard Unicol column lengths & screen mounts complete the installation.

- * Smooth, easy glide operation
- * Single or multiple screens
- * Wide choice of track lengths
- * Swivel or Rotamount options



AV Roller Trak



Typical roller track in window display use

Multi-screen version used to track screens in and out for cleaning or servicing when installed close to window.



Single screen version showing roller track used to move screens along the length of a window as part of a changing window display.

To order – call our technical support team for full system details, options available and advice on any project or installation being considered.

www.unicol.com

Multi-Screen Gantry Systems

Spider Gantries

These ceiling mounted units are available for a wide range of screen sizes incorporating our Pozimount universal tilting screen mounts. The spider style and single column gantry versions have swivel capability and all have cable entry ports for neat installation.

By their very nature all spider style and in-line gantries incorporate parts which are factory made to suit specific requirements but all versions are available on a short turn round basis.

Call our technical support team for advice on any project or installation being considered.



SG44 screen spider gantry - max weight per screen 50Kg617.20SG55 screen spider gantry - max weight per screen 40Kg770.00

CP5 Large gantry ceiling mount for use with above (Page22) **108.40**

In-line gantries require MSS1 sockets or MSP1 pegs (above), Single sided require PS1s, Back-to-Back PS5s (Page22). All require Screen Mounts (Pages 20/21).

Product codes & prices listed are intended as a guide as most gantry installations are 'project driven' with the make/model & number of screens as well as the location already chosen. Call our technical team who have wide experience in advising the necessary mount component 'package' to best meet the needs of your installation.

sales@unicol.com

www.unicol.com

Floor to Wall / Ceiling Systems




new Floor to Ceiling and **Floor to Wall Systems**

- * Single sided and back to back screen versions
- * Cable management within column uprights
- * Floor to ceiling and floor to wall options

Below are three standard methods of floor to ceiling / wall installation. Select any of the trade kits listed (for nominal ceiling heights of 4m).

If the kits do not meet your needs order in component form as required. To enable adjusting heights of screens at installation long column lengths can be ordered separately with standard adapters. If services are from the floor use ESF or AVF floor plates (Page 22) for cable management.



Floor to ceiling single column kits:		
Order Code £ Ex Vat		
FCUS3	up to 57" - single screen	320.00
FCUD3	up to 57" - back to back	428.30

Floor to wall single 2m column kit: FWUS3 up to 57" - single screen 276.55

Floor to Ceiling Adapters


Single

Column

Twin


Screen

PS6LIT1



Screen mount adapters with integral cable management.

Order Code		£ Ex Vat
PS6U1	Single Screen	98.90
PS6UT1	Twin Screen	110.60



Floor to ceiling twin column kits: Order Code f Fx Vat FCAS1 up to 70" - single screen 534.35

FCAD1	up to 70" - back to back	643.30
FCAVM	optional set of In-fill panels	396.00

Floor to wall twin 2m column kit: FWAS1 360.65 up to 70" - single screen **FWAVM** 179.05 optional set of In-fill panels



Twin integ Order Cod PS6A PS8A1



co	lumn versio	n with
ral	cable mana	agement.
de		£ Ex Vat
1	Single Screen	100.70
1	Twin Screen	122.10


www.unicol.com



AV2	Twin Column	59.75
PS3U1	Single Column	69.30
Order Code		£ Ex Vat
single & twin column use.		
Screen mount adapters for		



Goal post style for large screens



Floor to ceiling 'goal post' style kits: Order Code £ Ex Vat FCGS1 up to 70" - single screen **457.80** FCGD1 up to 70" - back to back 556.20 FCGSH up to 110" - single screen 587.50 FCGDH up to 110" - back to back 752.70

Floor to wall 'goal post' style kits:


FWGS1 up to 70" - single screen 430.10 FWGSH up to 110" - single screen 559.80

Floor to Wall Adapters & Fixing Brackets



Wall fixing brackets for single & twin column use.			
Order Code CTS CTT150	Single Column Twin Column		

01865 767676



How to Order

Call our technical team with details of size of video wall to be installed together with make & model of LED tile system. We will advise on number of mast units, tile mount brackets and mast extensions (if required) to build your complete LED tile wall system.

PC / Player Housings & Racks






Screen Mount / PC housing combinations

We manufacture screen mounts incorporating housings for small form factor PCs. These units greatly reduce installation time. Units are listed below incorporating our Pozimount universal mounts in tilting & non-tilting versions.

Custom made, security locking versions & power socket options also available.





State make & model of screen & PC to be housed

Under-Desk Serviceable Cassette Mount



Incorporates a hinged slotted removeable rack for mounting AV equipment such as players etc. When installed the equipment is hidden under the desk but in the event of a swap out the rack can be unlocked, hinged down and detached if necessary to carry out the maintenance. Custom sizes available.

(Behind screen vertical sliding versions also available – see Page 20)

Order Code	£ Ex Vat
UDM1	256.60

sales@unicol.com

Typical custom

made units shown.

www.unicol.com



Our PSU (Projector Suspension Unit) range covers all makes of projectors. Each mount is specifically designed for the individual projector models listed, supporting the projector either inverted or in a cradle according to manufacturer's recommendations.



The preferred method of projector mounting. All our PSU mounts are designed to align accurately with the projector mounting holes and take account of cooling or lamp access needs.

All PSU mounts are now available as micro adjustable versions having 2 axis, level & tilt. (See centre panel).

Order Cod	e	£ Ex Vat
PSU	Standard direct fixing version	138.00
PSC	Cradle direct fixing version	172.00
VSU	Vertical down aspect version	165.00
PPSU	Portrait version	271.20
PSM	Micro-adjustable version	206.80

Trim Disc

Gives a neat finish where columns pass through suspended ceilings.



£ Ex Vat 4.85 O



An alternative method of projector mounting, either to meet a projector's optical needs or to give protection to projectors when used in 'location to location' or hire circumstances.

Micro Adjustment®

This 2 axis micro adjustment factory fitted option is available for most

PSU units and provides a range of precision adjustment in level and tilt.



Our range now extends to over 600 PSU projector suspension units!



We have a wealth of expertise in the design and manufacture of all kinds of projector suspension units to meet client's special requirements. These include mounts for downward or upward projection, multi-projector units, 3D rigs and one-off projects.


 Call us when planning your next installation



Blanking Disc Blanks holes in ceiling tiles from 6mm to 60mm. Order Code

Order Code£ Ex VatTDB16.20


tos courtesy of Snelling Business Systems



01865 767676

GUARDBOX[®]Anti-theft Enclosures

Constructed from heavy gauge steel and incorporating many innovative features. Five sizes are available covering a wide range of projectors. Each Guardbox incorporates our unique twin bar system, designed to fit into a number of slots for different projector lens positions. Each bar has another bar fitted inside making it virtually impossible to hacksaw through.




sales@unicol.com

Vrolock ~ With Trilok® Docking System

The Trilok docking system uses a standardised 'bayonet style' fitting to carry projector mounting plates made specifically to fit each make & model of projector (a universal version also listed). The docking system allows easy projector set up, removal for routine maintenance and for future model change.

- * Now in white as an option The GK1 version fits anyway up, ceiling, wall or base fixable
- * Projector locks into Trilok[®] docking system, using either our dedicated Gyrolock Adapter Plates (GAP) or universal adapter (GAPU)
- * Full tilt & turn adjustment for easy set up
- * Telescopic for use through suspended ceilings or in any high, low or normal headroom situation

Years of award winning design





Close ceiling version






Column Suspension Version

Gyrolock 'head' complete with adapter plate (or universal mount). Needs column and ceiling plate (see Page 22) to complete your installation.

Order Code max weight £ Ex Vat GK4-GAP 20kg 129.20 (Projector adapter plate version - state projector make & model).

Order Code max weight £ Ex Vat GK4-GAPU 12kg 129.20 (Universal projector mount version)



Close Ceiling Version

Order Code max weight £ Ex Vat **GKC-GAP** 20kg 135.80 (Projector adapter plate version - state projector make & model).

max weight £ Ex Vat Order Code GKC-GAPU 12kg 135.80 (Universal projector mount version)

Standard Version

Order Code max weight £ Ex Vat GK1-GAP 149.60 20kg (Projector adapter plate version state projector make & model).

Order Code max weight £ Ex Vat GK1-GAPU 12kg 149.60 (Universal projector mount version)

www.unicol.com

Long Extension Version

Order Code max weight f Ex Vat GK2-GAP 20kg 167.80 (Projector adapter plate version state projector make & model).

Order Code max weight £ Ex Vat GK2-GAPU 12kg 167.80 (Universal projector mount version)

01865 767676


40

Ceiling Plate fixing centres:

114 x 114 mm

Standard GK1 version

Standard colour Sinterflex black - also available in white



sales@unicol.com

44.30

GAP



12kg MAX

trim discs see page 18.


41

69.50

12kg MAX

44.30

GAPU



Other Trolleys

Equipment Trolley


Utility trolley with a great many uses to carry medical, laboratory or test equipment. Other platform sizes listed.



T1B 72.15


Original TC1000 Trolleys

The standard trolley in service with many schools & colleges. Has universal screen mount & equipment shelf. Conversion kit also available for existing trolleys.



Camera Stands

Superior to tripods for a great many applications. Solid base with braked wheels gives excellent stability.



www.unicol.com

Parts & Accessories



10cm Castors (Standard – set of 4) Order Code £ Ex Vat C10X4 34.60

7.5cm Castors

Order Code

Fits Grub Screws & Through Bolts

C074

Allen Key

Order Code

AK316

(2 plain / 2 braked - set of 4)

£ Ex Vat

28.20

£ Ex Vat

0.70



as well as rotation of the wheel, they are intentionally not interchangeable with our 10cm (C104) castors.

10cm Heavy Duty Castors (HD braked – set of 4) Order Code £ Ex Vat BC10X4 94.00

5cm Castors

£ Ex Vat

14.00

(Orbit set of 4)

Order Code

C05X4



SC 3.50

Hand Wheel

Grub Screw

Order Code

HW38F

Order Code

GS38F

£ Ex Vat

1.05

£ Ex Vat

0.25



Touch in paint in Sinterflex Black / White or Diamond Silver – 400ml cans. Order Code £ Ex Vat SPB Black 25.40 SPW White 35.60 SPS Silver 34.22





Drilling Jig Installer's cutting and throbolt drilling jig for columns. Order Code £ Ex Vat CDJ1 42.10

Security Devices, Video conference Shelves, Unicol Columns



Screen Security Kit

Safety Through-bolt

£ Ex Vat

1.15

Order Code

TB38F

Use this easily fitted Security Kit with any of our mounts.

The 2200mm tough steel cable system has special fittings which shield access to the screen fixing screws.

Order Code £ Ex Vai PSK 89.97



TV Remote Wall Holders

✤ Locks remote to wall * Reflects beam to TV or projector



Ideal in any classroom or lecture theatre. These clever devices reflect the remote control IR beam direct to projector or screen thus avoiding the need for hard wiring, locking the remote ready for use.

Order Code f Fx Vat **RGHW** Standard for most remote Units **58.60 RGH1W** Custom unit for large remotes **65.00**

TETHERLOC[®] Gyrolock Anti-theft Kit

Tough steel cable system has special fittings which shield access to the projector fixing screws and link the mount and projector to protected ceiling fixing bolts.

Order Code		£ Ex Vat
GT40	for GK1 (40cm cables)	78.80
GT80	for GK2 (80cm cables)	84.80
GT130	for GK3 (130cm cables)	91.50

Video Conference Camera Wall Shelves

Neat units in glass or metal for wall mounting.

Order Code		£ Ex Vat
WBVC	Metal - 350w x 250d	71.30
WBVG	Glass - size: 500 x 400	86.40
WBVG1	Glass - size: 780 x 390	108.90

Versions also available for specific video conference cameras and codecs - Call us for details.



Locking Ceiling Plate

Fits standard CP1 ceiling

to deter unauthorised

removal

Order Code

CPSC1

plate shielding the fixings

£ Ex Vat

45.40



Unicol Columns

In standard chrome finish and stainless steel. Also available in colour finishes to special order & unpainted.

In addition to the range of sizes listed we also supply non-standard lengths to special order - Call us for details.

Please note that Safety 'through-bolt' holes must be specified if used for suspension applications.

Standard Chrome Finish Stainless Steel (Order Code suffix 'C' – for ceiling suspension only) (Order Code suffix 'SS') £ Ex Vat £ Ex Vat Order Code Lenath 410 9.35 21.65 410 500 11.25 26.45 500 610 12.75 32.25 610 760 760 17.45 40.15 900 31.50 47.55 900 22.50 52.85 1000 1000 1140 26.10 60.25 1140 1500 33.75 79.30 1500 2000 45.00 105.70 2000

List above indicates traditional imperial and metric lengths

67.50

3000

sales@unicol.com

3000

158.55

UNIGOL[®] SPECIAL PROJECTS - a small selection

