Edition 57



Mounting Solutions Supporting You

Welcome to the 2020 UNICOL Catalogue

Our comprehensive range of AV equipment mounts is available ex stock and offers unrivalled flexibility. Order either as standard assemblies or in component form to suit your own requirements. We also offer an efficient service in the manufacture of custom made items, from 'one-off' specials to large scale projects for corporate users. - Call us today or visit our website!





2020 and our new decade is both a journey into the unknown and an opportunity to embrace new technologies, so uncharted as well as exciting times lie ahead.

What is certain is the growing and urgent need to respect our planet and conserve all those precious resources once casually thought of as infinite. All of us are being called upon to play our part, and manufacturers such as ourselves particularly so given the many hundreds of tonnes of products that leave our factory annually. Unicol is perhaps fortunate in that the steel and aluminium it uses is all recyclable and the cardboard packaging also. What little in the way of plastics used are all clean and identifiable so again fully recyclable. One of the virtues of manufacturing everything in the UK as we have done over the last 56 years is that our products are not shipped from places afar such as China or the USA thus further reducing our carbon footprint. Finally, with so many of our products being designed as modular interchangeable parts, long term re-usability is another positive aspect.

This latest addition of our catalogue includes many new products and upgrades to others. Our website offers a parallel reference enabling easy access to products listed using alternative search options. We look forward to working with new and existing loyal customers, supplying both standard products, custom made items and being involved with the more complex projects which our design and manufacturing teams routinely do.

David Joblind Managing Director

UNICOL products have been designed to meet BSI installation specification standard BS8590. All goods are sold subject to the Companies terms & conditions of sale, a copy of which is available upon request or can be downloaded from our website www.unicol.com. VAT will be charged at the prevailing rate at time of invoice. Mechanical items have a 10 year design & manufacturing warranty. Electrical parts are covered by a 12 month return to base warranty. UNICOL products are the subject of continuous development and we reserve the right to improve designs or change specifications without prior notice. Products and prices listed in this catalogue are correct at time of going to press (Issue 57 - 2020). © Peter Ligertwood 2020.

UNICOL Engineering, Green Road, Oxford, OX3 8EU, England

Contents - Product Finder Pages



What's New

Special Projects





Screen Mount **Trade Packs Slim Profile Mounts**

24 & 25



VS1000 Stands, Trolleys & Components

6 & 7



Wall Arms Panarm & Standard Range

26 & 27



Stands & Trolleys

8 & 9



Outdoor Housings & Covers

28 & 29



Avecta Stands

Parabella & Tevella

10 & 11



Indoor Kiosks & Totems

30 & 31



Rhobus Stands & Trolleys Nesting Trolley

12 & 13



Video Wall Mounts /-Wall Video Wall Stand **AV Roller Trak**

32 & 33



Large Axia Titan Stands & Trolleys **Motorised Stands**

14 & 15



Screen Rail **Gantry Systems**

34 & 35



AV Furniture Huddle Tables **Education Lecterns**

16 & 17



Floor to Wall & Ceiling **Cassette Mounts PC Housings**

36 & 37



AV Teaching Lecterns Cabinets & Large **Screen Lecterns**

18 & 19



PSU Projector Units Guardbox

Security Cages 38 & 39



Gyrolock Projector Mounts

40 & 41



Installation **Components**

22 & 23



Single Column Stands & Trolleys **Parts & Accessories**

42 & 43





How To Order

Call our technical sales team direct, via email or order online.

We are more than pleased to help regarding best choice of items to order or advise on any project being considered.

Tel: 01865 767676

Email: sales@unicol.com

Web: www.unicol.com

Most standard products are available on an ex stock basis. Please state screen or projector make / model & colour choice.

Symbols & other information



Typical single screen guide: Light or heavy monitors will influence this.



Maximum carrying capacity for which each product is designed.



Colours ex stock. (no cost where shown)
Sinterflex black (standard)
Diamond silver / white (optional)

Please state colour choice when ordering (Non-standard colours to special order)

Dimensions shown are metric Prices shown are Ex Works, Ex VAT

UNICOL Special Projects Department Highlighting our in-house design & manufacturing capabilities, resolving every day customer requests.




































4 www.unicol.com 01865 767676 sales@unicol.com



With Universal Screen Mount

Converts Pozimount mounts (or

columns. Standard Allen screw

fixing. Fully height adjustable.

PS2 Standard single screen **59.75**

PS8 Back to back screens **85.00**

Xactmatch mounts) to fit twin

VSB-1500x2-PS2-PZX 333.70

For screens up to 70" - up to 60kg max

273.05 (State screen make & model) 300 x 300 & 400 x 400 VESA - up to 40" / 40kg max

Order Code

Mount Adapters

£ Ex Vat

262.35

VSL-1500x2-PS2-VP1-PZX £415.80

Choose from the standard units listed or select & assemble any of the parts to suit your needs

VS1000 trolleys with Scimitar bases

The curved design of the Scimitar base units offers an attractive alternative to 'K' base versions.

Whichever style you choose all these trolley assemblies are available in both VESA or Universal screen mount versions.





With VESA Screen Mount

f Fx Vat VSS-1500x2-VMSV 277.05

brakéd wheel options - see

100 x 200 & 200 x 200 VESA - up to 32" / 35kg max

VSS-1500x2-VMSV2 287.75 300 x 300 & 400 x 400 VESA - up to 40" / 40kg max

With Universal Screen Mount

Height

to centre

of screen

1500mm

VSS-1500x2-PS2-PZX 348.40

For screens up to 70" – up to 60kg max

(State screen make & model)

VSS-1500x2-PS2-VLC-PZX £510.25 **Build any configuration from Pozimount Universal** Flat Screen Mount

Stand for

single display

on plinth base

(shelf ontional)

"The Work Horse of

the AV industry"

For screens 42" to 70" plus VESA fixings 200 x 200 to 400 x 400.

Scimitar base

with optional

locking cabinet

£ Ex Vat

PZX3 non-tilting

98.40

Full Pozimount range on Page 21

Column fitting VESA Mount Fits direct to columns, covers many

popular VESA screen mount sizes. 75 x 75, 100 x 100, 100 x 200 & 200 x 200

the components listed below

300 x 300, 400 x 200 & 400 x 400



Shelves

VGS

Standard

VS1000 trolley

with Scimitar

In metal or toughened glass.

Order Code	metal/mm	£ Ex Vat
VP1	500w x 400d	61.50
VP2	550w x 450d	69.50
VP3	300w x 300d	54.20
Order Code	alass/mm	f Ev Vat



Stand version (without wheels)

VSR base has higher spec BRAKED wheels - supports up to 105 Ka

With VESA Screen Mount

100 x 200 & 200 x 200 VESA - up to 32" / 35kg max

VSB-1500x2-VMSV

VSB-1500x2-VMSV2

VSX

Scimitar[™] Bases

£ Ex Vat

Elegant curved design Trolley base has 10cm non marking rubber tyre wheels.

Stand version has 1.5cm plastic feet.



Typically 33-70" screens

Standard Plinth Base

Stylish plinth base has resilient non-marking feet. Has clearance for cables routed beneath.

Order Code f Fx Vat **VSL** 760w x 580d 128.65



Columns

Chrome plate finish (pair) 1500X2 1500 67.50

Brushed Stainless Steel (each) 1500SS 109.30 1500

(Other column lengths listed on Page 22)



Locking Cabinet

500w x 400d

For DVD players, PCs etc. Fully height adjustable. Rear panel has access for cables.

78.80

Order Code Internal Dimensions mm £ Ex Vat **VLC** 550w x 150h x 400d **161.85**



VBR base has higher spec BRAKED wheels - supports up to 105 Kg

Original 'K' Base

Still preferred by many for its robust design. Has 10cm nonmarking rubber tyre wheels.



Back-to-Back Base

With centralised column sockets for Back-to-Back screen use. Resilient non marking feet & clearance for cables routed beneath.

VSLBB 700w x 700d 255.00



Compact Bolt Down Base

86.80

Offers minimal base footprint for fixed screen stands. M10 floor bolts (not supplied) fully recess into base. Trim caps neatly complete installation.

f Fx Vat 93.20 400w x 300d



Europlug

ESU UK as illustrated 34.50 34.90

4-Way Power Sockets

These clip to the base of the VS1000, TC1000 and the Single Column Trolley range (Page 42). With 4m cable and 13A plug. European version also listed.

6 www.unicol.com

103.20

01865 767676

sales@unicol.com

Axia Stands & Trolleys





Standard Axia

Hi-level stand




- * Graceful, stylish design
- * Neat cable management
- * Screen mount included
- * 4-way power socket
- * Safety glass shelves
- * Video Conference versions
- * Portrait screen options
- * Corporate colour options









Hi-Level Stands

Height

to centre

of screen

1500mm

60kg MAX

With our PZX universal screen mount. Stylish plinth base has resilient nonmarking feet. 4-way power socket neatly locates behind screen.

Select toughened glass or metal shelves as required.

Standard Hi-Level Stand

AX15P for screens up to 70" **523.20**

Lo-Level Stands

The quality option for corporate lounges or hospitality seating areas.

With our PZX universal screen mount. Plinth base has resilient non-marking feet. 4-way power socket neatly locates behind screen.

Standard Lo-Level Stand

Order Code

AX12P for screens up to 70" **468.70**

Plinth Cabinet Stand

Popular for showroom or exhibition use. Lockable base for PCs, DVDs etc has resilient non-marking feet.

AX16P Cabinet Base version 708.20 Cabinet internal dims 480(w) x 400(d) x 160(h)mm

Typically 38-57"

Axia Twin Screen and Video Conference Stands & Trolleys

Height to centre of screen

1600mm

Twin screen

trolley version

These internally strengthened units for twin screen use cover a wide range of screen sizes. Easy to set up, using our PZX universal screen mounts. Toughened glass shelf is included.

Order Code AXC15P51

Stand Versions £ Ex Vat screens 38" - 57" **823.85**

Trolley Versions **AXC15T51** screens 38" - 57" **978.65**

State make & model of screens when ordering Above screen video conference mounts and larger screen versions also available.

- Call us for any advice or assistance required

optional

Lo-Level Trolleys

Includes PZX universal screen mount, 7.5cm twin wheel castors.

to centre

of screen

4-way power socket neatly locates behind screen.

Standard Lo-Level Trolley

Order Code

AX12T for screens up to 70" **502.60**

Hi-Level Trolleys

Uses PZX universal screen mount and base with 7.5cm twin wheel castors. 4-way power socket neatly locates behind screen.

Standard Axia

Hi-level trolley in optional

Diamond Silver

Height to centre

of screen 1600mm

√60kg MAX • ○


Heavy duty

brakéd wheel options – see page 43.

Select toughened glass or metal shelves as required.

Standard Hi-Level Trolley

AX15T for screens up to 70" **557.50**



Shelves

Edge polished toughened glass or metal versions available.

Lugs fit through mast slots & screw securely into position.

glass/mm Order Code AXGS 500w x 400d 78.80 AXWS 780w x 390d 89.20 metal/mm £ Ex Vat AXSS 500w x 400d **69.50**

Axia Locking Cabinet For DVD players,

PCs etc. Lockable drop

down door. Rear panel has access for mains

and other cables. Order Code Internal Dimensions mm

AXLC Size 550w x 150h x 400d




Video Conference Mount For most makes/models of cameras.

Fits either above or below screen.

Telescopic adjustment enables camera platform to be positioned at optimum height.

Dedicated mounts for specific makes/models of cameras also available - Call us for details.

VCM shelf size 340w x 260d 87.90



Axia Colour Options

With their graceful flowing curves Axia stands & trolleys already look good in their standard finishes.

Adding a corporate or individually chosen colour can dramatically enhance the effect, harmonise with interior schemes or even the screen itself.

- Call us for further details



www.unicol.com

01865 767676

173.60

sales@unicol.com

Avecta Stands & Trolleys



From boardroom to show venue – a flexible and adaptable stand system with excellent cable management. Static or wheeled versions, single or dual screen options.

Hi-Level Stand & Trolley

Height to centre of screen adjustable from 1100mm to 1500mm complete with PZX universal screen mount, 4-way power socket and all metal shelf.

Order Code		£ Ex Vat
AVHP	Stand with universal mount	621.05
AVHT	Trolley with universal mount	661.05
AVHTR1	With RTM10 Rotamount complete	739.30
AVHTSU	RH Trolley for MS Hub 2 with shelf	739.30
AVHB	Stand with bolt down base & shelf	585.60

Lo-Level Stand

Height to centre of screen fully adjustable. Comes with PZX universal screen mount, 4-way power socket and all metal shelf.

AVLP 505.50



Height to centre of screen 600





Video conference & For large screens up to 110" – this twin screen units trolley comes with an integral Different screen sizes universal mount.

can be accommodated using one of 3 central cross member types

mounts.

& model when ordering

Height to

centre of screen adjustable up to

State screen make

Avecta AVHP with optional 2

x AVGS glass shelves

£ Ex Vat TCAVT 642.90

which carry our standard Pozimount universal

Comes with metal shelf. Order video conference camera mount, or glass shelf as required. Order Code

ACHT 1027.30 Hi-level Trolley **ACHP** 987.10 Hi-level Stand

State screen make & model when ordering



Avecta Accessories

Bolt-Down

available.

Floor to wall also

Heavy Duty

Trolley

TCAVT

Height

to centre

of screen

adjustable


to 1500mm

Equipment Shelves

10

Height adjustable. Cable entry.

93.80 **AVGS** Glass 500w x 400d 500w x 400d 46.05 Metal 550w x 450d 54.20 **AVP3** Metal 300w x 300d 34.40 **AVP4** Folding 440w x 350d 97.60



Curva **Trolley Base Locking Cabinet** • • • Stylish, compact alternative Height adjustable. Door conceals

to standard base. **AVTR** 165.30

into roof. Has usable top surface. Order Code inside dimensions mm £ Ex Vat AVLC 500w x 140h x 400d 177.38

Popular & Specialist Stands



The recommended stand unit for exhibitions & conferences.

- * Curved slim design
- * For screens 40 80 inch
- * Neat cable management
- * 1.8m viewing height
- * Standard & Large available

Standard Parabella

Comes with PZW1 universal mount & converter.

PA2 for screens 40" - 70" **577.60**

Heavy Duty Parabella

Comes with PZX9 universal mount, larger base & converter.

PA9 for screens 71" - 80" **1043.90**

Note: Parabella is not suitable for touch screen use.

Parabella Accessories





Toughened glass fully edge polished. Order Code

PARAG2S size 500w x 400d 82.90

Base & Converter – screens up to 80"

Order Code **PARAB2** large size 1210w x 700d **370.00** CTPA3 mount converter 110.10

Power Sockets

In special housing to fit Parabella stand with 4.5m cord.

Order Code PARAES4B UK 4-way socket 46.80

TVT1

Typically 15-40" screens

& model when



Tevella TV Stand

- * Cables routed through base & column
- **★** Bolt down version also available
- * Stand height to centre of screen 100cm
- * Trolley height to centre of screen 140cm

Order Code £ Ex Vat TVV1 150.80 Upright - 15-32" screens **TVL1** Lectern Version - 15-32" screens 210.80 **TVT1** Trolley Version - 15-40" screens **224.45** Order Code TVB1 Bolt Down Version - 15-40" screens 194.40



sales@unicol.com www.unicol.com 01865 767676 www.unicol.com

RHOBUS Video Conference & Presentation Range



With its clean lines and superior finish options the Rhobus range of stands and trolleys answers all the needs of the corporate user – from boardroom to prestige exhibitor.

Choose from the elegant single screen version through to multi-screen units to support the very latest and best in corporate communications. Ample capacity is provided within the central mast for cabling, codecs and other systems, all accessible through a locking door. Built in power socket comes as standard.

	Rhobus Models				
Order Code	Price Ex VAT				
RH100	Single Screen (33″ - 70″)	1148.30			
RHBD100	Bolt Down (33" - 70")	985.87			
RH200	Twin Screen (33″ - 70″)	1420.70			
RH100HD	Heavy Duty (71" - 110")	1284.90			
RFWSHHD	RFWSHHD Floor to Wall (71" - 110")				
RHPL100HD	1884.20				
RH400HD	2 x 2 Screen (33" - 57")	1852.00			
Order Code	Description	Price Ex VAT			
RHB1	Standard Base – 900(w) x 500(d)	190.20			
RHB2	259.50				
RHUBD	RHUBD Bolt Down / Floor to Wall – 650(w) x 310(d)				
NSTB1	Nest-Star Trolley Base – 1115(w) x 770(d)	192.40			

	Rhobus Accessories		
Order Code	Description	Price Ex VAT	
RHGS1	Glass Shelf – 500(w) x 400(d)	78.80	
RHGS2	Glass Shelf – 780(w) x 390(d)	89.20	
RHCB1	Blade style Camera Mount	85.50	
RHCC	Blade mount conversion shelf	35.20 158.50 87.90 73.65	
RHH1P	Manoeuvring handles		
VCM	Standard Camera Mount		
RFWSWT	Wall Tie (attaches mast to wall)		
	Masts		
Order Code	Description	Price Ex VAT	
RHMU1	Standard Rhobus & Nestar Mast	859.70	
RHMU2	Rhobus Power Lift Mast	1459.00	
RHMU3	Rhobus Floor to Wall Mast	860.20	
	Taller Masts can be made to order Please call us for details		

Height

to centre of screen





Foot Castor

An abundance of practical features



Easy access to mast housing - dims 440(w) x 470(h) x 80(ď) via lockable pull down door



Rhobus RFWSHHD Floor to Wall stand with front panel lockable access door & a power socket in either side, in Sinterflex black


RHOBUS Accessories

are used on twin screen units



Camera mounts available in two versions: (See P21)

- * VCM standard mount fits above or below screen
- * Vertical blade type allows camera to be positioned between screens.



* Our RHCC conversion shelf is also available in versions dedicated to specific cameras. Above screen camera mounts also available.

NEST-STAR

A complete teaching assistant on wheels that can be deployed quickly and neatly stowed when not in use.

This robust trolley supports your displays and securely houses your favourite PCs and controllers. The standard trolley comes with a plain mast. However, we understand that choice of equipment is important and will customise the rear or front of the mast section with a 300 x 300 x 100mm cable/keyboard pocket and standard double gang wall plate & cable assembly at an additional cost. (Please call us for a quote). Handles are provided for ease of movement as standard.

These trolleys can quickly turn an empty space into an effective student e-learning environment. Whilst Sinterflex Black is the standard colour, other bright & bold finishes are available.

- * Robust modular construction
- * Easy to assemble and install
- * Quick and easy deployment
- * Customisation available
- **★** Secure storage for players / PCs
- * Standard black with colour options
- * Fast turnaround delivery 5 7 days

NST1 For up to 70" screens (Trolley only - no electronics) **NST2** For up to 90" screens (Trolley only - no electronics)

Footprint shown from underneath

1310.50

1377.30

* Please Note: Standard trolley comes in Sinterflex Black with plain mast. The rear / front of the mast can be customised with a cable/keyboard pocket and double gang wall plate & cable assembly.

When ordering please state make & model of screen, custom option requirement and colour choice. There will be an additional charge of 18% for non-standard colours.

12 www.unicol.com 01865 767676 sales@unicol.com www.unicol.com 13



Axia Titan Heavy Duty Stands & Trolleys



Designed for large format or multi-screen applications, these trolleys incorporate heavier mast sections and increased base footprint to accommodate large screen sizes and heavier loads. Axia Titan trolleys come in 4 versions:

- * Fixed Height
- * Manual Easy Lift
- * Bolt Down versions
- * PowaLift with Remote

Safety Note: Safety must always be the first priority when handling large / heavy screens, which should be installed by qualified personnel using appropriate lifting equipment. Manoeuvre and position trolleys only on flat and even surfaces. Large screens may need removing when manoeuvring trolley under standard door heights.

Manual Easy Lift

Smooth 'ratchet action' for easy lifting. Practical, reliable and immune from show venue power outages!



Manual Easy Lift Trolley For Screens up to 98"

AXW20 1.5m to 2.5m centre of screen **2686.90**



PowaLift Electronic

Axia Titan PowaLift Versions. - Smooth powered vertical travel for screens up to 110"

These trolleys incorporate a powerful linear drive system within the heavy duty mast. Supplied with hand held remote and manual switch option as standard.

AXL15T2J for screens up to 110" **1802.00**







Fixed Height

For Screens up to 110"

Order Code **AX15T2J** 1.5m to centre of screen 995.50 AX20T2J 2m to centre of screen 1449.50

For multiple 2 x 2 (4) Screens Up to 55" & 35kg max per screen

AXM20T31 2m to centre of screen 1845.00

State make & model of screen



Motorised Stands, Trolleys

Smoo

Operation

Electronic control & PowaLift technology combine in these versatile units.

- * Safe, smooth operation
- * Well proven technology
- * Quality, long life components
- * For screens 33 to 98 inch
- * Controllable by remote fob, cord switch or direct from your laptop – all supplied with unit

Operated by wireless remote or manual switch, screens can be commanded to rise or descend smoothly through 700mm, stopping safely at any point.

These units serve many requirements, particularly in the field of education, enabling young children or wheel chair users to interact with touch screens. 'Touch of a button' height control also makes it easy to move from one location to another through doorways.

Screen mount, hand held remote with manual switch and 4-way power socket supplied as standard.



extends & articulátes Laptop platform

Order Code £ Ex Vat AVML7 173.50



Floor to Wall Version

Using the same proven mast technology as our trolley version these units allow fixed installation with the benefit of compactness and slim profile.

Order Code **AVMW71** 33" to 70"

Order Code

922.00

Heavy Duty

AVMW91 71" to 98" **1036.50**

State make & model of screen





£ Ex Vat



Trolley Version

AVMT71 33" to 70" **1171.20**

State make & model of screen

(For euro-plug versions add **E**

at the end of each order code)

Rhobus RHPL100HD Trolley with 'Touch of a button' PowaLift technology to raise and lower

For larger screens the Rhobus Powalift version has all the functionality of the original - above.

AVMT71

unit shown with

antenna, power-in, USB & cord switch socket

4-way power socket,

There is a range of PC housings to fit these units Call for details

£ Ex Vat

- * For screens 71 to 110 inch
- * Safe, smooth operation
- * Quality, long life components
- * Bolt down & Floor to Wall versions available
- * Controlled by remote fob, cord switch or direct from your laptop - all supplied with unit

£ Ex Vat

Order Code

RHPL100HD HD PowaLift (71" - 110") **1884.20**



01865 767676 www.unicol.com 15 www.unicol.com sales@unicol.com



There are two Rhobus table versions, Huddle and Stand-to-Meet. The Huddle can be powered up and down to adjust table height. Both have ample capacity & connectivity for cabling, codec and integration with other systems, all accessible through a cable well and locking door. Built in 4-way power socket comes as standard.

Video conference camera mounts are available for all the leading manufacturers of VC equipment. Table tops can be customised in different shapes with cut-outs for all the leading brands of connectivity devices. They can also be branded with different colours and logos. Seating can be supplied as an optional extra.

* Full unified connectivity

* Underside rack options

* Built in hearing induction loop

- * Motorised height adjustable top
- * Branding, logos & special finishes
- * Accommodates wide choice of devices
- * Lockable equipment housing
- * Fast turnaround delivery 15 days

Phobus Stand to Most

	Knobus Stand-to-Meet	
Order Code		£ Ex Vat
RS01	Twin screen stand to meet unit	3978.30
RSU01	Underside custom controller /switcher unit	728.10
RSU02	Large front most for cable cubby with retractors	125.50



As a distributor of AV Plates we can enhance any models of Unicol AV Furniture - Please call for details.

Order Code RHO1 RHO2

Single Screen version Twin Screen version

4508.18

4878.00





AV Furniture - Lecterns and Desks



Canterbury™

Free Standing Lectern

- * Premium lecture room quality
- * Fast turnaround delivery 15 days
- * Customised control housing options
- * Secure front & rear installation access
- * Lockable, with key alike options
- * Concealed castors plus levelling feet
- * High quality monitor arm included
- * Sinterflex Black & other colours available
- * 19inch, 16U rack supplied as standard
- * Quality wood finish 36mm work surface
- **★** All to BS8590 AV Code of Practice guidelines

Versatile lectern provides secure storage for media electronics with 19" 16U rack mounting as standard. Stylish oval cabinet has concealed castors with jacking feet for extra stability on uneven surfaces. The range of durable desk tops are available in a choice of sizes and incorporate a control panel housing for standard & custom apertures together with power outlets.

High quality monitor arm is fully adjustable, desk top has generous room for keyboard and visualiser (if required). All are available in 1000, 1250 & 1500mm widths, 750mm deep with a choice of wood effect finishes. In addition to the standard units offrered we are able to customise for a wide range of requirements plus colour options and branding. This premium self contained lectern is complimentary to any modern lecture theatre.

rices quoted are ex-works

Furniture is despatched via

dedicated courier or

may be collected

Desk Top and Cabinet Choices:













rices auoted are ex-work

Furniture is despatched via dedicated courier or

How to Order

Choose from the three models listed below and select any of the desk top & cabinet finishes listed. Please include preference for monitor arm left or right and control panel housing requirements.

Order Code £ Ex Vat

UFCL10 **Canterbury Lectern** £2030.50 Top - 1000x750x36mm - with Monitor Arm & Control Housing

UFCL12 £2105.70 **Canterbury Lectern Plus** Top - 1250x750x36mm - with Monitor Arm & Control Housing

UFCL15 Canterbury Lectern Pro Plus £2210.10 Top - 1500x750x36mm - with Monitor Arm & Control Housing

Presentor

Cabinets

Wall Mounted Control Desk

Ideal for small lecture theatres or anywhere where space is limited. Folding work surface is ideal for laptop, notes etc. Unit is designed to be functional yet compact, with many control panel options.

Lockable cabinet (with key alike options) is provided for a PC with access to PC ports and power through the side of the unit. A 3U rack strip is also built in. Options include standard UK two gang aperture, plus any other control panel features required.

How to Order

Decide control panel preferences and PC or other items to be housed. Our technical team will be pleased to advise regarding options available. In addition to colour choice offered, alternative finishes can be quoted for.

Order Code UFPL08

800(w) x 796(h) x 605(d)

f Fx Vat 935.69

Work Surface




Presentor

desk with folding top

Cabinets







AV Furniture - Teaching Aid Desks



Shown with desk top raised, fully equipped control panel with phone, monitor, microphone, visualisei keyboard and custon


The Principal™ Lecturer's Desk

Provides lecturer's with a central desk facility to control AV lecture content, screen or projector video sources, audio, lighting levels and more. Cabinets have 19" removable 6U racks. The desk, with control housing and screen mount, powers up and down for standing or seated operation using the manual switch or remote fob supplied.

- **★** 19" removable 12U racks allows pre-installation option
- * Full cable management allows for bulky connectors
- **★** Motorised Desk Top in a range of widths & finishes
- * Screen mount has left/right or multi-screen options
- * Control Housing has standard & custom apertures
- * Quick release doors for ease of installation
- * Generous desk top space for visualiser if required
- * Castor mobile for access through standard doorways
- * Optional custom logos plus illuminated versions
- **★** Fast turnaround 15 days delivery on basic units ex works

Desk Top and Cabinet Choices:

SURREY



How to Order

Choose from the three models listed below and select any of the desk top & cabinet finishes listed. Please include preference for monitor arm left or right and control panel housing requirements.

Order Code	mm	£ Ex Vat
UFPD15	1550(w) x 778(h) x 700(d)	6103.33
UFPD18	1850(w) x 778(h) x 700(d)	6325.00
UFPD24	2400(w) x 778(h) x 700(d)	6737.50

Γhe Mentor'

Lecturer's Desk

With the ability to change lighting, content, audio and video sources from one place, the Mentor allows users to take control in any lecture theatre from one desk facility.

How to Order

PFL3

18

Select any of the desk top & cabinet finishes listed above. Please include preference for monitor arm left or right and control panel housing requirements.

UFMD13 1300(w) x 778(h) x 700(d) **4674.97**

- * Hinged desktop gives easy access to AV equipment beneath
- * 19" removable 12U racks with additional 1U vertical rack featured in desk leg
- * Full cable management

254.60

www.unicol.com

- * Lockable, with key alike options
- * Concealed castors plus levelling feet
- * Neat quick release door mechanism
- * Desk top control housing options
- * Range of desktop and cabinet finishes
- * Custom illuminated branding options



Table Stands for screens 40 – 70 inches

Our table stands are available in Universal & Dedicated mount versions: Standard VESA sizes are covered by our PFT1, 3 & 21 stands. Larger screens - 58" and above are covered by our dedicated model range designed and manufactured for each make & model listed.

All versions have resilient non marking feet.

PFT3 Universal 32" to 57" - 200 x 200 to 400 x 400 VESA 169.60 PFT1 Universal 40" to 57" - 200 x 200 to 600 x 400 VESA 169.60 PFT21 Universal 58" to 70" – 200 x 200 to 600 x 400 VESA

Dedicated 71" to 90" - max weight 60kg

Illustration shows 70 inch screen version from our dedicated model range





State screen make &

01865 767676

Media Screen Units, Cabinets & Tilting Lecterns

19" Rack Cabinet & Screen Units

This versatile range provides secure storage for media electronics. 19" rack mounting as standard, shelves optional. Select mast & screen mount units from the listings below.



Order Code AVR5 449.20 Standard rack mount depth 442mm AVR7 468.50 Extended rack mount depth 642mm 496.50 AVR9 Oval style cabinet (dims as standard)

M1X1 Mast assembly inc single screen mount 274.55

Standard cabinet 500w x 700h x 500d

AVRHD3 Dual heavy duty display, triple cabinet credenza.

Columns, screen mounts & 3 x 12u racks included £ Ex Vat **AVRT5** Standard rack mount depth 442mm 946.30

AVRT7 Extended rack mount denth 642mm 984.90 **M2X1** Mast assembly inc twin screen mount 617.20 £ Ex Vat **AVRHD3** inc. columns, mounts & 3x12u racks 3995.20

★ Special Non-standard Versions of these cabinets, screen mount. and accessories are also manufactured – Call us for details.

. Prices quote

as this unit is despatched by edicated courie

or collected

AVRT5 Standard twin cabinet 1015w x 700h x 500d

Universal Shelves

Fit all cabinet versions and locate into rack mount slots. Useful above / below rack mounted equipment or in any way required.

	Order Code		£ Ex Vat
	VR300	1u Rack	42.96
	VR500	Shelf – 430mm(d)	51.50
S	VR700	Shelf – 630mm(d)	<i>52.75</i>

THALEAU

Large Screen Lecterns



TABLEAU

Mast incorporates two compartments, both 344(w) x 95(d) - 1 x 280(h) & 1 x 398 (h), to house small PCs or other electronics together with cabling. Base unit has resilient non marking feet and clearance for cables routed beneath.

TL1-PZX1 for screens 33" - 70" **577.50**

State screen make & model when ordering

There are two models offered:

Shown left, TL1, a rigid and stable platform with fixed angle screen


Shown right, TL2, a trolley that can be powered up and down with a variable angled screen mount, manually operated through 90 degrees from horizontal to vertical.

Full cable management is provided at the rear.



TABLEAU+

Operated by manual switch, screens can be commanded to rise or descend smoothly through 500mm, stopping safely when required. Screen angle can be manually moved through 90 degrees and locked at any point. Standard model TL2 comes with mount & full cable management.



State screen make & model when ordering

sales@unicol.com www.unicol.com 19

Dedicated Screen Mounts



Approved mounts specifically designed for each make and model of screen listed

Xactmatch mounts take all the guesswork out of ordering and installing screen mounts whatever the make or model and whether stand, trolley, wall or ceiling fixed. Our range covers all popular makes of screens and are available in landscape or portrait versions.

- * Factory designed & tested for each screen model
- * Cable entry & cooling vent positions allowed for
- * Landscape and portrait versions for all models
- * Correct screen fixings included

Slimline Flat Mounts (Landscape) 129.20

	Screens up to 70 Tunuscupe - bong	127.20
PLX3	Screens 71" to 110" landscape - 150kg	205.60

Slimline Flat Mounts (Portrait)

Order Code		£ Ex Vat
PPX1	Screens up to 70" portrait - 80ka	129.20

State screen make & model when ordering



Tilting Mounts (Landscape)

Order Code		£ Ex Vat
PLW1	Screens up to 70" - 80kg	148.40
PLW3	Screens 71" to 110" - 150kg	230.50

Tilting Mounts (Portrait)

Order Code		£ Ex Vat
PPW1	Screens up to 70" - 80kg	148.40
PPW3	Screens 71" to 90" - 150kg	230.50

Xactmatch Rota Mounts

Smoothly rotate screens from landscape to portrait and anywhere in between.

Rota Mount RTM1 is designed to fit most Unicol stand & trolley models or floor to ceiling systems and can also be direct wall fixed if required. In-built safety stops allow precise indexing to both landscape and portrait positions.

Use Rota Mount in conjunction with our range of special Exactmatch slimline flat mounts, stating make & model of screen when ordering.

RTM1 Screens up to 70" – Includes PLX mount **248.20**



Comes with screen mount Please state screen make & model

Safety Note: Ensure safe cable management when using these units. Cables should be sheathed or otherwise protected and have sufficient freedom of movement.

Universal Rota Mount For stands



& trolleys

Rotating through 90° this mount can also be adjusted from vertical to 5° tilt. Fits Avecta trolleys or stands.

£ Ex Vat

RTM10 Flat & 5° tilt - up to 70" 236.40

Higher capacity Rota Mounts for larger displays available – Call us for details.

f Ex Vat

Order Code

Fits VESA sizes 200 x 200, 300 x 300 & 400 x 400

Sound Bar & Video Conference Sound Bar Mounts

O 10kg MAX

Sound Bar Mounts

Order Code

We design and manufacture sound bar mounts for many makes and models. These units allow sound bars to be fixed to our stands & trolley ranges and ceiling suspension systems by fixing to columns or universal mounts. SBM1

The SBM1 & SBM9 hook onto Universal Mounts. The SBT1 utilises the 150 x150mm centres for twin screen central mounting.

Can be mounted above or below the screen.

£ Ex Vat **SBM1** Screens up to 70" – PZX/W 1&3, FCS1, ScreenRail & KP1&3 188.00 SBM9 188.00 Screens 71" to 110" - PZX9U, FCS4 & TCAVT SBT1 Twin Screens up to 70" 188.00

Video Conference Sound Bar Mounts

Sound bar mounts that include a camera mount for many makes and models are also available. Sound bars including cameras can be fixed to our stands & trolley ranges and ceiling suspension systems.

These are built for single or twin speakers and designed specifically for the make & model of speakers and camera.

Can be mounted above or below the screen.

VCSS1 & VCSS9 Single Speaker + Camera Mount 225.60 VCTS1 & VCTS9 Twin Speaker + Camera Mount 275.90


Please state application, make & model of Sound Bar and Camera

Universal Screen Mounts

pozimount

Universal screen mount range

- * Double gang aperture and fixing slots
- * Flat & tilt versions, in landscape and portrait, all with screen levelling & optional security kits available
- **★** Fully adjustable accommodates wide range of VESA screen options with fixing kit supplied covering M4,M5,M6 & M8
- * Use direct fixed to wall, also fits all stands, wall arms or ceiling mounts in our range



Flat to Wall Version - 30" to 40"

Depth from wall 45mm

PZX0 VESA 100 x 100 to 400 x 200 98.40 Overall width / height of mount - 465mm x 332mm

Flat to Wall Version - 33" to 70"

Depth from wall 45mm

PZX3 VESA 200 x 200 to 400 x 400 **98.40** Overall width / height of mount - 540mm x 440mm

PZX1 VESA 200 x200 to 600 x 400 **98.40** Overall width / height of mount - 765mm x 540mm

(For VESA 800 x 400 order **PZX5** – £98.40) (Overall width / height of mount - 870mm x 640mm)

Flat to Wall Version – 71" to 110" Depth from wall 50mm

PZX9 165.20 VESA 1000 x 600 Overall width / height of mount - 1070mm x 700mm (PPZX9 Portrait Version also available - same price) We offer stainless components to combat harsh environments when using waterproof / IP rated screens - Call us for details



Tilting Version – 30" to 40"

Depth from wall 55mm

PZWO VESA 200 x 200 to 400 x 200 118.40 Overall width / height of mount - 465mm x 332mm



PZW3 VESA 200 x 200 to 400 x 400 118.40 Overall width / height of mount - 540mm x 440mm

PZW1 VESA 200 x200 to 600 x 400 118.40 Overall width / height of mount - 765mm x 540mm

Tilting Version – 58" to 70" Depth from wall 65mm



PZW8 VESA 200 x200 to 600 x 400 **150.80** Overall width / height of mount - 700mm x 536mm

Pozimount - Portrait

For screens – typically from 40" to 70" VESA 400 x 400 to 400 x 600

Flat to Wall Version

Order Code PPZX2 depth from wall 45mm 98.40

Overall width / height of mount - 465mm x 700mm

Tilt Version (intended for column suspension mounting - add column adapter *PS7*, column & ceiling plate). (For VESA 200 x 200 to 400 x 400 use PZX3)



Video Conference Camera Mounts


Video Conference Camera Mounts

We have been designing and manufacturing video conference camera mounts for many makes and models for many years. These units allow video conference cameras or any small item to be fixed to our stands & trolley ranges and ceiling suspension systems where a screen is used.

There are a number of models that slot into our screen mount 150 x 150mm fixing arrangements. Other models hook onto the rails of our universal mount range providing options for all installations.

The models listed here have a 360(w) x 260(d)mm standard platform and we have a huge range of custom sizes specific to camera make & model.

Can be mounted above or below the screen.



VCM1 Screens 57 - 70 **VCMT** Screens 71 - 110 VCMP1 Universal Mounts

www.unicol.com


87.90 87.90

87.35



VCMV1 88.20 Vertislide Only RHCB1 Twin screen 'Blade Style' 85.50

01865 767676 20 sales@unicol.com www.unicol.com



21



Standard Ceiling Plate

Use with any column length for suspension of projectors & single screens up to 57".

Order Code Plate holes mm £ Ex Vat **CP1** 120 x 120 **28.70**



Large Ceiling Plate

For long column or heavy installations typically up to 70" or twin 57" screens.

Order Code Plate holes mm £ Ex Vat **CP2** 240 x 240 **42.90**



Stub Column Ceiling Plate

Useful in low headroom situations. Allows direct connection of Unicol PSU projector mounts etc.

Order Code Plate holes mm £ Ex Vat **CP3** 120 x 120 **27.40** CP4 240 x 240 41.60



Tilting Ceiling Plate

For sloping or 'out of level' installations. Projectors & single screens up to 57".

Order Code Plate holes mm £ Ex Vat **CP6** 120 x 120 **49.00**



Gantry Ceiling Plate

Primarily for spider gantry units (See Page 35). Has internal safety mechanism that allows limited movement of suspension column to protect ceiling fixings.

Plate holes mm **CP5** 300 x 300 & 500 x 500 **108.40**



Anti-Vibration Ceiling Plate

Internal damping system provides floating action to reduce vibration from above. plate holes 120 x 185mm

Order Code Plate holes mm £ Ex Vat CPAV1 120 x 185 155.56



Girder Clamps

For girders 75-250mm and 75-350mm wide. Adjust from level to extreme angles of tilt.

£ Ex Vat Order Code Span mm GC25 250 78.45 GC35 82.55 350 Wider span versions available.



Twin Ceiling Plates

For suspension of screens over 50" & floor to ceiling column installations using floor plates FP8 (see below). CP9 360° swivel version also listed.

CP8 Standard 220 x 180 65.70 CP9 240 x 240 **122.30** Swivel

Pillar Clamps



Tube Clamp

For suspending screens from lighting gantries, show stands or other structures. Screens up to 57".

Order Code £ Ex Vat **TM05** for 50mm tubes **34.85**




Truss Clamps

For suspending screens and projectors from standard truss.

- fits truss 40 - 55mm dia

Order Code CT1 up to 57" screens 47.40 CT2 with safety hook



Pipe Clamps

Available in a wide range of sizes. Please state pipe diameter when ordering.

Typical mount for 75 - 300mm pipe shown.

Order Code £ Ex Vat TM530 68.20



Typical unit shown for pillar

diameter of 600 - 625mm

We manufacture these clamps in a wide range of sizes for circular pillars.

Order Code VCC1 214.75 Single Arm VCC2 Double Arm 235.00

(Triple-arm versions available - Call for details



Column Coupler

To enable columns with 'through bolt'holes to be joined together for vertical suspension. Coupler conceals neatly within column.

£ Ex Vat CC 19.45

Note: For ceiling suspension use only

Trim Disc Retro Trim Disc

Suspended ceiling finisher. Order Code £ Ex Vat TD1 4.85

Order Code f Ex Vat **TDRF 20.00** \bigcirc

installation.

Allows fitting after

Blanks holes in ceiling tiles. Order Code £ Ex Vat TDB1 6.20 ()

Blanking Disc



Safety Locking Ring

Necessary at the lower end of any ceiling suspension installation using column mounted components, where safety 'through bolts' are absent.

Order Code LR 6.70



Single Suspension Adapters

Single column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension.

***** 360° swivel

PS1 Single column - up to 70" 64.30



Back-to-Back Single Suspension Adapter

Single column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension.

PS5


up to 70"

112.60

Column Tilting Adapters Use with Pozimount and Xactmatch

mounts when ceiling suspended.

* Variable tilt to 15°



Has cable entry 120kg MAX

Twin Column Back-to-Back Suspension Adapter

We advise the use of Twin Column suspension for large / heavy back to back installations or screens which may be subject to stress or wind loads.

PS4 Twin column - up to 70" **125.60 PS43030** Twin column - up to 110" **181.40**



Twin Column Suspension Adapter

Twin column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension.

PS12 Twin column - up to 70" **74.30 PS123030** Twin column - up to 110" **96.50**



22

Single Column Adapters

Use in conjunction with Pozimount and Xactmatch mounts to position screens vertically on columns. Can also be used for fixing single columns to walls.

Order Code **PS3U1** As illustrated, for screens 33"-70" **69.30** Back-to-Back version 115.60

Safety 'through bolt' holes must be used for suspension applications

				back to be	Jek Version		
III a			Chrom	e finish	Stainles	s Steel	
ш	Standard	mm	Order Code	£ Ex Vat	Order Code	£ Ex Vat	- 11
ш	Column	500	<i>500</i>	11.25	500SS	26.45	
Ш	sizes	1000	1000	22.50	1000SS	52.85	
Ш		1500	1500	33.75	1500SS	<i>79.30</i>	0
ш		2000	2000	45.00	2000SS	105.70	
		2500	<i>2500</i>	56.25	2500SS	132.15	
	also offer non £0.35	3000	3000	<i>67.50</i>	3000SS	158.55	
sta	ndard lengths per cm	Safety	through bol	lt holes must he	e used for suspensi	on applications	



Floor to ceiling Column Coupler

For mounting screens on two part columns.

PS6U1 for screens - 33" to 70" **98.90 PS6UT1** Back-to-Back version 145.20



Twin Column Adapters

Use in conjunction with Pozimount and Xactmatch mounts to position screens vertically on columns. Can also be used for fixing twin columns to walls.

Order Code Twin column - 33" to 70" PS3V1 72.95 PS8 85.00 Back-to-Back version



Twin Column Floor to Ceiling Couplers

For mounting screens on two part columns.

Order Code **PS6V1** VS Range - 33" to 70"

108.90

f Fx Vat

Compact Bolt Down Bases

Offer minimal base footprint for fixed screen stands. M10 floor bolts (not supplied) fully recess into base. Trim caps complete the installation.

Order Co	ode mm	£ Ex Vat
ESF	Single – 290w x 240d	85.60
VSF	Twin – 400w x 300d	93.20
AVF	Twin – 150mm centres	93.20



Floor to Ceiling Base Plates In single or twin column versions.

Columns locate securely over bushes to give neat appearance.

FP1 Use with CP1 (see page 22) FP8 Use with CP8 (see above) 58.70

Custom Made Accessories

We offer a service in making all kinds of special or non-standard accessories - Call us when planning your next installation.







www.unicol.com

01865 767676

sales@unicol.com

www.unicol.com

23

Universal Screen Mount - Trade Packs

60kg MAX



These 'package priced' kits offer ease and convenience for specifiers and installers, combining the necessary ceiling plate, column & universal tilting mount for a typical installation.

Three column lengths are listed to suit different ceiling heights. Trade Packs consist of ceiling plate, column & mount(s).

> **Note:** All white versions are now available, including columns – Please call for details.



Single Screen Trade Packs for VESA 300 x 300 to 600 x 400

Order Code KP110CB	with 1m suspension column	£ Ex Vat 205.00
KP120CB	with 2m suspension column	227.50
KP130CB	with 3m suspension column	250.00
* (please se	e note below – smaller size mo	unt options)







Back to Back Twin Screen Trade Packs for VESA 300 x 300 to 600 x 400

Order Code KP110DB	with 1m suspension column	£ Ex Vat 355.00
KP120DB	with 2m suspension column	377.50
KP130DB	with 3m suspension column	400.00

* (please see note below – smaller size mount options)


For 32" Back-to-Back screens with VESA 200 x 200 fixings use CP1, Column length & DCV1



Wall Arm Trade Packs for VESA 200 x 200 to 600 x 400

Order Code KPWB	Direct coupled	£ Ex Vat 229.90
KP105WB	with 50cm suspension column	242.60
KP110WB	with 1m suspension column	253.85

* (please see note below – smaller size mount options)



Slim Profile & Other Mounts

e calibur ultra slim **Universal Wall Mounts** 7.5 nillimetres thin

* Only 7.5 millimetres thin!

* For screens up to 57" (max 35Kg)

* Fits all of the following VESA sizes: 200x200 / 300x300 / 400x400 / 600x400

UTM 55.00 with 680mm wall plate UTM1 55.00 with 500mm wall plate

(Caution: Please check that your screen has cabling connections which allow the use of a slim style wall mount and do not protrude excessively from the rear).



Tablet Mounts Ideal for point of sale, these mounts are suitable for most sizes of tablet.

> Can be fitted to a wall or single column stand and encases your tablet in a steel shell offering antitamper protection.



TBM1 7" to 11" screens, 100 x 100 VESA **120.40 TBM2** 11" to 15" screens, 100 x 100 VESA **123.50**

Please provide make & model of Tablet when ordering. POE adapters can also be accommodated.

Versus Mount Range

As screens become lighter it is only natural to have a mounting system that shows off the virtues of Direct and Edge Lit LED technology.

This range of screen mounts is available in wall, stand or ceiling versions, tilting & nontilting. The ceiling version is supplied with an adapter to fit a standard column. The trolley version fits directly to a standard PS2 twin column adapter.

The wall version has ample room for services and folds down into a small package for easy stocking. All versions fit the most popular VESA fixing centres.

Ceiling Mount Version

Order Code **VZWC1** 0 to 10 degrees tilt 93.70 200 x 200, 300 x 300, 400 x 400, 600 x 400 Add ceiling plate, column & PS2 as required

Wall Mount Version Only

Order Code VZWW1	flat toall	£ Ex Vat 69.40
	flat to wall 0 to 11 degrees tilt	89.40
VZVVVVZ	o to 11 degrees till	09.40

200 x 200, 300 x 300, 400 x 400

VS1000 Trolley Version

VZWV1 0 to 10 degrees tilt 200 x 200, 300 x 300, 400 x 400, 600 x 400



Small Screen Mount Range





Slim-Line Wall Mount

* For displays up to 21"

Order Code £ Ex Vat 17.80 VESA up to 100 x 100



Lectern style screen mount

For use with touch screens or in show room displays. Tilt angle fully adjustable.

* For displays up to 32"

* VESA 75 x 75, 100 x 100, 200 x 200

86.80

SEV1 VESA up to 200 x 200





Clip-On Slim-Line Wall Mount

Easy to use, fits most screens and has concealed security screw.

* For displays up to 32"

* VESA 75 x 75, 100 x 100, 200 x 100

SVC1 VESA up to 200 x 100 45.10 SVC2 VESA only 200 x 200 55.10





Tilting Wall Mount

* For displays up to 32"

Order Code 59.30 **STV1** VESA up to 200 x 200 **SMV1V** with Swivel & Tilt 79.10





Swivel & Tilt Mount

★ For displays up to 21"

* VESA 75 x 75 and 100 x 100

Order Code		£ Ex Vat
LVA	Tilt Only	35.40
LVB	Swivel & Tilt	41.25





Use with any Unicol ceiling or wall suspension equipment.


Order Code		£ Ex Vat
SCV1	VESA up to 200 x 200	84.30
DCV1	Back to Back version	136.50

01865 767676 24 25 www.unicol.com sales@unicol.com www.unicol.com



Range of Swivel Arms

All steel, lasting quality, user adjustable joint tensioning, full swivel & tilt plus screen levelling




Compact Single & Dual arms for screens up to 32 inch

The extra versatility of our dual arm units provide increased viewing flexibility – good also in alcoves or corner situations. Unit folds 77mm to wall and reaches 460mm fully extended. Mount plate fits all small screen VESA sizes, has tilt to 10 degrees plus screen levelling fine adjustment.




 SRV
 Single Arm – Fits VESA 75 x 75, 100 x 100, 200 x 100
 87.10

 SSV
 Dual Arm – Fits VESA 75 x 75, 100 x 100, 200 x 100
 125.30



These heavy duty (35Kg rated) swivel arms are fitted with our Pozimount universal screen mounts. Each arm version (single or dual) is listed with mounts suitable for either standard or small screen / portrait use.



EU Registered Design

EU Registered Design

HD Single arm for screens up to 57 inch

Arm fully extends to 430mm (115mm when folded flat) has full swivel & tilt plus screen levelling feature.

Order Code		£ Ex Vat
PLS1X1	Fits VESA 200 x 200 to 600 x 400	206.80
(With Pozim	ount PZX1 for most standard applicat	ions)

PLS1X3 Fits VESA 200 x 200 to 400 x 400 **197.70** (With Pozimount PZX3 for small (32") screens or portrait mounting,

(For full Pozimount details see page 21)




Offers enhanced degree of adjustment for more extreme viewing angles – arm fully extends to 730mm (155mm when folded flat) has full swivel & tilt plus screen levelling feature.

HD Dual arm for screens up to 57 inch

Order Code		£ Ex Vat
PLA1X1	Fits VESA 200 x 200 to 600 x 400	242.1
(With Pozimo	unt PZX1 for most standard applicat	ions)

PLA1X3 Fits VESA 200 x 200 to 400 x 400 **233.00** (With Pozimount PZX3 for small (32") screens or portrait mounting,

(For full Pozimount details see page 21)





UNICOL Wall Arm System


Wall suspension for screens, projectors, Guardboxes etc.

These standard wall arm units are designed for use with any of our screen or projector mounts, Guardboxes etc.


We manufacture two versions; WB1 allows direct connection of mount (using PS1 suspension adapter) and WB2 as a suspension column version. Wall arms can be fitted with any Unicol screen or projector mount listed in this catalogue.


See pages 20 & 21 for screen mounts and page 23 for PS1 adapter.













HD "Parallel Action" Dual arm for screens up to 110 inch




Robust construction for screens up to 130kg. Able to swivel left or right as well as track in and out in a parallel manner where its use in alcoves (but not exclusively) works particularly well.


Unit fully extends to 535mm. 126mm when closed. Comes complete with fine adjustment features for accurate screen positioning and has a cord release latch for locking when closed. Adjustable stops are included on the screen arms to prevent screens being pushed in at the sides – particularly useful when using touch screens.

PLA4

Fits VESA 400 x 400 - 900 x 600 **985.25** (Comes with fully adjustable arms)


Please provide us with the make and model of your screen.









HD "Parallel Action" Dual arm for screens up to 70 inch



Unit fully extends to 520mm. 150mm when closed. Adjustable tilt built in.





26 www.unicol.com

01865 767676

sales@unicol.com



Outdoor Housings for up to 86" screens

UNICOL pioneered the development of outdoor housings and has unrivalled experience in this specialised field. Our well proven range of housings go from small screen monitors used in harsh environments right up to the latest 80inch large format screens.

All are constructed in 1050 grade aluminium and utilise high quality temperature control components within. Screen viewing panels in impact resistant polycarbonate are incorporated as standard. Toughened or laminated glass is also available as an option.

For the Technical – housings all feature the following:

In Landscape or Portrait

- * Tailor made for perfect screen fit every time
- **★** Wide range available 32" to 86" screens
- * IP53 rated with vandal resistant screen
- * Corrosion free for long life in all weathers

rices quoted are ex-works

as all housings are despatched

by dedicated courier

* Light weight aluminium construction

ODH3


1384.30

Square Corners – 80"

ODH4 Square Corners – 86" Stretched **3200.50**

Anti-reflective screen - add £67.20

- * Wall, ceiling or back-to-back mountable
- * Thermostatic internal heating & cooling
- * User replaceable cartridge air filtration



* Slimline screens have enabled us to manufacture these housings in our new slimline style. These will always be supplied where the screen depth allows. - Please call us for confirmation if needed.

ODHO Square Corners – 30" to 32" **1290.50**

ODH2 Square Corners – 58" to 70" **1457.00**

ODH1 Square Corners – 33" to 57"

Protective Covers for up to 70" screens

Screen Protective Covers

5mm thick, clear, anti-shatter screen with a metal bezel provides a durable front cover for screens.

Two landscape versions are available, one that clips to the screen (square corners only), the other attaches to the wall (square & rounded corners available). For portrait versions use order code PCP instead of PCL below. Anti-reflective screens also available.

We can supply bespoke versions in branded colours including logos. - Call for details.

Landscape clip-on (square corners) (Screen mount required with these units)

PCL0 PCL1

PCL2

Minimum 5mm screen bezel	£ Ex Vat	
Clip-on - 15" to 32"	255.00	Typical land
Clip-on - 33" to 57"	288.40	clip-on versi
Clip-on - 58" to 70"	346.10	square corr

Landscape wall mounted (square or rounded corners)

(Screen mount included with these units)

Order Code	Square corners	£ Ex Vat
PCL5	Wall mounted - 15" to 32"	540.80
PCL7	Wall mounted - 33" to 57"	574.40
PCL8	Wall mounted - 58" to 70"	632.10

PCL10 Wall mounted - 15" to 32" 865.20 PCL11 Wall mounted - 33" to 57" 898.40 PCL12 Wall mounted - 58" to 70" 956.10

Anti-reflective screen – additional price £67.20





Portrait wall mounted Cover PCP11 with rounded corners London City




Rear Covers

We design and manufacture custom made rear covers for a wide range of screen sizes. These enhance any installation and provide a neat appearance enabling cables & connections to be hidden when screens are installed in open areas.

Full screen versions or partial covers to enclose only the cables & connections are available.

BCW1 Full covers - screens 33" to 57" **348.30** BCW2 Full covers - screens 58" to 70" 438.40





Birmingham Bullring

The UNICOL Difference

Why our outdoor housings and covers look so good and work so well is because each one is tailor made to perfectly fit the screen of your choice. Our dedicated Oxford manufacturing facility enables us to do this, with all Outdoor Housings made in durable corrosion proofed aluminium for long term good looks.

All offered with a reliable & prompt delivery service, usually within 5 to 7 days – a perfect result in rapid time!

01865 767676 28 www.unicol.com sales@unicol.com 29 www.unicol.com

2446.00

Obelisk Digital Signage System

Column style enclosures for large format screens in free standing, floor-fixed and floor to ceiling versions. Custom options available including transparent screens with display cabinet and multi-screens. Custom colours and branded versions also available.

Our Special Projects Design department has been engaged in the ongoing development of these units and can produce conceptual and production versions for many varied applications. Standard portrait versions shown below and listed on opposite page (Landscape versions also available). For custom projects please contact us to discuss specification and options.

CUSTOM

Column Style

STANDARD Column Style

Free-standing & Bolt Down



46" - 75" Screens 2m high

* Easy to assemble and install

* Wide choice of screen options

* Landscape versions available

* Laminated glass option



- * Polycarbonate screen cover option
- * Analytic Camera mount option
- * POS Shelf options available
- * Space for players and PCs
- * Branding options available

4 sided Quad Totem for

Colour & Branding Options

- * Colours in Sinterflex Black or White
- * Other colour finishes available * Rapid turnaround on orders

rices auoted are ex-works as all housings are despatched or collected

- Call us for details

Obelisk Indoor Kiosk & Totem Range

Obelisk Edge-Line Enclosure

Designed for double-sided screens such as the Samsung OMN-D 46" & 55" displays, this clean faced design enhances contemporary interiors. Available in freestanding or bolt down versions.

Screen Size / Type	Installation	Order Code	£ExVAT
46 / Double	Freestanding	ODS46FS	646.60
46 / Double	Bolt Down	ODS46BD	646.60
55 / Double	Freestanding	ODS55FS	695.10
55 / Double	Bolt Down	ODS55BD	695.10

Please specify screen make and model when ordering. Other screen sizes available upon request.

				<u>.</u>	
Freestanding Kiosk	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
	30 - 39	KTC3FS	881.20	KTC3FSB	1,056.15
	40 - 49	KTC4FS	962.52	KTC4FSB	1,137.52
	50 - 59	KTC5FS	1,085.72	KTC5FSB	1,260.72
	60 - 69	KTC6FS	1,165.85	KTC6FSB	1,340.85
	70 - 79	KTC7FS	1,478.56	KTC7FSB	1,653.56
Bolt Down Kiosk	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
DOIL DOWII KIOSK					
	30 - 39	KTC3BD	784.30	KTC3BDB	959.40
	40 - 49	KTC4BD	865.78	KTC4BDB	1,040.78
	50 - 59	KTC5BD	987.65	KTC5BDB	1,160.72
	60 - 69	KTC6BD	1,067.55	KTC6BDB	1,340.62
	70 - 79	KTC7BD	1,397.56	KTC7BDB	1,572.56
Floor to Ceiling	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
	30 - 39	KTC3FC	964.20	КТСЗГСВ	1,139.15
	40 - 49	KTC4FC	1045.66	KTC4FCB	1,220.66
6	50 - 59	KTC5FC	1,185.26	KTC5FCB	1,360.26
8	60 - 69	KTC6FC	1,204.55	KTC6FCB	1,379.55
	70 - 79	KTC7FC	1,515.32	KTC7FCB	1,690.32
Freestanding Totem	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
THE STATE OF THE S	30 - 39	KTC3FST	1,373.15	KTC3FSTB	1,548.20
	40 - 49	KTC4FST	1,454.63	KTC4FSTB	1,629.63
7	50 - 59	KTC5FST	1,519.50	KTC5FSTB	1,694.50
	60 - 69	KTC6FST	1,576.85	KTC6FSTB	1,751.85
	70 - 79	KTC7FST	1,825.60	KTC7FSTB	2,000.60
Bolt Down Totem	Screen Size	Order Code	Single Sided £ Ex VAT	Order Code	Back to Back £ Ex VAT
A 538	30 - 39	KTC3BDT	1,332.15	KTC3BDTB	1,507.15
	40 - 49	KTC4BDT	1,413.65	KTC4BDTB	1,588.65
	50 - 59	KTC5BDT	1,465.36	KTC5BDTB	1,640.36
	60 - 69	KTC6BDT	1,512.35	KTC6BDTB	1,687.35
	70 - 79	KTC7BDT	1,789.65	KTC7BDTB	1,964.65

* For custom versions please call for details. (Larger screen versions are possible).

www.unicol.com 01865 767676 30 sales@unicol.com www.unicol.com 31

Pop Out Video Wall Mounts

ADAPTA-WALL®

- **★** With standard 'Push to close Push to open' action. Also available with remote latching system where closure with no screen contact in the case of ultra thin displays is required.
- * For screens up to 45Kg with fixings; VESA 200 x 200 to 800 x 400mm.
- * Full screen adjustment in all planes.

The installer friendly Pop Out mount loaded with innovative features.

- * Accurate horizontal / vertical centre line marks on all back plates for easy set up.
- * For direct wall fixing or use with our video wall structure components for ceiling, floor to ceiling or floor to wall applications.
- * Optional 'pull cord' security feature prevents unauthorised 'Pop out' operation in public areas or any situation required.



Compact Version


Order Code £ Ex Vat VWP0 318.50



The compact size of this version is for screens up to 40" and covers VESA sizes 100 to 300mm Comes complete with fine adjustment features for accurate screen positioning.

Wall Plate dims: 410w x 500h

Fits VESA: 100 x 100mm 200 x 200mm 300 x 200mm



VWP1 - VWPHD



95mm – Closed

Standard Version

Order Code £ Ex Vat VWP1 347.80

All Adapta-Wall mounts come with a wide range of VESA fixing sizes, complete with fine adjustment features for accurate screen positioning.

Wall Plate dims: 800w x 500h

Fits VESA: 300 x 300mm 400 x 400mm

600 x 400mm

For screens with VESA 800 x 400mm fixing points a stretched version, VWP3 is available.



95mm – Closed

Heavy Duty Version

£ Ex Vat VWPHD 565.30



This version is ideal for single screens mounted in recesses. It has all the characteristics of the standard version but carries heavier screens up to 80kg.

Wall Plate dims: 800w x 500h

Fits VESA: 300 x 300mm 400 x 400mm 600 x 400mm



Portrait Version

VWP4

VESA 400 x 600 354.60 354.60 VESA 400 x 400

The compact (500mm) width of this version allows use of screens in portrait mode. The two models listed have the same back plate but come with two different sets of arms to cover a wider range of VESA fixings.

www.unicol.com

Wall plate 500w x 500h



All versions can be wall fixed or used with our Adapta-Wall structure system fittings below. For ceiling suspension use (Ouad) 4 column parts, (locking rings must be used – P23). For floor to ceiling / wall, use (Twin) 2 column parts.

Ceiling, Wall & Floor	
Order Code VWPA 10 Quad Ceiling Plate	£ Ex Vat
VINDA11 Quad Floor Plate	140 50

32

VWPA4 Twin Floor Plate **92.30**

WWPA2 Twin Ceiling Plate 86.80 | Mount U-Clamps (set of 4) Order Code f Fx Vat VWPA11 Quad Floor Plate 140.50 VWPA9 Wall Plate 97.50 VWPA5 Fits mounts to columns 82.50 VWPA1 Tie brace units (pair) 98.20

Quad Tie Brace Units (pair) Connects vertical & horizontal columns.

01865 767676

Free Standing Video Walls & Roller Trak






Image shows 3 x 3 wall with 55inch displays. Illustration shows 4 x 4 wall with 46inch displays.



Free-standing video wall system

Ideal for situations when quick, easy and accurate assembly is required such as hire and retail, where regular change is inevitable.

This robust modular structure is made of individual mast units that are joined with cross members enabling a 4-high display unit to have infinite width (3-high display units are also available). Cable management runs are catered for and there is adequate space for players or PCs.

Each display fixes to the VWP1 standard 'Push to close - Push to open' video wall mount capable of VESA 200 x 200 to 800 x 400, for displays up to 45kg, (see Page 32). The mount allows for tool-less adjustment in all planes by means of knurled wheels for in-out and up-down movement. Lateral action is achieved by sliding the display smoothly on wheels located in the mount arms.

- * Robust modular construction
- * Easy to assemble and install
- * Wide choice of screen options
- * Space for players and PCs
- * Discreet cable management
- * 'Push to open' 'Push to close' mounts
- * Tool-less screen adjustment
- Call us for details

Shop Window Solutions

Ideal for retail and other applications to enable screens to be tracked in / out & from side to side, thus opening exciting possibilities for window displays, dynamic presentations, servicing needs or just access for screen / store front cleaning.

AV Roller Trak system consists of track lengths of standardised design which carry smooth running ball bearing trolley units. Standard Unicol column lengths & screen mounts complete the installation.

- * Smooth, easy glide operation
- * Single or multiple screens
- * Wide choice of track lengths
- * Swivel or Rotamount options







Typical roller track in window display use

Multi-screen

track screens

in and out for


servicing when

installed close

cleaning or

to window.

version used to



Single screen version showing roller track used to move screens along the length of a window as part of a changing window display.

To order – call our technical support team for full system details, options available and advice on any project or installation being considered.

sales@unicol.com 33 www.unicol.com

ScreenRail Universal Multi-Display System



* Ceiling Suspended

* Wall mounted





ScreenRail Multi-Display System


A highly adaptable rail system for mounting screens in-line, in any number. Ideal for Digital Menus, Videowalls & Telepresence, etc. Can be wall mounted and ceiling suspended. ScreenRail system comprises a choice of standard rail modules and a range of screen arms to cover all applications. Back to Back versions also available.

When selecting parts consideration has to be given to screen width & VESA fixing size. The examples of menu boards and videowalls below use VWA adjustable arms. We have given these specific codes for ease of ordering but we urge you to check before ordering by providing us with the make & model of your screen. Ceiling suspension examples use 1.5m columns.

Menu Boards

Wall mounted & ceiling suspended.

These kits consist of all parts necessary for fixing screens in line on a wall or ceiling suspending on 1.5 columns.



1 x 3 (wall mounted)

Order Code	Screen	£ Ex Vat
MBW346	46"	604.15
MBW350	50"	651.75
MBW355	55"	660.50

1 x 3 (ceiling suspended)

Order Code	Screen	£ Ex Vat
MBC346	46"	730.90
MBC350	50"	778.50
MBC355	55"	787.30

1 x 4 (wall mounted)

Order Code	Screen	£ Ex Vat
MBW446	46"	870.00
MBW450	50"	854.45
MBW455	55"	916.60

1 x 4 (ceiling suspended)

Order Code	Screen	£ Ex Vat
MBC446	46"	996.75
MBC450	50"	981.20
MBC455	55"	1043.35

Video Wall - Wall mounted

By fixing appropriate rail lengths on a wall a video wall can be assembled. Here are examples of 2x2, 3x3 and 4x4 video walls for leading brand 46", 50" and 55" displays. You should check before ordering by providing us with the make & model of your screen.


2 x :	2 Video	o Wall	3 x	3 Vide	o Wall	4 x	4 Vide	eo Wall	
Order Code	Screen	£ Ex Vat	Order Code	Screen	£ Ex Vat	Order Code	Screen	£ Ex Vat	
MV246	46"	812.20	MV346	46"	1812.45	MV446	46"	3480.00	
MV250	50"	812.20	MV350	50"	2172.25	MV450	50"	3417.80	
MV255	55"	953.60	MV355	55"	1981.65	MV455	55"	3666.40	





Standard Universal Arms


Pozimount universal mount arms. Supplied with M4, M5, M6 & M8 fixing screws. Arms incorporate 5mm screen levelling feature and are 45mm deep.



Tool-less Fully Adjustable Arms

Feature 15mm in-out adjustment and 15mm of levelling fine adjustment. Side to side adjustment included.


0	I	I
VWA2 Portrait	600	139.65
VWA1 Landscape	400	139.65
Order Code	VESA	£ Ex Vat



Rail Modules

In 3 standard lengths, all with full interchangeability. Provision for bolting together as required. May be ceiling suspended or direct wall fixed, with or without tilt extension brackets (SR10 / SR20).

Order Code	mm (w - h - d)	£ Ex Vat
MD2U35	350 x 235 x 33	69.80
MD2U70	700 x 235 x 33	84.90
MD2U140	1400 x 235 x 33	105.20



Other lengths of rail are available to order: 450(w), 800(w), 1000(w), 1200(w), 1700(w), 1800(w), 2100(w) - Call for details

Fixed Tilt Stand-off **Brackets**

Use these optional brackets to provide tilted display whenever required. 10 or 20 degree tilt versions listed.

Oraci coa		Z LX VUL
SR10	10° tilt (pair)	36.20
SR20	20° tilt (pair)	38.40



SR10 - 10 degree version



SR20 - 20 degree version

Multi-Screen Gantry Systems

Spider Gantries

These ceiling mounted units are available for a wide range of screen sizes incorporating our Pozimount universal tilting screen mounts. The spider style and single column gantry versions have swivel capability and all have cable entry ports for neat installation.


By their very nature all spider style and in-line gantries incorporate parts which are factory made to suit specific requirements but all versions are available on a short turn round basis.

Call our technical support team for advice on any project or installation being considered.



Spider – five screen

'pentagon' unit






In-line gantry

Side View

Typically 33-57"







Order Co	nde	£ Ex Vat
SG3	3 screen spider gantry - max weight per screen 50Kg	462.90
SG4	4 screen spider gantry - max weight per screen 50Kg	617.20
SG5	5 screen spider gantry - max weight per screen 40Kg	770.00
CP5	Large gantry ceiling mount for use with above (Page22)	108.40





Order Code	Bar Length (mm)	£ Ex Vat		
DIG1050	100-500	<i>75.60</i>	Order Code	£ Ex Vat
DIG50100	500-1000	<i>75.60</i>	MSS1 Bolt on sock	et 17.00
DIG10015	0 1000-1500	<i>75.60</i>	MSP1 Bolt on peg	14.00
DIG15012	0 1500-2000	<i>75.60</i>		

In-line gantries require MSS1 sockets and MSP1 pegs (above), Single sided require PS1s, Back-to-Back PS5s (Page 22). All require Screen Mounts (Pages 20/21).

Product codes & prices listed are intended as a guide as most gantry installations are 'project driven' with the make/model & number of screens as well as the location already chosen. Call our technical team who have wide experience in advising the necessary mount component 'package' to best meet the needs of your installation.

01865 767676 34 www.unicol.com sales@unicol.com 35 www.unicol.com

Floor to Wall / Ceiling Systems



Floor to Ceiling and **Floor to Wall Systems**


- * Single sided and back to back screen versions
- * Cable management within column uprights
- * Floor to ceiling and floor to wall options

Below are three standard methods of floor to ceiling / wall installation. Select any of the trade kits listed (for nominal ceiling heights of 4m).

If the kits do not meet your needs order in component form as required. To enable adjusting heights of screens at installation, long column lengths can be ordered separately with standard adapters. If services are from the floor use ESF or AVF floor plates (Page 22) for cable management.



Single column



Floor to ceiling single column kits:

FCUS3 up to 57" - single screen 320.00 FCUD3 up to 57" - back to back 428.30

Floor to wall single 2m column kit: FWUS3 up to 57" - single screen 276.55

Twin column 2000C 2000C PS6A1 PS8A1 PZX1 With ontional Single sided in-fill panels Back to Back


Floor to ceiling twin column kits: Order Code £ Ex Vat

FCAS1 up to 70" - single screen 534.35 FCAD1 up to 70" - back to back 643.30 **FCAVM** 396.00 optional set of In-fill panels

Floor to wall twin 2m column kit: FWAS1 360.65 up to 70" - single screen

FWAVM optional set of In-fill panels

Goal post style for large screens



Floor to ceiling 'goal post' style kits:

FCGS1 up to 70" - single screen 457.80 **FCGD1** up to 70" - back to back **556.20** FCGSH up to 110" - single screen 587.50

FCGDH up to 110" - back to back **752.70** Floor to wall 'goal post' style kits:

FWGS1 up to 70" - single screen 430.10 FWGSH up to 110" - single screen 559.80

Floor to Ceiling Adapters





Screen mount adapters with integral cable management.

PS6U1 98.90 Sinale Screen PS6UT1 110.60 Twin Screen

Twin column version with integral cable management.

Order Code **PS6A1** Sinale Screen 100.70 Twin Screen 122.10

Floor to Wall Adapters & Fixing Brackets



179.05





Screen mount adapters for Wall fixing brackets for single & twin column use. single & twin column use.

Order Code PS3U1 Single Column 69.30 Single Column 48.60 Twin Column **59.75** CTT150 Twin Column 64.30

Universal Sliding Serviceable Cassette Mounts



Universal Sliding Serviceable Cassette Mounts

The Sliding Serviceable Cassette Mount range consists of wall fixed or under desk mounts with vertical, horizontal or folding slotted cassettes that can be populated with AV peripherals.

The VertiSlide Serviceable Cassette Mount range consists of wall fixed screen mounts with vertical or horizontal sliding & detachable slotted racks for mounting AV equipment. There are three models for different screen sizes. The equipment is hidden behind the screen. Depending on the model, in the event of a swap out the rack can be unlocked, slid down or across and detached if necessary. VertiSlide is a universal unit designed for most screens with the rack positioned towards the bottom of the screen.

An under desk version is also available and incorporates a hinged slotted removeable rack for mounting AV equipment such as players etc. When installed the equipment is hidden under the desk but in the event of a swap out the rack can be unlocked, hinged down and detached if necessary to carry out the maintenance. Has easy close counterbalance mechanism.



Horizontal Serviceable Cassette Mount

Order Code HTS1

HTS2

Screens - 71" to 110" max 110kg VESA - 200 x 200 to 1000 x 600 Screens - 46" to 70" max 60ka VESA - 200 x 200 to 600 x 400

£ Ex Vat 599.30

405.14 VTS2



Vertical Serviceable Cassette Mount

Order Code VTS1

Screens - 71" to 110" max 110kg VESA - 200 x 200 to 1000 x 600 Screens - 46" to 70" max 60ka VESA - 200 x 200 to 600 x 400

Under-Desk Serviceable

578.36 384.24

£ Ex Vat

Cassette Mount

Order Code £ Ex Vat UDM1 256.60

PC / Player Housings & Racks



Screen Mount / PC housing combinations

We manufacture screen mounts incorporating housings for small form factor PCs. These units greatly reduce installation time. Units are listed below incorporating our Pozimount universal mounts in tilting & non-tilting versions.

Custom made, security locking versions & power socket options also available.

PCZW Universal PC Housing Tilting PCZX Universal PC Housing non-Tilting 233.80



State make & model of screen & PC to be Typical custom made units

01865 767676 36 sales@unicol.com www.unicol.com 37 www.unicol.com



Direct Fixing

The preferred method of projector mounting. All our PSU mounts are designed to align accurately with the projector mounting holes and take account of cooling or lamp access needs.

All PSU mounts are now available as micro adjustable versions having 2 axis, level & tilt. (See centre panel).

Order Code PSU 138.00 Standard direct fixing version PSC Cradle direct fixing version 172.00

VSU 165.00 Vertical down aspect version **PPSU** Portrait version 271.20 206.80

PSM Micro-adjustable version

Trim Disc

38

Gives a neat finish where columns pass through suspended ceilings.

Order Code TD1

4.85





An alternative method of projector mounting, either to meet a projector's optical needs or to give protection to projectors when used in 'location to location' or hire circumstances.

Micro Adjustment®

This 2 axis micro adjustment factory fitted option is available for most PSU units and provides a range of precision adjustment in level and tilt.




Allows fitting after installation for a neat finish.

Order Code £ Ex Vat TDRF 20.00

Retro Trim Disc





- Call us when planning

Blanking Disc

your next installation





Specials

We have a wealth of expertise in the

design and manufacture of all kinds


client's special requirements. These

include mounts for downward or

upward projection, multi-projector

units, 3D rigs and one-off projects.

of projector suspension units to meet



01865 767676 www.unicol.com

included.

Gyrolock ~ With Universal Mounts

These universal mounts offer a wide range of adjustment not only to cover widely

often found in projector design. A universal screw pack to cover most projectors is

differing projector screw fixing centres but also allow clearance for contour variations

Typical KPR

column

version

Shown in white

as a no cost option.

Black as standard

truss

clamp

Gyrolock ~ With Trilok Docking System

The Trilok docking system uses a standardised 'bayonet style' fitting to carry projector mounting plates made specifically to fit each make & model of projector (a universal version also listed). The docking system allows easy projector set up, removal for routine maintenance and for future model change.



Ádapter

★ Now in white as an option – The GK1 version fits anyway up, ceiling, wall or base fixable

- * Projector locks into Trilok® docking system, using either our dedicated Gyrolock Adapter Plates (GAP) or universal adapter (GAPU)
- * Full tilt & turn adjustment for easy set up
- * Telescopic for use through suspended ceilings or in any high, low or normal headroom situation

Shown in white

Black as standard

* Safety rated for projectors up to 20Kg ceiling mounted, 12Kg wall mounted (GK1 only) & 12Kg if using a universal GAP plate (GAPU)







Close ceiling





Select any of these versions to suit your headroom needs.

All use the Trilok docking system and are supplied with either a dedicated projector mount (GAP) or optional universal adapter plate (GAPU) if compatible.



Close Ceiling Version

max weight £ Ex Vat **GKC-GAP** 20kg 135.80 (Projector adapter plate version

- state projector make & model).

Order Code max weight £ Ex Vat GKC-GAPU 12kg 135.80

(Universal projector mount version)

Standard Version

standard

max weight £ Ex Vat **GK1-GAP** 20kg **149.60** (Projector adapter plate version

Order Code max weight £ Ex Vat **GK1-GAPU** 12kg 149.60 (Universal projector mount version)

- state projector make & model).



Long Extension Version

Order Code max weight £ Ex Vat **GK2-GAP** 20kg 167.80 (Projector adapter plate version state projector make & model).

Order Code max weight £ Ex Vat **GK2-GAPU** 12kg **167.80** (Universal projector mount version)



Column Suspension Version

adapter plate (or universal mount). Needs column and complete your installation.

Order Code max weight £ Ex Vat (Projector adapter plate version - state projector make & model)

max weight £ Ex Vat GK4-GAPU 12kg 129.20 (Universal projector mount version)

Gyrolock 'head' complete with ceiling plate (see Page 22) to

GK4-GAP 20kg 129.20

Gyrolock Parts & Accessories

£ Ex Vat

174.60

114.90

Universal Adapter

Gyrolock Long

Adjustable from

700 to1200mm

Order Code

GKU3

Order Code

(suspension only)

Dedicated GAP version

Plate Designed to fit most

projectors.

GAPU



Column Version

Column mm £ Ex Vat

105.00

120.00

140.00

160.00

500

1000

2000

3000

Universal Kits

Order Code

KPR15CB

KPR110CB

KPR120CB

KPR130CB

Column Suspension Version

GK0 camera

Universal mount for direct column connection. See Page 22 for columns & ceiling plates.



GKUT1

GKUT3

Gyrolock Trim Disc

109.80

134.80

Shaped to fit Gyrolock mast. Gives a neat finish to installations through suspended ceilings.

GKTD

Truss Clamp Version

truss clamp fitting.

Universal mount with standard

For all trusses 45 – 55mm dia.

230 - 300

700 - 1200

* For standard column trim discs see page 22.

Gyrolock Standard Universal

89.80

108.10

GKU1 230 to 300mm

GKU2 230 to 700mm

Camera Screw Version

230 to 700mm

Gyrolock Compact

f Fx Vat

69.10

Easy installation

Fixed height

Order Code

GKUX



Adapter Plates

Enables changeover whenever replacing projector. State make & model when ordering.



44.30

69.50




40 www.unicol.com 01865 767676

sales@unicol.com

www.unicol.com

41













Other Trolleys

Equipment Trolley

Utility trolley with a great many uses to carry medical, laboratory or test equipment. Other platform sizes listed.



T1B

72.15

Original TC1000 Trolleys

The standard trolley in service with many schools & colleges. Has universal screen mount & equipment shelf. Conversion kit also available for existing trolleys.




347.20

139.20

Camera Stands

Superior to tripods for a great many applications. Solid base with braked wheels gives excellent stability.



01865 767676

Parts & Accessories



10cm Castors (Standard - set of 4) £ Ex Vat 34.60

7.5cm Castors

Order Code

C074

Fits Grub Screws & Through Bolts

Allen Key

Order Code

AK316

(2 plain / 2 braked – set of 4)

£ Ex Vat

28.20

0.70



Please note: Our 10cm Heavy Duty castors (BC104) are bolt fixed for added strength and to prevent swivel

as well as rotation of the wheel, they are intentionally not interchangeable with our 10cm (C104) castors

10cm Heavy **Duty Castors**

(HD braked – set of 4) £ Ex Vat BC10X4

5cm Castors

Order Code £ Ex Vat

C05X4 14.00

Socket Cap 94.00



Hand Wheel Order Code £ Ex Vat HW38F 1.05

0.25

Order Code GS38F

Black / White or Diamond Silver – 400ml cans. **Grub Screw**

SPB Black **25.40 SPW** White **35.60 SPS** Silver **34.22**

Unicol Columns

In standard chrome finish

available in colour finishes

to special order & unpainted.

In addition to the range of

sizes listed we also supply

non-standard lengths to

special order - Call us for

details.

Please note that

holes must be

for suspension

applications.

specified if used

Safety 'through-bolt'

and stainless steel. Also

Spray Paint

Touch in paint in Sinterflex

BLACK



Lock & Keys Order Code £ Ex Vat 25.10



Drilling Jig Installer's cutting and throbolt drilling jig for columns. Order Code £ Ex Vat CDJ1 42.10

Security Devices, Video conference Shelves, Unicol Columns



Screen Security Kit

Safety Through-bolt

TB38F

£ Ex Vat

1.15

Use this easily fitted Security Kit with any of our mounts.

The 2200mm tough steel cable system has special fittings which shield access to the screen fixing screws.


PSK 89.97



TV Remote Wall Holders

* Locks remote to wall

* Reflects beam to TV or projector




RGHW Standard for most remote Units **58.60 RGH1W** Custom unit for large remotes **65.00** **Locking Ceiling Plate**

to deter unauthorised removal.



Fits standard CP1 ceiling plate shielding the fixings

Order Code CPSC1 45.40



510	ard Chrome I ffix 'C' – for ceiling	Stainless Steel (Order Code suffix 'SS')	
Order Code	Length	£ Ex Vat	£ Ex Vat
410	410	9.35	21.65
500	500	11.25	26.45
610	610	12.75	32.25
760	760	17.45	40.15
900	900	31.50	47.55
1000	1000	22.50	52.85
1140	1140	26.10	60.25
1500	1500	33.75	109.30
2000	2000	45.00	135.70
3000	3000	67.50	188.55

List above indicates traditional imperial and metric lengths

TETHERLOC Gyrolock Anti-theft Kit

Tough steel cable system has special fittings which shield access to the projector fixing screws and link the mount and projector to protected ceiling fixing bolts.

Order Code GT40	for GK1 (40cm cables)	£ Ex Vat 78.80
GT80	for GK2 (80cm cables)	84.80
GT130	for GK3 (130cm cables)	91.50

Video Conference Camera Wall Shelves

Neat units in glass or metal for wall mounting.

Order Code		£ Ex Vat
WBVC	Metal - 350w x 250d	71.30
WBVG	Glass - size: 500 x 400	86.40
WBVG1	Glass - size: 780 x 390	108.90

Versions also available for specific video conference cameras and codecs - Call us for details.

sales@unicol.com

TC1000



AV Mounts - for the professionals

Green Road Oxford OX3 8EU 01865 767676 sales@unicol.com www.unicol.com













