Edition 57



Mounting Solutions Supporting You

Welcome to the 2020 UNICOL Catalogue

Our comprehensive range of AV equipment mounts is available ex stock and offers unrivalled flexibility. Order either as standard assemblies or in component form to suit your own requirements. We also offer an efficient service in the manufacture of custom made items, from 'one-off' specials to large scale projects for corporate users. - Call us today or visit our website!





2020 and our new decade is both a journey into the unknown and an opportunity to embrace new technologies, so uncharted as well as exciting times lie ahead.

What is certain is the growing and urgent need to respect our planet and conserve all those precious resources once casually thought of as infinite. All of us are being called upon to play our part, and manufacturers such as ourselves particularly so given the many hundreds of tonnes of products that leave our factory annually. Unicol is perhaps fortunate in that the steel and aluminium it uses is all recyclable and the cardboard packaging also. What little in the way of plastics used are all clean and identifiable so again fully recyclable. One of the virtues of manufacturing everything in the UK as we have done over the last 56 years is that our products are not shipped from places afar such as China or the USA thus further reducing our carbon footprint. Finally, with so many of our products being designed as modular interchangeable parts, long term re-usability is another positive aspect.

This latest addition of our catalogue includes many new products and upgrades to others. Our website offers a parallel reference enabling easy access to products listed using alternative search options. We look forward to working with new and existing loyal customers, supplying both standard products, custom made items and being involved with the more complex projects which our design and manufacturing teams routinely do.

David Joblind Managing Director

UNICOL products have been designed to meet BSI installation specification standard BS8590. All goods are sold subject to the Companies terms & conditions of sale, a copy of which is available upon request or can be downloaded from our website www.unicol.com. VAT will be charged at the prevailing rate at time of invoice. Mechanical items have a 10 year design & manufacturing warranty. Electrical parts are covered by a 12 month return to base warranty. UNICOL products are the subject of continuous development and we reserve the right to improve designs or change specifications without prior notice. Products and prices listed in this catalogue are correct at time of going to press (Issue 57 - 2020). © Peter Ligertwood 2020.

UNICOL Engineering, Green Road, Oxford, OX3 8EU, England

Contents - Product Finder Pages



What's New

Special Projects





Screen Mount **Trade Packs Slim Profile Mounts**

24 & 25



VS1000 Stands, Trolleys & Components

6 & 7



Wall Arms Panarm & Standard Range

26 & 27



Stands & Trolleys

8 & 9



Outdoor Housings & Covers

28 & 29



Avecta Stands

Parabella & Tevella

10 & 11



Indoor Kiosks & Totems

30 & 31



Rhobus Stands & Trolleys Nesting Trolley

12 & 13



Video Wall Mounts /-Wall Video Wall Stand **AV Roller Trak**

32 & 33



Large Axia Titan Stands & Trolleys **Motorised Stands**

14 & 15



Screen Rail **Gantry Systems**

34 & 35



AV Furniture Huddle Tables **Education Lecterns**

16 & 17



Floor to Wall & Ceiling **Cassette Mounts PC Housings**

36 & 37



AV Teaching Lecterns Cabinets & Large **Screen Lecterns**

18 & 19



PSU Projector Units Guardbox

Security Cages 38 & 39




Dedicated Wall Mounts Sound & Video Bars Universal Wall Mounts

20 & 21

Installation

Components

22 & 23



Gyrolock Projector Mounts

40 & 41



Single Column Stands & Trolleys **Parts & Accessories**

42 & 43





How To Order

Call our technical sales team direct, via email or order online.

We are more than pleased to help regarding best choice of items to order or advise on any project being considered.

Tel: 01865 767676

Email: sales@unicol.com

Web: www.unicol.com

Most standard products are available on an ex stock basis. Please state screen or projector make / model & colour choice.

Symbols & other information



Typical single screen guide: Light or heavy monitors will influence this.



Maximum carrying capacity for which each product is designed.



Sinterflex black (standard)
Diamond silver / white (optional)

Colours ex stock. (no cost where shown)

Please state colour choice when ordering (Non-standard colours to special order)

Dimensions shown are metric Prices shown are Ex Works, Ex VAT

UNICOL Special Projects Department Highlighting our in-house design & manufacturing capabilities, resolving every day customer requests.





































www.unicol.com 01865 767676 sales@unicol.com www.unicol.com



With VESA Screen Mount

VSB-1500x2-VMSV

100 x 200 & 200 x 200 VESA - up to 32" / 35kg max

VSB-1500x2-VMSV2

300 x 300 & 400 x 400 VESA - up to 40" / 40kg max

With Universal Screen Mount

VSB-1500x2-PS2-PZX

For screens up to 70" - up to 60kg max

(State screen make & model)







Choose from the standard units listed or select & assemble any of the parts to suit your needs

VS1000 trolleys with Scimitar bases

The curved design of the Scimitar base units offers an attractive alternative to 'K' base versions.

Whichever style you choose all these trolley assemblies are available in both VESA or Universal screen mount versions.



With VESA Screen Mount

Standard Scimitar base trolleys

brakéd wheel options - see

Order Code

VSS-1500x2-VMSV

100 x 200 & 200 x 200 VESA - up to 32" / 35kg max

VSS-1500x2-VMSV2

300 x 300 & 400 x 400 VESA - up to 40" / 40kg max

With Universal Screen Mount

Height

to centre

of screen

1500mm

Standard

VS1000 trolley

with Scimitar

VSS-1500x2-PS2-PZX

For screens up to 70" – up to 60kg max

(State screen make & model)

Mount Adapters

Converts Pozimount mounts (or Xactmatch mounts) to fit twin columns. Standard Allen screw fixing. Fully height adjustable. Order Code

PS2 Standard single screen **PS8** Back to back screens



Pozimount Universal Flat Screen Mount

For screens 42" to 70" plus VESA fixings 200 x 200 to 400 x 400.

Scimitar base

with optional

locking cabinet

Build any configuration from

PZX3 non-tilting

"The Work Horse of

the AV industry"

Full Pozimount range on Page 21

Column fitting VESA Mount Fits direct to columns, covers many popular VESA screen mount sizes.

VMSV

the components listed below

VESA fixing mn 75 x 75, 100 x 100, 100 x 200 & 200 x 200

VMSV2

300 x 300, 400 x 200 & 400 x 400



In metal or toughened glass. Order Code metal/mm

VP1 500w x 400d VP2

550w x 450d VP3 300w x 300d

glass/mm Order Code VGS 500w x 400d

Shelves



VSR base has higher spec BRAKED wheels - supports up to 105 Ka

Scimitar[™] Bases

Elegant curved design Trolley base has 10cm non marking rubber tyre wheels.

Stand version has 1.5cm plastic feet.



Standard Plinth Base

Stylish plinth base has resilient non-marking feet. Has clearance for cables routed beneath.

Order Code VSL 760w x 580d



Columns

Chrome plate finish (pair) Order Code 1500X2 1500

Brushed Stainless Steel (each)

1500SS 1500

(Other column lengths listed on Page 22)



Locking Cabinet

For DVD players, PCs etc. Fully height adjustable. Rear panel has access for cables.

Order Code Internal Dimensions mm **VLC** 550w x 150h x 400d



VBR base has higher spec BRAKED wheels - supports up to 105 Kg

Original 'K' Base

Still preferred by many for its robust design. Has 10cm nonmarking rubber tyre wheels.



Back-to-Back Base

With centralised column sockets for Back-to-Back screen use. Resilient non marking feet & clearance or cables routed beneath.

VSLBB 700w x 700d



Distance from twin sockets to base rear edge – 25mm

Compact Bolt Down Base

Offers minimal base footprint for fixed screen stands. M10 floor bolts (not supplied) fully recess into base. Trim caps neatly complete installation.

VSF 400w x 300d



ESU UK as illustrated ESE Europlug

These clip to the base of the VS1000, TC1000 and the Single

4-Way Power Sockets

Column Trolley range (Page 42). With 4m cable and 13A plug. European version also listed.

01865 767676 www.unicol.com sales@unicol.com www.unicol.com 6

Axia Stands & Trolleys

Height

1500mm







- * Graceful, stylish design
- * Neat cable management
- * Screen mount included
- * 4-way power socket
- * Safety glass shelves
- * Video Conference versions
- * Portrait screen options
- * Corporate colour options









Hi-Level Stands

With our PZX universal screen mount. Stylish plinth base has resilient nonmarking feet. 4-way power socket neatly locates behind screen.

Select toughened glass or metal shelves as required.

Standard Hi-Level Stand

AX15P for screens up to 70"

Lo-Level Stands

The quality option for corporate lounges or hospitality seating areas.

With our PZX universal screen mount. Plinth base has resilient non-marking feet. 4-way power socket neatly locates behind screen.

Standard Lo-Level Stand

AX12P for screens up to 70"

Plinth Cabinet Stand

Popular for showroom or exhibition use. Lockable base for PCs, DVDs etc has resilient non-marking feet.

AX16P Cabinet Base version Cabinet internal dims 480(w) x 400(d) x 160(h)mm

Axia Twin Screen and Video

Conference Stands & Trolleys

Height to centre of screen

1600mm

Typically 38-57"

Twin screen

trolley version

These internally strengthened units for twin screen use cover a wide range of screen sizes. Easy to set up, using our PZX universal screen mounts. Toughened glass shelf is included.

Stand Versions Order Code AXC15P51 screens 38" - 57"

Trolley Versions AXC15T51 screens 38" - 57"

State make & model of screens when ordering Above screen video conference mounts and larger screen versions also available.

- Call us for any advice or assistance required

Lo-Level Trolleys

Includes PZX universal screen mount, 7.5cm twin wheel castors.

to centre

of screen

4-way power socket neatly locates behind screen.

Standard Lo-Level Trolley

Order Code

AX12T for screens up to 70"

Hi-Level Trolleys

Uses PZX universal screen mount and base with 7.5cm twin wheel castors. 4-way power socket neatly locates behind screen.

Standard Axia

Hi-level trolley in optional

Diamond Silver

Height to centre

of screen 1600mm

√60kg MAX • ○

Heavy duty

brakéd wheel options - see page 43.

Select toughened glass or metal shelves as required.

Standard Hi-Level Trolley

optional

AX15T for screens up to 70"

Shelves

Edge polished toughened glass or metal versions available.

Lugs fit through mast slots & screw securely into position.

glass/mm Order Code AXGS 500w x 400d AXWS 780w x 390d

metal/mm Order Code AXSS 500w x 400d



PCs etc. Lockable drop down door.

Rear panel has access for mains and other cables.

Order Code Internal Dimensions mm **AXLC** Size 550w x 150h x 400d






Video Conference Mount

For most makes/models of cameras. Fits either above or below screen.

Telescopic adjustment enables camera platform to be positioned at optimum height.

Dedicated mounts for specific makes/models of cameras also available - Call us for details.

VCM shelf size 340w x 260d



Axia Colour Options

With their graceful flowing curves Axia stands & trolleys already look good in their standard finishes.

Adding a corporate or individually chosen colour can dramatically enhance the effect, harmonise with interior schemes or even the screen itself.

- Call us for further details



01865 767676 9 www.unicol.com sales@unicol.com www.unicol.com

Avecta Stands & Trolleys



From boardroom to show venue – a flexible and adaptable stand system with excellent cable management. Static or wheeled versions, single or dual screen options.

Hi-Level Stand & Trolley

Height to centre of screen adjustable from 1100mm to 1500mm complete with PZX universal screen mount, 4-way power socket and all metal shelf.

AVHP AVHT

Stand with universal mount Trolley with universal mount

AVHTR1 With RTM10 Rotamount complete **AVHTSURH** Trolley for MS Hub 2 with shelf Stand with bolt down base & shelf

Lo-Level Stand

Height to centre of screen fully adjustable. Comes with PZX universal screen mount, 4-way power socket and all metal shelf.

AVLP



Height to centre of







AVHTSURH with

Video conference & For large screens up to 110" – this twin screen units

Different screen sizes can be accommodated using one of 3 central cross member types

which carry our standard Pozimount universal mounts.

State screen make & model when

Avecta AVHP with optional 2

x AVGS glass shelves

trolley comes

Height to

ordering

TCAVT

with an integral

universal mount.

centre of screen adjustable up to

> **ACHT ACHP**

Order Code

Hi-level Trolley Hi-level Stand

State screen make & model when ordering

VCM Video Comes with metal shelf. Order video conference Mount also camera mount, or glass shelf as required. available -(See Page 21) Avecta ACHT with AVP1

metal shelf and optional

Avecta Accessories

Bolt-Down

available.

Floor to wall also

Heavy Duty

Trolley

TCAVT

Height

to centre


of screen

adjustable


to 1500mm


AVGS Glass AVP1 Metal 500w x 400d AVP2 Metal **AVP3** Metal 300w x 300d AVP4 Folding 440w x 350d

10









AVLC 500w x 140h x 400d

Popular & Specialist Stands

Parabella

The recommended stand unit for exhibitions & conferences.

- * Curved slim design
- * For screens 40 80 inch
- **★** Neat cable management
- * 1.8m viewing height
- * Standard & Large available

Standard Parabella

Comes with PZW1 universal mount & converter.

Order Code

PA2 for screens 40" - 70"

Heavy Duty Parabella

Comes with PZX9 universal mount, larger base & converter.

PA9 for screens 71" - 80"

Note: Parabella is not suitable for touch screen use.

Parabella Accessories





Toughened glass fully edge polished. Order Code

PARAG2S size 500w x 400d

Base & Converter – screens up to 80"

Order Code

PARAB2 large size 1210w x 700d

CTPA3 mount converter

Power Sockets

In special housing to fit Parabella stand with 4.5m cord.

Order Code

PARAES4B 4-way socket



& model when



Tevella TV Stand

- * Cables routed through base & column
- **★** Bolt down version also available
- * Stand height to centre of screen 100cm
- * Trolley height to centre of screen 140cm

Order Code


TVV1 Upright - 15-32" screens

TVL1 Lectern Version - 15-32" screens

Trolley Version - 15-40" screens

Order Code

TVB1 Bolt Down Version - 15-40" screens



11

Typically 15-40" screens

sales@unicol.com www.unicol.com

Equipment Shelves

Height adjustable. Cable entry.

500w x 400d



www.unicol.com



Order Code inside dimensions mm

01865 767676

RHOBUS Video Conference & Presentation Range



With its clean lines and superior finish options the Rhobus range of stands and trolleys answers all the needs of the corporate user – from boardroom to prestige exhibitor.


Choose from the elegant single screen version through to multi-screen units to support the very latest and best in corporate communications. Ample capacity is provided within the central mast for cabling, codecs and other systems, all accessible through a locking door. Built in power socket comes as standard.

	Rhobus Models	
Order Code		
RH100	Single Screen (33" - 70")	
RHBD100	Bolt Down (33" - 70")	
RH200	Twin Screen (33" - 70")	
RH100HD	Heavy Duty (71" - 110")	
RFWSHHD	Floor to Wall (71" - 110")	
RHPL100HD	HD PowaLift (71" - 110")	
RH400HD	2 x 2 Screen (33" - 57")	
	Bases	
Order Code		
RHB1	Standard Base – 900(w) x 500(d)	
RHB2	Heavy Duty Base – 1200(w) x 660(d)	
RHUBD	Bolt Down / Floor to Wall – 650(w) x 310(d)	
NSTB1	Nest-Star Trolley Base – 1115(w) x 770(d)	

	Rhobus Accessories	
Order Code		
RHGS1	Glass Shelf – 500(w) x 400(d)	
RHGS2	Glass Shelf – 780(w) x 390(d)	
RHCB1	Blade style Camera Mount	
RHCC	Blade mount conversion shelf	
RHH1P	Manoeuvring handles	
VCM	Standard Camera Mount	
RFWSWT	Wall Tie (attaches mast to wall)	
	Masts	
Order Code		
RHMU1	Standard Rhobus & Nestar Mast	
RHMU2	Rhobus Power Lift Mast	
RHMU3	Rhobus Floor to Wall Mast	
	Taller Masts can be made to order Please call us for details	

An abundance of practical features





Foot Castor



Easy access to mast housing - dims 440(w) x 470(h) x 80(ď) via lockable pull down door



Rhobus RFWSHHD Floor to Wall stand with front panel lockable access door & a power socket in either side, in Sinterflex black


Fully adjustable screen arms RHPZX1VW, RHPZX3VW & RHPZX5VW are used on twin screen units

RHOBUS Accessories



Camera mounts available in two versions: (See P21)

- * VCM standard mount fits above or below screen
- * Vertical blade type allows camera to be positioned between screens.



* Our RHCC conversion shelf is also available in versions dedicated to specific cameras. Above screen camera mounts also available.

NEST-STAR

A complete teaching assistant on wheels that can be deployed quickly and neatly stowed when not in use.


This robust trolley supports your displays and securely houses your favourite PCs and controllers. The standard trolley comes with a plain mast. However, we understand that choice of equipment is important and will customise the rear or front of the mast section with a 300 x 300 x 100mm cable/keyboard pocket and standard double gang wall plate & cable assembly at an additional cost. (Please call us for a quote). Handles are provided for ease of movement as standard.

These trolleys can quickly turn an empty space into an effective student e-learning environment. Whilst Sinterflex Black is the standard colour, other bright & bold finishes are available.

- * Robust modular construction
- * Easy to assemble and install
- * Quick and easy deployment
- * Customisation available
- * Secure storage for players / PCs
- * Standard black with colour options
- * Fast turnaround delivery 5 7 days

NST1 For up to 70" screens (Trolley only - no electronics)

NST2 For up to 90" screens (Trolley only - no electronics)



* Please Note: Standard trolley comes in Sinterflex Black with plain mast. The rear / front of the mast can be customised with a cable/keyboard pocket and double gang wall plate & cable assembly.

When ordering please state make & model of screen, custom option requirement and colour choice. There will be an additional charge of 18% for non-standard colours.

www.unicol.com 01865 767676 12 sales@unicol.com www.unicol.com 13

Axia Titan Heavy Duty Stands & Trolleys





Designed for large format or multi-screen applications, these trolleys incorporate heavier mast sections and increased base footprint to accommodate large screen sizes and heavier loads. Axia Titan trolleys come in 4 versions:

- * Fixed Height
- * Manual Easy Lift
- * Bolt Down versions
- * PowaLift with Remote

Safety Note: Safety must always be the first priority when handling large / heavy screens, which should be installed by qualified personnel using appropriate lifting equipment. Manoeuvre and position trolleys only on flat and even surfaces. Large screens may need removing when manoeuvring trolley under standard door heights.

Manual Easy Lift

Smooth 'ratchet action' for easy lifting. Practical, reliable and immune from show venue power outages!



Manual Easy Lift Trolley For Screens up to 98"

AXW20 1.5m to 2.5m centre of screen

PowaLift Electronic

Axia Titan PowaLift Versions. - Smooth powered vertical travel for screens up to 110"

These trolleys incorporate a powerful linear drive system within the heavy duty mast. Supplied with hand held remote and manual switch option as standard.

Order Code

AXL15T2J for screens up to 110"







Fixed Height

For Screens up to 110"

Order Code

AX15T2J 1.5m to centre of screen **AX20T2J** 2m to centre of screen

For multiple 2 x 2 (4) Screens Up to 55" & 35kg max per screen

Order Code

AXM20T31 2m to centre of screen

State make & model of screen



Motorised Stands, Trolleys



Electronic control & PowaLift technology combine in these versatile units.

- * Safe, smooth operation
- * Well proven technology
- * Quality, long life components
- * For screens 33 to 98 inch
- * Controllable by remote fob, cord switch or direct from your laptop – all supplied with unit

Operated by wireless remote or manual switch, screens can be commanded to rise or descend smoothly through 700mm, stopping safely at any point.

These units serve many requirements, particularly in the field of education, enabling young children or wheel chair users to interact with touch screens. 'Touch of a button' height control also makes it easy to move from one location to another through doorways.

Screen mount, hand held remote with manual switch and 4-way power socket supplied as standard.



Laptop Arm fully extends & articulátes

Laptop platform

Order Code AVML7



Floor to Wall Version

Using the same proven mast technology as our trolley version these units allow fixed installation with the benefit of compactness and slim profile.

Order Code

AVMW71 33" to 70"



Order Code **AVMW91** 71" to 98"

State make & model of screen





State make & model of screen

Trolley Version

AVMT71 33" to 70"

Operation



Rhobus RHPL100HD Trolley with 'Touch of a button' PowaLift technology to raise and lower

For larger screens the Rhobus Powalift version has all the functionality of the original - above.

AVMT71

unit shown with

antenna, power-in, USE

4-way power socket,

& cord switch socket

- * For screens 71 to 110 inch
- * Safe, smooth operation
- * Quality, long life components
- * Bolt down & Floor to Wall versions available
- * Controlled by remote fob, cord switch or direct from your laptop - all supplied with unit


Order Code

RHPL100HD HD PowaLift (71" - 110")





www.unicol.com 01865 767676 www.unicol.com 15 sales@unicol.com



There are two Rhobus table versions, Huddle and Stand-to-Meet. The Huddle can be powered up and down to adjust table height. Both have ample capacity & connectivity for cabling, codec and integration with other systems, all accessible through a cable well and locking door. Built in 4-way power socket comes as standard.

Video conference camera mounts are available for all the leading manufacturers of VC equipment. Table tops can be customised in different shapes with cut-outs for all the leading brands of connectivity devices. They can also be branded with different colours and logos. Seating can be supplied as an optional extra.



- * Underside rack options
- * Built in hearing induction loop
- * Motorised height adjustable top
- * Branding, logos & special finishes
- * Accommodates wide choice of devices
- * Lockable equipment housing
- * Fast turnaround

Rhobus Stand-to-Meet

RS01

Twin screen stand to meet unit

RSU01

Underside custom controller /switcher unit

RSU02 Large front mast for cable cubby with retractors



As a distributor of AV Plates we can enhance any models of Unicol AV Furniture - Please call for details.

Order Code

RHO1 RHO2

Single Screen version Twin Screen version







AV Furniture - Lecterns and Desks



Canterbury™

Free Standing Lectern

- * Premium lecture room quality
- * Fast turnaround
- * Customised control housing options
- * Secure front & rear installation access
- * Lockable, with key alike options
- * Concealed castors plus levelling feet
- * High quality monitor arm included
- * Sinterflex Black & other colours available
- * 19inch, 16U rack supplied as standard
- * Quality wood finish 36mm work surface
- **★** All to BS8590 AV Code of Practice guidelines

Versatile lectern provides secure storage for media electronics with 19" 16U rack mounting as standard. Stylish oval cabinet has concealed castors with jacking feet for extra stability on uneven surfaces. The range of durable desk tops are available in a choice of sizes and incorporate a control panel housing for standard & custom apertures together with power outlets.

High quality monitor arm is fully adjustable, desk top has generous room for keyboard and visualiser (if required). All are available in 1000, 1250 & 1500mm widths, 750mm deep with a choice of wood effect finishes. In addition to the standard units offrered we are able to customise for a wide range of requirements plus colour options and branding. This premium self contained lectern is complimentary to any modern lecture theatre.

Desk Top and Cabinet Choices:













How to Order

Choose from the three models listed below and select any of the desk top & cabinet finishes listed. Please include preference for monitor arm left or right and control panel housing requirements.

Order Code

UFCL10 **Canterbury Lectern**

Top - 1000x750x36mm - with Monitor Arm & Control Housing

UFCL12 **Canterbury Lectern Plus**

Top - 1250x750x36mm - with Monitor Arm & Control Housing

UFCL15 Canterbury Lectern Pro Plus

Top - 1500x750x36mm - with Monitor Arm & Control Housing

Presentor

Cabinets

Wall Mounted Control Desk

Ideal for small lecture theatres or anywhere where space is limited. Folding work surface is ideal for laptop, notes etc. Unit is designed to be functional yet compact, with many control panel options.

Lockable cabinet (with key alike options) is provided for a PC with access to PC ports and power through the side of the unit. A 3U rack strip is also built in. Options include standard UK two gang aperture, plus any other control panel features required.

How to Order

Decide control panel preferences and PC or other items to be housed. Our technical team will be pleased to advise regarding options available. In addition to colour choice offered, alternative finishes can be quoted for.

Order Code

UFPL08 800(w) x 796(h) x 605(d)

sales@unicol.com

Work Surface





Presentor

desk with folding top





01865 767676 16 www.unicol.com

www.unicol.com

AV Furniture - Teaching Aid Desks & Table Stands



Shown with desk top raised, fully equipped control panel with phone, monitor, microphone, visualisei keyboard and custon

Cabinets

Desk Tops

(36mm thick)



The Principal[™]

Lecturer's Desk

Provides lecturer's with a central desk facility to control AV lecture content, screen or projector video sources, audio, lighting levels and more. Cabinets have 19" removable 6U racks. The desk, with control housing and screen mount, powers up and down for standing or seated operation using the manual switch or remote fob supplied.

- **★** 19" removable 12U racks allows pre-installation option
- * Full cable management allows for bulky connectors
- **★** Motorised Desk Top in a range of widths & finishes
- * Screen mount has left/right or multi-screen options
- * Control Housing has standard & custom apertures
- * Quick release doors for ease of installation
- * Generous desk top space for visualiser if required
- * Castor mobile for access through standard doorways
- * Optional custom logos plus illuminated versions
- * Fast turnaround

How to Order

Choose from the three models listed below and select any of the desk top & cabinet finishes listed. Please include preference for monitor arm left or right and control panel housing requirements.

Order Code UFPD15 1550(w) x 778(h) x 700(d) UFPD18 1850(w) x 778(h) x 700(d) UFPD24 2400(w) x 778(h) x 700(d)



Lecturer's Desk

With the ability to change lighting, content, audio and video sources from one place, the Mentor allows users to take control in any lecture theatre from one desk facility.

Desk Top and Cabinet Choices:

How to Order

Select any of the desk top & cabinet finishes listed above. Please include preference for monitor arm left or right and control panel housing requirements.

UFMD13 1300(w) x 778(h) x 700(d)

- * Hinged desktop gives easy access to AV equipment beneath
- * 19" removable 12U racks with additional 1U vertical rack featured in desk leg
- * Full cable management
- * Lockable, with key alike options
- * Concealed castors plus levelling feet
- * Neat quick release door mechanism
- * Desk top control housing options
- * Range of desktop and cabinet finishes
- * Custom illuminated branding options




Table Stands for screens 40 – 70 inches

Our table stands are available in Universal & Dedicated mount versions: Standard VESA sizes are covered by our PFT1, 3 & 21 stands. Larger screens - 58" and above are covered by our dedicated model range designed and manufactured for each make & model listed.

All versions have resilient non marking feet.

PFT3 Universal 32" to 57" - 200 x 200 to 400 x 400 VESA PFT1 Universal 40" to 57" - 200 x 200 to 600 x 400 VESA PFT21

PFL3

Universal 58" to 70" – 200 x 200 to 600 x 400 VESA Dedicated 71" to 90" - max weight 60kg



Illustration shows 70 inch screen version from our dedicated model range





Media Screen Units, Cabinets & Tilting Lecterns

19" Rack Cabinet & Screen Units

This versatile range provides secure storage for media electronics. 19" rack mounting as standard, shelves optional. Select mast & screen mount units from the listings below.



Standard cabinet 500w x 700h x 500d

AVR5 Standard rack mount depth 442mm AVR7 Extended rack mount depth 642mm AVR9 Oval style cabinet (dims as standard)

Order Code

Mast assembly inc single screen mount



AVRT5 Standard rack mount depth 442mm AVRT7 Extended rack mount depth 642mm **M2X1** Mast assembly inc twin screen mount

AVRHD3 inc. columns, mounts & 3x12u racks

* Special Non-standard Versions of these cabinets, screen mounts nnd accessories are also manufactured – Call us for details.

AVRT5 Standard twin cabinet 1015w x 700h x 500d **Universal Shelves**

Fit all cabinet versions and locate into rack mount slots. Useful above / below rack mounted equipment or in any way required.

Order Code

VR300 1u Rack

VR500 Shelf – 430mm(d) **VR700** Shelf – 630mm(d)

THALEAU

Large Screen Lecterns





TABLEAU

Mast incorporates two compartments, both 344(w) x 95(d) - 1 x 280(h) & 1 x 398 (h), to house small PCs or other electronics together with cabling. Base unit has resilient non marking feet and clearance for cables routed beneath.

Order Code

TL1-PZX1 for screens 33" - 70"

State screen make & model when ordering

There are two models offered:

Shown left, TL1, a rigid and stable platform with fixed angle screen

Shown right, TL2, a trolley that can be powered up and down with a variable angled screen mount, manually operated through 90 degrees from horizontal to vertical.

Full cable management is provided at the rear.



TABLEAU+

Operated by manual switch, screens can be commanded to rise or descend smoothly through 500mm, stopping safely when required. Screen angle can be manually moved through 90 degrees and locked at any point. Standard model TL2 comes with mount & full cable management.



TL2 for screens 46" - 70"

State screen make & model when ordering

01865 767676 18 sales@unicol.com www.unicol.com 19 www.unicol.com

Dedicated Screen Mounts



Approved mounts specifically designed for each make and model of screen listed

Xactmatch mounts take all the guesswork out of ordering and installing screen mounts whatever the make or model and whether stand, trolley, wall or ceiling fixed. Our range covers all popular makes of screens and are available in landscape or portrait versions.

- * Factory designed & tested for each screen model
- * Cable entry & cooling vent positions allowed for
- * Landscape and portrait versions for all models
- * Correct screen fixings included

Slimline Flat Mounts (Landscape)

PLX1 Screens up to 70" landscape - 80kg

PLX3 Screens 71" to 110" landscape - 150kg

Slimline Flat Mounts (Portrait)

Screens up to 70" portrait - 80kg

State screen make & model when ordering



Tilting Mounts (Landscape)

Order Code PLW1

PLW3

Screens up to 70" - 80kg

Screens 71" to 110" - 150kg

Tilting Mounts (Portrait)

PPW1

Screens up to 70" - 80kg Screens 71" to 90" - 150kg

Xactmatch Rota Mounts

Smoothly rotate screens from landscape to portrait and anywhere in between.

Rota Mount RTM1 is designed to fit most Unicol stand & trolley models or floor to ceiling systems and can also be direct wall fixed if required. In-built safety stops allow precise indexing to both landscape and portrait positions.

Use Rota Mount in conjunction with our range of special Exactmatch slimline flat mounts, stating make & model of screen when ordering.

RTM1 Screens up to 70" – Includes PLX mount



Comes with screen mount Please state screen make & model

Safety Note: Ensure safe cable management when using these units. Cables should be sheathed or otherwise protected and have sufficient freedom of movement.

Universal Rota Mount

For stands & trolleys





Rotating through 90° this mount can also be adjusted from vertical to 5° tilt. Fits Avecta trolleys or stands.

Order Code

RTM10 Flat & 5° tilt – up to 70"

Fits VESA sizes 200 x 200, 300 x 300 & 400 x 400

Sound Bar & Video Conference Sound Bar Mounts

SBM1

O 10kg MAX

Higher capacity Rota Mounts for larger displays available – Call us for details.

Sound Bar Mounts

We design and manufacture sound bar mounts for many makes and models. These units allow sound bars to be fixed to our stands & trolley ranges and ceiling suspension systems by fixing to columns or universal mounts.

The SBM1 & SBM9 hook onto Universal Mounts. The SBT1 utilises the 150 x150mm centres for twin screen central mounting.

Can be mounted above or below the screen.

Order Code

SBM1 Screens up to 70" – PZX/W 1&3, FCS1, ScreenRail & KP1&3 SBM9

Screens 71" to 110" - PZX9U, FCS4 & TCAVT SBT1 Twin Screens up to 70"

Video Conference Sound Bar Mounts

Sound bar mounts that include a camera mount for many makes and models are also available. Sound bars including cameras can be fixed to our stands & trolley ranges and ceiling suspension systems.

These are built for single or twin speakers and designed specifically for the make & model of speakers and camera.

Can be mounted above or below the screen.

VCSS1 & VCSS9 Single Speaker + Camera Mount **VCTS1 & VCTS9** Twin Speaker + Camera Mount


Please state application, make & model of Sound Bar and Camera

Universal Screen Mounts

pozimount

Universal screen mount range

- * Double gang aperture and fixing slots
- * Flat & tilt versions, in landscape and portrait, all with screen levelling & optional security kits available
- **★** Fully adjustable accommodates wide range of VESA screen options with fixing kit supplied covering M4,M5,M6 & M8
- * Use direct fixed to wall, also fits all stands, wall arms or ceiling mounts in our range



Flat to Wall Version - 30" to 40"

Depth from wall 45mm

PZX0 VESA 100 x 100 to 400 x 200

Overall width / height of mount - 465mm x 332mm

Flat to Wall Version - 33" to 70" Depth from wall 45mm

PZX3 VESA 200 x 200 to 400 x 400 Overall width / height of mount - 540mm x 440mm

PZX1 VESA 200 x200 to 600 x 400

Overall width / height of mount - 765mm x 540mm

(For VESA 800 x 400 order PZX5 - £98.40) (Overall width / height of mount - 870mm x 640mm)

Flat to Wall Version - 71" to 110"

Depth from wall 50mm

PZX9

VESA 1000 x 600

Overall width / height of mount - 1070mm x 700mm (PPZX9 Portrait Version also available - same price)

Tilting Version – 30" to 40"

We offer stainless components to combat harsh environments

when using waterproof / IP rated screens - Call us for details

Depth from wall 55mm

PZWO VESA 200 x 200 to 400 x 200

Overall width / height of mount - 465mm x 332mm

Tilting Version – 33" to 57"

Depth from wall 55mm

Order Code

PZW3 VESA 200 x 200 to 400 x 400

Overall width / height of mount - 540mm x 440mm

PZW1 VESA 200 x200 to 600 x 400 Overall width / height of mount - 765mm x 540mm

Tilting Version – 58" to 70"

Depth from wall 65mm

PZW8 VESA 200 x200 to 600 x 400

Overall width / height of mount - 700mm x 536mm

Pozimount - Portrait

For screens – typically from 40" to 70" VESA 400 x 400 to 400 x 600

Flat to Wall Version

Order Code

PPZX2 depth from wall 45mm

Overall width / height of mount - 465mm x 700mm

(For VESA 200 x 200 to 400 x 400 use PZX3)

Tilt Version (intended for column suspension mounting - add column adapter *PS7*, column & ceiling plate).





Video Conference Camera Mounts

Video Conference Camera Mounts

We have been designing and manufacturing video conference camera mounts for many makes and models for many years. These units allow video conference cameras or any small item to be fixed to our stands & trolley ranges and ceiling suspension systems where a screen is used.

There are a number of models that slot into our screen mount 150 x 150mm fixing arrangements. Other models hook onto the rails of our universal mount range providing options for all installations.

The models listed here have a 360(w) x 260(d)mm standard platform and we have a huge range of custom sizes specific to camera make & model.

Can be mounted above or below the screen.





Universal Mounts



VCMV1

Vertislide Only RHCB1 Twin screen 'Blade Style'

For custom camera platforms please provide make & model – Call us for details

sales@unicol.com www.unicol.com 21

VCMT

VCMP1





Standard Ceiling Plate

Use with any column length for suspension of projectors & single screens up to 57".

Order Code Plate holes mm **CP1** 120 x 120



Large Ceiling Plate

For long column or heavy installations typically up to 70" or twin 57" screens.

Order Code Plate holes mm **CP2** 240 x 240



Stub Column Ceiling Plate

Useful in low headroom situations. Allows direct connection of Unicol PSU projector mounts etc.

Order Code Plate holes mm **CP3** 120 x 120 CP4 240 x 240

Tilting Ceiling Plate

For sloping or 'out of level' installations. Projectors & single screens up to 57".

Order Code Plate holes mm

CP6 120 x 120



Gantry Ceiling Plate

Primarily for spider gantry units (See Page 35). Has internal safety mechanism that allows limited movement of suspension column to protect ceiling fixings.

Plate holes mm **CP5** 300 x 300 & 500 x 500



Anti-Vibration Ceiling Plate

Internal damping system provides floating action to reduce vibration from above. plate holes 120 x 185mm

Order Code Plate holes mm **CPAV1** 120 x 185



Girder Clamps

For girders 75-250mm and 75-350mm wide. Adjust from level to extreme angles of tilt.

Span mn Order Code GC25 250 GC35 350 Wider span versions available



Twin Ceiling Plates

For suspension of screens over 50" & floor to ceiling column installations using floor plates FP8 (see below). CP9 360° swivel version also listed.

CP8 Standard 220 x 180 240 x 240 Swivel



Tube Clamp

For suspending screens from lighting gantries, show stands or other structures. Screens up to 57".

Order Code TM05 for 50mm tubes



Truss Clamps

For suspending screens and projectors from standard truss.

- fits truss 40 - 55mm dia

Order Code CT1

CT2

up to 57" screens with safety hook



Pipe Clamps

Available in a wide range of sizes. Please state pipe diameter when ordering.

Typical mount for 75 - 300mm pipe shown.

Order Code TM530



Typical unit shown for pillar

diameter of 600 - 625mm

We manufacture these clamps in a wide range of sizes for circular pillars.

Order Code

VCC1 Single Arm VCC2 Double Arm

Pillar Clamps

(Triple-arm versions available - Call for details)



Column Coupler

To enable columns with 'through bolt'holes to be joined together for vertical suspension. Coupler conceals neatly within column.

CC

Note: For ceiling suspension use only

Trim Disc

Order Code TD1

Retro Trim Disc Allows fitting after

Suspended ceiling finisher.

installation.



Blanking Disc Blanks holes in ceiling tiles.

Order Code TDB1



Safety Locking Ring

Necessary at the lower end of any ceiling suspension installation using column mounted components, where safety 'through bolts' are absent.

Order Code **LR**



Single column mount adapter for

Pozimount and Xactmatch mounts when used for ceiling suspension.

Single Suspension Adapters

***** 360° swivel

PS1 Single column - up to 70"




Back-to-Back Single Suspension Adapter

Single column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension.

Order Code PS5

up to 70"



Column Tilting Adapters

Use with Pozimount and Xactmatch mounts when ceiling suspended.

* Variable tilt to 15°

* Back to Back version available

PS9

Single Column Twin Column

Has cable entry 120kg MAX

Twin Column Back-to-Back **Suspension Adapter**

We advise the use of Twin Column suspension for large / heavy back to back installations or screens which may be subject to stress or wind loads.

Twin column - up to 70" **PS43030** Twin column - up to 110"



Twin Column Suspension Adapter

Twin column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension.

PS12 Twin column - up to 70" **PS123030** Twin column - up to 110"



Single Column Adapters

Use in conjunction with Pozimount and Xactmatch mounts to position screens vertically on columns. Can also be used for fixing single columns to walls.

Order Code

PS3U1 As illustrated, for screens 33"-70" PS5T Back-to-Back version



Floor to ceiling Column Coupler

For mounting screens on two part columns.

Order Code

PS6U1 for screens - 33" to 70" **PS6UT1** Back-to-Back version



Twin Column Adapters

Use in conjunction with Pozimount and Xactmatch mounts to position screens vertically on columns. Can also be used for fixing twin columns to walls.

Order Code

PS3V1 Twin column - 33" to 70" PS8 Back-to-Back version



www.unicol.com

Twin Column Floor to Ceiling columns.

Couplers For mounting screens on two part

Order Code

PS6V1 VS Range - 33" to 70"

Standard Column sizes We also offer non standard lengths per cm

Chrome finish **Stainless Steel** Order Code mm Order Code *500* 500SS 500 1000 1000 1000SS 1500 **1500** 1500SS 2000 **2000** 2000SS 2500 2500SS 2500 3000 **3000** 3000SS Safety 'through bolt' holes must be used for suspension applications

Compact Bolt Down Bases

Offer minimal base footprint for fixed screen stands. M10 floor bolts (not supplied) fully recess into base. Trim caps complete the installation.

ESF Single – 290w x 240d **VSF** Twin - 400w x 300d AVF Twin - 150mm centres

Has fixing holes

Floor to Ceiling Base Plates In single or twin column versions.

Columns locate securely over bushes to give neat appearance.

FP1 Use with CP1 (see page 22) **FP8** Use with CP8 (see above)

We offer a service in making all kinds of special or non-standard accessories - Call us when planning your next installation.

Custom Made Accessories





01865 767676 22 sales@unicol.com www.unicol.com


Universal Screen Mount - Trade Packs

60kg MAX



These 'package priced' kits offer ease and convenience for specifiers and installers, combining the necessary ceiling plate, column & universal tilting mount for a typical installation.

Three column lengths are listed to suit different ceiling heights. Trade Packs consist of ceiling plate, column & mount(s).



Single Screen Trade Packs for VESA 300 x 300 to 600 x 400

KP110CB with **1m** suspension column

KP120CB with **2m** suspension column

KP130CB with **3m** suspension column

* (please see note below – smaller size mount options)









Back to Back Twin Screen Trade Packs for VESA 300 x 300 to 600 x 400

KP110DB with **1m** suspension column

KP120DB with **2m** suspension column

KP130DB with **3m** suspension column

* (please see note below – smaller size mount options)

For 32" Back-to-Back screens with VESA 200 x 200 fixings use CP1, Column length & DCV1



Wall Arm Trade Packs for VESA 200 x 200 to 600 x 400

Order Code

KPWB Direct coupled

KP105WB with 50cm suspension column **KP110WB** with **1m** suspension column

* (please see note below – smaller size mount options)



Note: The above Trade Packs use PZW1 style mounts. Smaller PZW3 style mounts (P21) for VESA 200 x 200 to 400 x 400 are also available at same price – Call for details.

Slim Profile & Other Mounts

e calibur ultra slim **Universal Wall Mounts** * Only 7.5 millimetres thin! 7.5 * For screens up to 57" (max 35Kg) thin

* Fits all of the following VESA sizes: 200x200 / 300x300 / 400x400 / 600x400

UTM

with 680mm wall plate with 500mm wall plate

(Caution: Please check that your screen has cabling connections which allow the use of a slim style wall mount and do not protrude excessively from the rear).



Tablet Mounts Ideal for point of sale, these mounts are suitable for most sizes of tablet.

> Can be fitted to a wall or single column stand and encases your tablet in a steel shell offering antitamper protection.



TBM1 7" to 11" screens, 100 x 100 VESA **TBM2** 11" to 15" screens, 100 x 100 VESA



Please provide make & model of Tablet when ordering. POE adapters can also be accommodated.

Versus Mount Range

35kg MAX

As screens become lighter it is only natural to have a mounting system that shows off the virtues of Direct and Edge Lit LED technology.

This range of screen mounts is available in wall, stand or ceiling versions, tilting & nontilting. The ceiling version is supplied with an adapter to fit a standard column. The trolley version fits directly to a standard PS2 twin column adapter.

The wall version has ample room for services and folds down into a small package for easy stocking. All versions fit the most popular VESA fixing centres.

Ceiling Mount Version

Order Code

VZWC1 0 to 10 degrees tilt

200 x 200, 300 x 300, 400 x 400, 600 x 400 Add ceiling plate, column & PS2 as required

Wall Mount Version Only

VZWW1

VZWW2 0 to 11 degrees tilt 200 x 200, 300 x 300, 400 x 400

VS1000 Trolley Version

VZWV1 0 to 10 degrees tilt

200 x 200, 300 x 300, 400 x 400, 600 x 400



Small Screen Mount Range





Slim-Line Wall Mount

* For displays up to 21"

Order Code LVC

VESA up to 100 x 100



Lectern style screen mount

For use with touch screens or in show room displays. Tilt angle fully adjustable.

* For displays up to 32"

* VESA 75 x 75, 100 x 100, 200 x 200

SEV1 VESA up to 200 x 200





Clip-On Slim-Line Wall Mount

Easy to use, fits most screens and has concealed security screw.

* For displays up to 32"

* VESA 75 x 75, 100 x 100, 200 x 100

SVC1 VESA up to 200 x 100 SVC2 VESA only 200 x 200





Tilting Wall Mount

* For displays up to 32" Order Code

STV1 VESA up to 200 x 200 **SMV1V** with Swivel & Tilt





25

Swivel & Tilt Mount


★ For displays up to 21"

* VESA 75 x 75 and 100 x 100

Order Code LVA LVB

Tilt Only Swivel & Tilt





Use with any Unicol ceiling or wall suspension equipment.

SCV1 VESA up to 200 x 200 Back to Back version


DCV1

01865 767676 24 www.unicol.com sales@unicol.com www.unicol.com



Range of Swivel Arms

All steel, lasting quality, user adjustable joint tensioning, full swivel & tilt plus screen levelling



Compact Single & Dual arms for screens up to 32 inch


The extra versatility of our dual arm units provide increased viewing flexibility – good also in alcoves or corner situations. Unit folds 77mm to wall and reaches 460mm fully extended. Mount plate fits all small screen VESA sizes, has tilt to 10 degrees plus screen levelling fine adjustment.




Order Code

SRV Single Arm – Fits VESA 75 x 75, 100 x 100, 200 x 100

SSV Dual Arm - Fits VESA 75 x 75, 100 x 100, 200 x 100



These heavy duty (35Kg rated) swivel arms are fitted with our Pozimount universal screen mounts. Each arm version (single or dual) is listed with mounts suitable for either standard or small screen / portrait use.




HD Single arm for screens up to 57 inch

Arm fully extends to 430mm (115mm when folded flat) has full swivel & tilt plus screen levelling feature.


PLS1X1 Fits VESA 200 x 200 to 600 x 400 ount PZX1 for most standard applications)

Fits VESA 200 x 200 to 400 x 400 (With Pozimount PZX3 for small (32") screens or portrait mounting)

(For full Pozimount details see page 21)







EU Registered Design

HD Dual arm for screens up to 57 inch

Offers enhanced degree of adjustment for more extreme viewing angles - arm fully extends to 730mm (155mm when folded flat) has full swivel & tilt plus screen levelling feature.

PLA1X1 Fits VESA 200 x 200 to 600 x 400 (With Pozimount PZX1 for most standard applications)

PLA1X3 Fits VESA 200 x 200 to 400 x 400 (With Pozimount PZX3 for small (32") screens or portrait mounting)

(For full Pozimount details see page 21)

UNICOL Wall Arm System

Wall suspension for screens, projectors, Guardboxes etc.

These standard wall arm units are designed for use with any of our screen or projector mounts, Guardboxes etc.


We manufacture two versions; WB1 allows direct connection of mount (using PS1 suspension adapter) and WB2 as a suspension column version. Wall arms can be fitted with any Unicol screen or projector mount listed in this catalogue.

See pages 20 & 21 for screen mounts and page 23 for PS1 adapter.




WB1

WB2 Socket











HD "Parallel Action" Dual arm for screens up to 110 inch




Robust construction for screens up to 130kg. Able to swivel left or right as well as track in and out in a parallel manner where its use in alcoves (but not exclusively) works particularly well.


Unit fully extends to 535mm. 126mm when closed. Comes complete with fine adjustment features for accurate screen positioning and has a cord release latch for locking when closed. Adjustable stops are included on the screen arms to prevent screens being pushed in at the sides - particularly useful when using touch screens.

PLA4

Fits VESA 400 x 400 - 900 x 600 (Comes with fully adjustable arms)

Please provide us with the make and model of your screen.








HD "Parallel Action" Dual arm for screens up to 70 inch


Robust construction for screens up to 60kg. Able to swivel left or right as well as track in and out in a parallel manner where its use in alcoves (but not exclusively) works particularly well.

Other arm lengths (mm) are available – Call us for details.

391

Unit fully extends to 520mm. 150mm when closed. Adjustable tilt built in.





26 www.unicol.com 01865 767676

sales@unicol.com

www.unicol.com



Outdoor Housings for up to 86" screens


UNICOL pioneered the development of outdoor housings and has unrivalled experience in this specialised field. Our well proven range of housings go from small screen monitors used in harsh environments right up to the latest 80inch large format screens.

All are constructed in 1050 grade aluminium and utilise high quality temperature control components within. Screen viewing panels in impact resistant polycarbonate are incorporated as standard. Toughened or laminated glass is also available as an option.

For the Technical – housings all feature the following:

In Landscape or Portrait

- * Tailor made for perfect screen fit every time
- **★** Wide range available 32" to 86" screens
- * IP53 rated with vandal resistant screen
- * Corrosion free for long life in all weathers
- * Light weight aluminium construction
- * Wall, ceiling or back-to-back mountable
- * Thermostatic internal heating & cooling
- * User replaceable cartridge air filtration



Typically 30-80" screens

Square Corners – 30" to 32"

Square Corners – 33" to 57"

ODH2 Square Corners – 58" to 70"

Order Code ODH3

Square Corners – 80"

ODH4 Square Corners – 86" Stretched

Anti-reflective screen – additional price

* Slimline screens have enabled us to manufacture these housings in our new slimline style. These will always be supplied where the screen depth allows. - Please call us for confirmation if needed.

Protective Covers for up to 70" screens

Screen Protective Covers

5mm thick, clear, anti-shatter screen with a metal bezel provides a durable front cover for screens.

Two landscape versions are available, one that clips to the screen (square corners only), the other attaches to the wall (square & rounded corners available). For portrait versions use order code PCP instead of PCL below. Anti-reflective screens also available.

We can supply bespoke versions in branded colours including logos. - Call for details.

Landscape clip-on (square corners)

(Screen mount required with these units)

PCL0 Clip-on - 15" to 32" PCL1 Clip-on - 33" to 57" PCL2 Clip-on - 58" to 70"

Landscape wall mounted (square or rounded corners)

(Screen mount included with these units)

PCL5 Wall mounted - 15" to 32" PCL7 Wall mounted - 33" to 57" PCL8 Wall mounted - 58" to 70"

PCL10 Wall mounted - 15" to 32" PCL11 Wall mounted - 33" to 57" PCL12 Wall mounted - 58" to 70"


Anti-reflective screen – additional price













Rear Covers

We design and manufacture custom made rear covers for a wide range of screen sizes. These enhance any installation and provide a neat appearance enabling cables & connections to be hidden when screens are installed in open areas.

Full screen versions or partial covers to enclose only the cables & connections are available.

BCW1 Full covers - screens 33" to 57" BCW2 Full covers - screens 58" to 70"

Call us for details quoting make & model of screens being installed

The UNICOL Difference

Why our outdoor housings and covers look so good and work so well is because each one is tailor made to perfectly fit the screen of your choice. Our dedicated Oxford manufacturing facility enables us to do this, with all Outdoor Housings made in durable corrosion proofed aluminium for long term good looks.

All offered with a reliable & prompt delivery service, usually within 5 to 7 days – a perfect result in rapid time!

28 01865 767676 www.unicol.com sales@unicol.com www.unicol.com

Obelisk Digital Signage System

Column style enclosures for large format screens in free standing, floor-fixed and floor to ceiling versions. Custom options available including transparent screens with display cabinet and multi-screens. Custom colours and branded versions also available.

Our Special Projects Design department has been engaged in the ongoing development of these units and can produce conceptual and production versions for many varied applications. Standard portrait versions shown below and listed on opposite page (Landscape versions also available). For custom projects please contact us to discuss specification and options.

STANDARD Column Style

Free-standing & Bolt Down



46" - 75" Screens 2m high





CUSTOM

Column Style

- * Single or back-to-back displays
- * Easy to assemble and install
- * Wide choice of screen options
- * Landscape versions available
- * Laminated glass option
- * Polycarbonate screen cover option
- * Analytic Camera mount option
- * POS Shelf options available
- * Space for players and PCs
- * Branding options available

Colour & Branding Options

- * Colours in Sinterflex Black or White
- * Other colour finishes available
- * Rapid turnaround on orders






Obelisk Indoor Kiosk & Totem Range



Obelisk Edge-Line Enclosure

Designed for double-sided screens such as the Samsung OMN-D 46" & 55" displays, this clean faced design enhances contemporary interiors. Available in freestanding or bolt down versions.

Screen Size / Type	Installation	Order Code	
46 / Double	Freestanding	ODS46FS	
46 / Double	Bolt Down	ODS46BD	
55 / Double	Freestanding	ODS55FS	
55 / Double	Bolt Down	ODS55BD	





	Ot	ther screen sizes ava				
Freestanding Kiosk	Screen Size	Order Code	Single Sided	Order Code	Back to Back	
	30 - 39	KTC3FS		KTC3FSB		
	40 - 49	KTC4FS		KTC4FSB		
	50 - 59	KTC5FS		KTC5FSB		
	60 - 69	KTC6FS		KTC6FSB		
	70 - 79	KTC7FS		KTC7FSB		
Bolt Down Kiosk	Screen Size	Order Code	Single Sided	Order Code	Back to Back	
MAC I	30 - 39	KTC3BD		KTC3BDB		
	40 - 49	KTC4BD		KTC4BDB		
	50 - 59	KTC5BD		KTC5BDB		
201	60 - 69	KTC6BD		KTC6BDB		
					·	
	70 - 79	KTC7BD		KTC7BDB		
	70 - 79	KTC7BD		KTC7BDB		

Floor to Ceiling	Screen Size	Order Code	Single Sided	Order Code	Back to Back
	30 - 39	КТСЗГС		КТСЗГСВ	
	40 - 49	KTC4FC		KTC4FCB	
E	50 - 59	KTC5FC		KTC5FCB	
4	60 - 69	KTC6FC		KTC6FCB	
	70 - 79	KTC7FC		KTC7FCB	

Freestanding Totem	Screen Size	Order Code	Single Sided	Order Code	Back to Back
	30 - 39	KTC3FST		KTC3FSTB	
	40 - 49	KTC4FST		KTC4FSTB	
7	50 - 59	KTC5FST		KTC5FSTB	
	60 - 69	KTC6FST		KTC6FSTB	
	70 - 79	KTC7FST		KTC7FSTB	

Bolt Down Totem	Screen Size	Order Code	Single Sided	Order Code	Back to Back
AM	30 - 39	KTC3BDT		KTC3BDTB	
	40 - 49	KTC4BDT		KTC4BDTB	
	50 - 59	KTC5BDT		KTC5BDTB	
	60 - 69	KTC6BDT		KTC6BDTB	
	70 - 79	KTC7BDT		KTC7BDTB	

^{*} For custom versions please call for details. (Larger screen versions are possible).

www.unicol.com 01865 767676 30 sales@unicol.com www.unicol.com 31

Pop Out Video Wall Mounts

ADAPTA-WALL®

- **★** With standard 'Push to close Push to open' action. Also available with remote latching system where closure with no screen contact in the case of ultra thin displays is required.
- * For screens up to 45Kg with fixings; VESA 200 x 200 to 800 x 400mm.
- * Full screen adjustment in all planes.

The installer friendly Pop Out mount loaded with innovative features.

- * Accurate horizontal / vertical centre line marks on all back plates for easy set up.
- * For direct wall fixing or use with our video wall structure components for ceiling, floor to ceiling or floor to wall applications.
- * Optional 'pull cord' security feature prevents unauthorised 'Pop out' operation in public areas or any situation required.



Compact Version

Order Code **VWP0**

45kg MAX



The compact size of this version is for screens up to 40" and covers VESA sizes 100 to 300mm Comes complete with fine adjustment features for accurate screen positioning.

Wall Plate dims: 410w x 500h

Fits VESA: 100 x 100mm 200 x 200mm 300 x 200mm

VWP0

VWP1 - VWPHD



Standard Version

Order Code VWP1

All Adapta-Wall mounts come with a wide range of VESA fixing sizes, complete with fine adjustment features for accurate screen positioning.

Wall Plate dims: 800w x 500h

Fits VESA: 300 x 300mm 400 x 400mm

For screens with VESA 800 x 400mm fixing points a stretched version, VWP3 is available.



Heavy Duty Version

VWPHD



This version is ideal for single screens mounted in recesses. It has all the characteristics of the standard version but carries heavier screens up to 80kg.

Wall Plate dims: 800w x 500h

Fits VESA: 300 x 300mm 400 x 400mm 600 x 400mm



Portrait Version


VWP4

VESA 400 x 600 VESA 400 x 400

The compact (500mm) width of this version allows use of screens in portrait mode. The two models listed have the same back plate but come with two different sets of arms to cover a wider range of VESA fixings.

www.unicol.com

Wall plate 500w x 500h



All versions can be wall fixed or used with our Adapta-Wall structure system fittings below. For ceiling suspension use (Ouad) 4 column parts, (locking rings must be used – P23). For floor to ceiling / wall, use (Twin) 2 column parts.

Ceiling, Wall & Floor Plates Order Code

VWPA10 Quad Ceiling Plate **VWPA11** Quad Floor Plate

32

VWPA2 Twin Ceiling Plate **VWPA4** Twin Floor Plate VWPA9 Wall Plate

Mount U-Clamps (set of 4)

VWPA5 Fits mounts to columns

Ouad Tie Brace Units (pair) Connects vertical & horizontal columns.

01865 767676

VWPA1 Tie brace units (pair)

Free Standing Video Walls & Roller Trak






Image shows 3 x 3 wall with 55inch displays. Illustration shows 4 x 4 wall with 46inch displays.



Free-standing video wall system

Ideal for situations when quick, easy and accurate assembly is required such as hire and retail, where regular change is inevitable.

This robust modular structure is made of individual mast units that are joined with cross members enabling a 4-high display unit to have infinite width (3-high display units are also available). Cable management runs are catered for and there is adequate space for players or PCs.

Each display fixes to the VWP1 standard 'Push to close - Push to open' video wall mount capable of VESA 200 x 200 to 800 x 400, for displays up to 45kg, (see Page 32). The mount allows for tool-less adjustment in all planes by means of knurled wheels for in-out and up-down movement. Lateral action is achieved by sliding the display smoothly on wheels located in the mount arms.

- * Robust modular construction
- * Easy to assemble and install
- * Wide choice of screen options
- * Space for players and PCs
- * Discreet cable management
- * 'Push to open' 'Push to close' mounts
- * Tool-less screen adjustment

Roller Trak

- Call us for details

Shop Window Solutions

Ideal for retail and other applications to enable screens to be tracked in / out & from side to side, thus opening exciting possibilities for window displays, dynamic presentations, servicing needs or just access for screen / store front cleaning.

AV Roller Trak system consists of track lengths of standardised design which carry smooth running ball bearing trolley units. Standard Unicol column lengths & screen mounts complete the installation.

- * Smooth, easy glide operation
- * Single or multiple screens
- * Wide choice of track lengths
- * Swivel or Rotamount options





Multi-screen

track screens

in and out for

servicing when

installed close

cleaning or

to window.

version used to



Single screen version showing roller track used to move screens along the length of a window as part of a changing window display.

To order – call our technical support team for full system details, options available and advice on any project or installation being considered.

sales@unicol.com www.unicol.com 33

ScreenRail Universal Multi-Display System





* Wall mounted





A highly adaptable rail system for mounting screens in-line, in any number. Ideal for Digital Menus, Videowalls & Telepresence, etc. Can be wall mounted and ceiling suspended. ScreenRail system comprises a choice of standard rail modules and a range of screen arms to cover all applications. Back to Back versions also available.

When selecting parts consideration has to be given to screen width & VESA fixing size. The examples of menu boards and videowalls below use **VWA** adjustable arms. We have given these specific codes for ease of ordering but we urge you to check before ordering by providing us with the make & model of your screen. Ceiling suspension examples use 1.5m columns.

Menu Boards

Wall mounted & ceiling suspended.

These kits consist of all parts necessary for fixing screens in line on a wall or ceiling suspending on 1.5 columns.



1 x 3 (wall mounted)

Order Code	Screen	
MBW346	46"	
MBW350	50"	
MBW355	55"	

1 x 3 (ceiling suspended)

Order Code	Screen	
MBC346	46"	
MBC350	50"	
MBC355	55"	

1 x 4 (wall mounted)

Order Code	Screen	
MBW446	46"	
MBW450	50"	
MBW455	55"	

1 x 4 (ceiling suspended)

Order Code	Screen	
MBC446	46"	
MBC450	50"	
MBC455	55"	

Video Wall - Wall mounted

By fixing appropriate rail lengths on a wall a video wall can be assembled. Here are examples of 2x2, 3x3 and 4x4 video walls for leading brand 46", 50" and 55" displays. You should check before ordering by providing us with the make & model of your screen.

MV350 50"

MV355 55"





MV450 50"

MV455 55"




Standard Universal Arms

MV250 50"

MV255 55"

Pozimount universal mount arms. Supplied with M4, M5, M6 & M8 fixing screws. Arms incorporate 5mm screen levelling feature and are 45mm deep.




Tool-less Fully Adjustable Arms

Feature 15mm in-out adjustment and 15mm of levelling fine adjustment. Side to side adjustment included.

VWA1 Landscape 400
VWA2 Portrait 600

Order Code



Rail Modules


In 3 standard lengths, all with full interchangeability. Provision for bolting together as required. May be ceiling suspended or direct wall fixed, with or without tilt extension brackets (SR10 / SR20).

 Order Code
 mm (w-h-d)

 MD2U35
 350 x 235 x 33

 MD2U70
 700 x 235 x 33

 MD2U140
 1400 x 235 x 33



Other lengths of rail are available to order: 450(w), 800(w), 1000(w), 1200(w), 1700(w), 1800(w), 2100(w) – Call for details

Fixed Tilt Stand-off Brackets

Use these optional brackets to provide tilted display whenever required. 10 or 20 degree tilt versions listed.

SR10 10° tilt (pair) **SR20** 20° tilt (pair)



SR10 - 10 degree version



SR20 - 20 degree version

Multi-Screen Gantry Systems

Spider Gantries

These ceiling mounted units are available for a wide range of screen sizes incorporating our Pozimount universal tilting screen mounts. The spider style and single column gantry versions have swivel capability and all have cable entry ports for neat installation.

By their very nature all spider style and in-line gantries incorporate parts which are factory made to suit specific requirements but all versions are available on a short turn round basis.

Call our technical support team for advice on any project or installation being considered.



Spider – five screen

* We also manufacture gantries for projectors
-Call us for details



Single sided In-line gantry

Back-to-back

In-line gantry

Side

View

Side

View

Typically 33-57"





Spider five screen gantry - illustration shows typical gantry main frame. Add heavy duty column / CP5 ceiling mount (special to these gantries) & screen mounts (pages 20/21).

Order Code

3 screen spider gantry - max weight per screen 50Kg
 4 screen spider gantry - max weight per screen 50Kg
 5 screen spider gantry - max weight per screen 40Kg

CP5 Large gantry ceiling mount for use with above (Page22)

 Order Code
 Bar Length (mm)

 DIG1050
 100-500

 DIG50100
 500-1000

 DIG100150
 1000-1500

DIG150120 1500-2000

MSS1 Bolt on socket
MSP1 Bolt on peg

Order Code

In-line gantries require MSS1 sockets and MSP1 pegs (above), Single sided require PS1s, Back-to-Back PS5s (Page 22). All require Screen Mounts (Pages 20/21).

Product codes & prices listed are intended as a guide as most gantry installations are 'project driven' with the make/model & number of screens as well as the location already chosen. Call our technical team who have wide experience in advising the necessary mount component 'package' to best meet the needs of your installation.

www.unicol.com 01865 767676 sales@unicol.com www.unicol.com 35

Floor to Wall / Ceiling Systems




Floor to Ceiling and **Floor to Wall Systems**


- * Single sided and back to back screen versions
- * Cable management within column uprights
- * Floor to ceiling and floor to wall options

Below are three standard methods of floor to ceiling / wall installation. Select any of the trade kits listed (for nominal ceiling heights of 4m).

If the kits do not meet your needs order in component form as required. To enable adjusting heights of screens at installation, long column lengths can be ordered separately with standard adapters. If services are from the floor use ESF or AVF floor plates (Page 22) for cable management.



Single column



Floor to ceiling single column kits:


Back to Back

FCUS3 up to 57" - single screen **FCUD3** up to 57" - back to back

Single sided

Floor to wall single 2m column kit:

FWUS3 up to 57" - single screen



Floor to ceiling twin column kits: Order Code

FCAS1

up to 70" - single screen FCAD1 up to 70" - back to back **FCAVM**

Floor to wall twin 2m column kit:

FWAS1

up to 70" - single screen **FWAVM** optional set of In-fill panels

optional set of In-fill panels

Goal post style for large screens



Floor to ceiling 'goal post' style kits:

FCGS1 up to 70" - single screen FCGD1 up to 70" - back to back

FCGSH up to 110" - single screen **FCGDH** up to 110" - back to back

Floor to wall 'goal post' style kits:

FWGS1 up to 70" - single screen **FWGSH** up to 110" - single screen

Floor to Ceiling Adapters



Screen mount adapters with integral cable management.

Order Code PS6U1

Single Screen PS6UT1 Twin Screen





Twin column version with integral cable management.

Order Code

PS6A1 Sinale Screen Twin Screen

Floor to Wall Adapters & Fixing Brackets







Screen mount adapters for single & twin column use.

AV2

PS3U1 Single Column Twin Column

Wall fixing brackets for single & twin column use. Order Code

Single Column CTT150 Twin Column

Universal Sliding Serviceable Cassette Mounts



Universal Sliding Serviceable Cassette Mounts

The Sliding Serviceable Cassette Mount range consists of wall fixed or under desk mounts with vertical, horizontal or folding slotted cassettes that can be populated with AV peripherals.

The VertiSlide Serviceable Cassette Mount range consists of wall fixed screen mounts with vertical or horizontal sliding & detachable slotted racks for mounting AV equipment. There are three models for different screen sizes. The equipment is hidden behind the screen. Depending on the model, in the event of a swap out the rack can be unlocked, slid down or across and detached if necessary. VertiSlide is a universal unit designed for most screens with the rack positioned towards the bottom of the screen.

An under desk version is also available and incorporates a hinged slotted removeable rack for mounting AV equipment such as players etc. When installed the equipment is hidden under the desk but in the event of a swap out the rack can be unlocked, hinged down and detached if necessary to carry out the maintenance. Has easy close counterbalance mechanism.



Horizontal Serviceable Cassette Mount

HTS1 HTS2 Screens - 71" to 110" max 110kg VESA - 200 x 200 to 1000 x 600 Screens - 46" to 70" max 60kg VESA - 200 x 200 to 600 x 400



Vertical Serviceable Cassette Mount

VTS1

Order Code

Screens - 71" to 110" max 110kg VESA - 200 x 200 to 1000 x 600 VTS2 Screens – 46" to 70" max 60kg VESA - 200 x 200 to 600 x 400

Under-Desk Serviceable **Cassette Mount**

Order Code UDM1

PC / Player Housings & Racks



Screen Mount / PC housing combinations

We manufacture screen mounts incorporating housings for small form factor PCs. These units greatly reduce installation time. Units are listed below incorporating our Pozimount universal mounts in tilting & non-tilting versions.

Custom made, security locking versions & power socket options also available.

PCZW Universal PC Housing Tilting

PCZX Universal PC Housing non-Tilting



State make & model of screen & PC to be Typical custom made units

www.unicol.com 01865 767676 sales@unicol.com www.unicol.com 37 36



Direct Fixing

The preferred method of projector mounting. All our PSU mounts are designed to align accurately with the projector mounting holes and take account of cooling or lamp access needs.

All PSU mounts are now available as micro adjustable versions having 2 axis, level & tilt. (See centre panel).

Order Code

PSU Standard direct fixing version PSC Cradle direct fixing version VSU Vertical down aspect version **PPSU** Portrait version

PSM Micro-adjustable version

Trim Disc

38

Gives a neat finish where columns pass through suspended ceilings.

Order Code TD1





An alternative method of projector mounting, either to meet a projector's optical needs or to give protection to projectors when used in 'location to location' or hire circumstances.

Micro Adjustment®

This 2 axis micro adjustment factory fitted option is available for most PSU units and provides a range of precision adjustment in level and tilt.



Retro Trim Disc

Allows fitting after installation for a neat finish.

Order Code





We have a wealth of expertise in the design and manufacture of all kinds of projector suspension units to meet client's special requirements. These include mounts for downward or upward projection, multi-projector units, 3D rigs and one-off projects.

- Call us when planning your next installation




Blanking Disc

Blanks holes in ceiling tiles from 6mm to 60mm.

Order Code TDB1





www.unicol.com

01865 767676

included.

Gyrolock Standard Universal

GKU1 230 to 300mm **GKU2** 230 to 700mm

230 to 700mm

Gyrolock Compact

Easy installation

Fixed height

Order Code

GKUX

Gyrolock ~ With Universal Mounts

These universal mounts offer a wide range of adjustment not only to cover widely

often found in projector design. A universal screw pack to cover most projectors is

differing projector screw fixing centres but also allow clearance for contour variations

Typical KPR

column

version

Shown in white

as a no cost option.

Black as standard

Gyrolock ~ With Trilok Docking System

The Trilok docking system uses a standardised 'bayonet style' fitting to carry projector mounting plates made specifically to fit each make & model of projector (a universal version also listed). The docking system allows easy projector set up, removal for routine maintenance and for future model change.



Ádapter

★ Now in white as an option – The GK1 version fits anyway up, ceiling, wall or base fixable

- * Projector locks into Trilok® docking system, using either our dedicated Gyrolock Adapter Plates (GAP) or universal adapter (GAPU)
- * Full tilt & turn adjustment for easy set up
- * Telescopic for use through suspended ceilings or in any high, low or normal headroom situation
- * Safety rated for projectors up to 20Kg ceiling mounted, 12Kg wall mounted (GK1 only) & 12Kg if using a universal GAP plate (GAPU)







Close ceiling





Select any of these versions to suit your headroom needs.

All use the Trilok docking system and are supplied with either a dedicated projector mount (GAP) or optional universal adapter plate (GAPU) if compatible.



Close Ceiling Version

Order Code GKC-GAP 20kg

(Projector adapter plate version - state projector make & model).

Order Code max weight

GKC-GAPU 12kg (Universal projector mount version)



Standard Version

GK1-GAP 20ka

(Projector adapter plate version - state projector make & model).

Order Code max weight GK1-GAPU 12kg

(Universal projector mount version)



Long Extension Version

Order Code max weiaht GK2-GAP 20kg

(Projector adapter plate version state projector make & model).

Order Code GK2-GAPU 12kg

(Universal projector mount version)

(Projector adapter plate version state projector make & model). Order Code max weight

GK4-GAPU 12kg (Universal projector mount version)

01865 767676

GK4 column suspension

Column Suspension Version

Gyrolock 'head' complete with adapter plate (or universal mount). Needs column and ceiling plate (see Page 22) to complete your installation.

Order Code max weiaht GK4-GAP 20ka



Gyrolock Parts & Accessories

EU Registered Design 00221072-0001

Universal Adapter Plate

Designed to fit most projectors.

GAPU

Gyrolock Long

Adjustable from

700 to1200mm

Order Code

GKU3

Order Code

(suspension only)

Dedicated GAP version



column connection. See Page 22 for columns & ceiling plates.

Column Version

Column mm

500

2000

Universal Kits

Order Code

KPR15CB

KPR110CB

KPR120CB

KPR130CB



GK0 camera

Column Suspension Version

Universal mount for direct



truss clamp

Gyrolock Trim Disc

Shaped to fit Gyrolock mast. Gives a neat finish to installations through suspended ceilings.

GKTD

Truss Clamp Version

truss clamp fitting.

GKUT1

GKUT3

Universal mount with standard

For all trusses 45 – 55mm dia.

230 - 300

700 - 1200

trim discs see page 22.



Enables changeover whenever replacing projector. State make & model when ordering.

GAP






www.unicol.com

* For standard column

40 www.unicol.com 41







Trolley 400 x 400

Stand 400 x 400

MS

MG

Lectern Platform

degrees.



Tilting Platforms





Other Trolleys

300 x 300

400 x 400

Equipment Trolley

AP

AD

Utility trolley with a great many uses to carry medical, laboratory or test equipment. Other platform sizes listed.



T1B

42

Original TC1000 Trolleys

The standard trolley in service with many schools & colleges. Has universal screen mount & equipment shelf. Conversion kit also available for existing trolleys.

SS

LS



Camera Stands

Superior to tripods for a great many applications. Solid base with braked wheels gives



01865 767676

Parts & Accessories



10cm Castors (Standard - set of 4)

7.5cm Castors

(2 plain / 2 braked – set of 4)

C10X4

Order Code

C074

Fits Grub Screws & Through Bolts

Allen Key

Order Code

AK316



Please note: Our 10cm Heavy Duty castors (BC104) are bolt fixed for added strength and to prevent swivel

as well as rotation of the wheel, they are intentionally not interchangeable with our 10cm (C104) castors

10cm Heavy **Duty Castors** (HD braked – set of 4)

BC10X4

5cm Castors

Order Code

C05X4

Safety Through-bolt

Socket Cap Order Code SC



Hand Wheel Order Code HW38F

Grub Screw Order Code GS38F



Spray Paint

Touch in paint in Sinterflex Black / White or Diamond Silver – 400ml cans.

Unicol Columns

In standard chrome finish

available in colour finishes

to special order & unpainted.

In addition to the range of

sizes listed we also supply

non-standard lengths to

and stainless steel. Also

Order Code SPB Black SPW White SPS Silver



Replacement

Drilling Jig Installer's cutting and thro-

bolt drilling jig for columns. Order Code CDJ1

Security Devices, Video conference Shelves, Unicol Columns



Screen Security Kit

Use this easily fitted Security Kit with any of our mounts.

The 2200mm tough steel cable system has special fittings which shield access to the screen fixing screws.

PSK

TB38F



TV Remote Wall Holders

* Locks remote to wall

* Reflects beam to TV or projector



Remo™

Guard

Ideal in any classroom or lecture theatre. These clever devices reflect the remote control IR beam direct to projector or screen thus avoiding the need for hard wiring, locking the remote ready for use.

RGHW Standard for most remote Units **RGH1W** Custom unit for large remotes




Locking Ceiling Plate

Fits standard CP1 ceiling plate shielding the fixings to deter unauthorised removal.

Order Code CPSC1





Standard Chron (Order Code suffix 'C' – for cei						
Order Code	Length					
410 410						

Order Code	Length	Order Code
410	410	SS410
500	500	SS500
610	610	SS610
760	760	SS760
900	900	SS900
1000	1000	SS1000
1140	1140	SS1140
1500	1500	SS1500
2000	2000	SS2000
3000	3000	SS3000

List above indicates traditional imperial and metric lengths

TETHERLOC Gyrolock Anti-theft Kit

Tough steel cable system has special fittings which shield access to the projector fixing screws and link the mount and projector to protected ceiling fixing bolts.

Order Code

GT40 for GK1 (40cm cables) **GT80** for GK2 (80cm cables) **GT130** for GK3 (130cm cables)

Video Conference Camera Wall Shelves

Neat units in glass or metal for wall mounting.

Order Code **WBVC**

Metal - 350w x 250d WBVG Glass - size: 500 x 400 WBVG1 Glass - size: 780 x 390

Versions also available for specific video conference cameras and codecs - Call us for details.



sales@unicol.com www.unicol.com

TC1000



AV Mounts - for the professionals

Green Road Oxford OX3 8EU 01865 767676 sales@unicol.com www.unicol.com













